Note:			

ELECTRICAL CHARACTERISTICS

STYLE	MMF-12	MMF25S	MMF204	MMF-25	MMF50S	MMF207	MMF-50	MMFIWS
Power Rating at 70°C	1/6W	1/4W	0.4W	1/4W	1/2W	0.6W	1/2W	IW
Maximum Working Voltage	150V	200V		250V			350V	
Maximum Overload Voltage	300V	400V		500V			700V	
Voltage Proof on Insulation	300V			500V			700V	
Resistance Range	I Ω - IM Ω & 0 Ω for E24 & E96 series value, I00 Ω - I00K Ω for E192 series value							
Operating Temp. Range	-55°C to +155°C							
Temperature Coefficient	±15ppm/°C, ±25ppm/°C, ±50ppm/°C, ±100ppm/°C							

Note: Special value is available on request

ENVIRONMENTAL CHARACTERISTICS

PERFORMANCE TEST	TEST METHOD	APPRAISE ±0.5%+0.05Ω	
Short Time Overload	IEC 60115-1 4.13		
Voltage Proof on Insulation	IEC 60115-1 4.7	in V-block for 60 Sec., test voltage by type	By type
Temperature Coefficient	IEC 60115-1 4.8	-55°C to +155°C	By type
Insulation Resistance	IEC 60115-1 4.6	in V-block for 60 Sec.	>10,000ΜΩ
Solderability	IEC 60115-1 4.17	235±5°C for 3±0.5 Sec.	95% Min. coverage
Solvent Resistance of Marking	IEC 60115-1 4.30	60115-1 4.30 IPA for 5±0.5 Min. with ultrasonic	
Periodic-pulse Overload	IEC 60115-1 4.39	4 times RCWV 10,000 cycles (1 Sec. on, 25 Sec. off)	±1.0%+0.05Ω
Damp Heat Steady State	IEC 60115-1 4.24	40±2°C, 90-95% RH for 56 days, loaded with 0.1 times RCWV	±2.0%+0.1Ω
Endurance at 70°C	IEC 60115-1 4.25	70±2°C at RCWV for 1,000 Hr. (1.5 Hr. on, 0.5 Hr. off)	±2.0%+0.1Ω
Temperature Cycling	IEC 60115-1 4.19	-55°C ⇒ Room Temp. ⇒ +155°C ⇒ Room Temp. (5 cycles)	±0.75%+0.05Ω
Resistance to Soldering Heat	IEC 60115-1 4.18	260±3°C for I0±1 Sec., immersed to a point 3±0.5mm from the body	±0.5%+0.05Ω

Note: RCWV(Rated Continuous Working Voltage) = $\sqrt{\text{Power Rating } \times \text{Resistance Value}}$ or Max. working voltage listed above, whichever less.

EXPLANATIONS OF ORDERING CODE

-50 = 1/2W

50S = 1/2WS

100 = 1 W

IWS = IWS

200 = 2W

2WS = 2WS204 = 0.4W207 = 0.6W300 = 3W3WS = 3WS3WM = 3WM400 = 4W500 = 5W5WS = 5WS5SS = 5WSS700 = 7W7WS = 7WS10A = 10W20A = 20W30A = 30W40A = 40W50A = 50W10S = 10WS15A = 15W25A = 25W10B = 100W 25B = 250W

52-Code I - 3 Code 4 - 6 Code 7 Code 8 Code 9 Code 10 - 12 **Series Name Power Rating Tolerance Packing Style** Temperature Coef-Forming Type See Index 26 - 26mm

-05 = ød0.5mm $P = \pm 0.02 \%$ -06 = ød0.6mm $A = \pm 0.05 \%$ -07 = ød0.7mmB = +0.1 %

-08 = ød0.8mmC = +0.25%-10 = ød1.0mm $D = \pm 0.5 \%$ -14 = ød1.4mmF = ±1 %

-12 = 1/6W $G = \pm 2 \%$ -25 = 1/4W $| = \pm 5 \%$ 25S = 1/4WS $K = \pm 10 \%$

- = Base on Spec

T = Tape/BoxR = Tape/Reel

B = Bulk

ficient of Resistance - = Base on Spec.

 $A = \pm 5 \text{ ppm/}^{\circ}\text{C}$

 $B = \pm 10 \text{ ppm/}^{\circ}\text{C}$ $C = \pm 15 \text{ ppm/}^{\circ}C$

 $S = \pm 20ppm/^{\circ}C$

 $D = \pm 25 \text{ ppm/}^{\circ}C$ $E = \pm 50 \text{ ppm/}^{\circ}\text{C}$

 $F = \pm 100 \text{ ppm/°C}$

 $G = \pm 200 \text{ ppm/}^{\circ}C$

 $H = \pm 250 \text{ ppm/°C}$ $I = \pm 300 \text{ ppm/°C}$

 $J = \pm 350 \text{ ppm/°C}$

52- = 52.4mm

73 - = 73 mm81 - 81 mm

91 - = 91 mm

F = FType

FK = FKType

FKK = FKK Type

FFK = F-form Kink

M = M-Type Forming

MB = M-form W/flat

MT = MT Type Forming

MR = MRTypeAV = AVIsert

PN = PANAsert

Code 13 - 17

Resistance Value

100R

0RI = 0.1

100R = 10010K = 10.000

10M = 10,000,000

EXCEPTION:

• Cement series:

<Code 8>: Special packing style code

B: Bulk with wirewound or metal oxide sub-assembly for resistance value

W: Bulk with ceramic based wirewound sub-assembly for resistance value

M: Bulk with metal oxide sub-assembly for resistance value

F: Bulk with Fiberglass based wirewound sub-assembly for resistance value

<Code 10-12>: Without forming code

Example: SQP500|B-10R

• JPW series:

<Code 13-17>: without resistance value code

Example: **JPW-06-T-52-**