

## 1 Characteristics

Table 1. Absolute maximum ratings (T<sub>amb</sub> = 25 °C)

| Symbol           |  | Value   | Unit       |    |
|------------------|--|---|------------|----|
| V <sub>pp</sub>  | Peak pulse voltage   | IEC 61000-4-2 contact discharge IEC 61000-4-2 air discharge | >30<br>>30 | kV |
| P <sub>pp</sub>  | Peak pulse power (8/20 µs)   |   | 300        | W  |
| I <sub>pp</sub>  | Peak pulse current (8/20 µs)  Operating junction temperature range  Storage junction temperature range |   | 30         | Α  |
| T <sub>op</sub>  |  |   | -55 to 150 | °C |
| T <sub>stg</sub> |  |   | -55 to 150 | °C |

Figure 1. Electrical characteristics (definitions)

Symbol Parameter  $V_{BR}$ Breakdown voltage  $V_{CL}$ Clamping voltage Leakage current @V<sub>RM</sub>  $I_{RM}$ =  $V_{RM}$ = Stand-off voltage = Peak pulse current  $I_{PP}$  $R_{\scriptscriptstyle D}$ Dynamic resistance = = Breakdown current  $I_R$ 




Table 2. Electrical characteristics (values) (T<sub>amb</sub> = 25° C)

| Symbol            | Test conditions  |     | Тур. | Max. | Unit |  |
|-------------------|--|-----|------|------|------|--|
| $V_{BR}$          | I <sub>R</sub> = 1 mA  | 6.9 | 7.3  | 7.8  | V    |  |
| I <sub>RM</sub>   | V <sub>RM</sub> = 6.3 V                                      |     |      | 300  | nA   |  |
| V <sub>CL</sub>   | I <sub>PP</sub> = 20 A 8/20μs                                |     |      | 11   | 11 V |  |
| VCL               | I <sub>PP</sub> = 30 A 8/20μs                                |     |      | 12   |      |  |
| $R_D$             | 8/20µs   |     | 0.12 |      | Ω    |  |
| C <sub>LINE</sub> | V <sub>LINE</sub> = 0 V, F = 1 MHz, V <sub>OSC</sub> = 30 mV |     | 170  |      | pF   |  |

DS12517 - Rev 3 page 2/11



## 1.1 Characteristics (curves)




Figure 3. Peak pulse power versus exponential pulse duration (maximum values)

1000
Pep (W)
Tj initial = 25 °C typical value

100
100
100
100
100
100

Figure 4. Peak power dissipation versus initial temperature (typical value)


I<sub>pp</sub> (A)


IO


I

V<sub>CL</sub> (V)

7 8 9 10 11 12







DS12517 - Rev 3 page 3/11




# 2 Package information

In order to meet environmental requirements, ST offers these devices in different grades of ECOPACK® packages, depending on their level of environmental compliance. ECOPACK® specifications, grade definitions and product status are available at: www.st.com. ECOPACK® is an ST trademark.

## 2.1 SOD882T package information

Figure 8. SOD882T package outline



DS12517 - Rev 3 page 4/11



Table 3. SOD882T package mechanical data

|      | Dimensions  Millimeters |      |      |  |
|------|-------------------------|------|------|--|
| Ref. |                         |      |      |  |
|      | Min.                    | Тур. | Max. |  |
| А    | 0.30                    |      | 0.40 |  |
| A1   | 0.00                    | 0.02 | 0.05 |  |
| L    | 0.45                    | 0.50 | 0.55 |  |
| D    |                         | 1.00 |      |  |
| E    |                         | 0.60 |      |  |
| е    |                         | 0.65 |      |  |
| b    | 0.20                    | 0.25 | 0.30 |  |

Figure 9. SOD882T recommended footprint




Figure 10. Marking



DS12517 - Rev 3 page 5/11






Figure 11. Tape and reel specification

All dimensions are typical values in mm

User direction of unreeling

DS12517 - Rev 3 page 6/11




## 3 Recommendation on PCB assembly

## 3.1 Stencil opening design

- 1. General recommendation on stencil opening design
  - a. Stencil opening dimensions: L (Length), W (Width), T (Thickness).

Figure 12. Stencil opening recommendation




- b. General design rule
  - $\circ$  Stencil thickness (T) = 75 ~ 125 μm
  - $\circ \frac{W}{T} \ge 1.5$

$$\circ \qquad \frac{L \times W}{2T(L+W)} \ge 0.66$$

- 1. Reference design
  - a. Stencil opening thickness: 100 µm
  - b. Stencil opening for leads: Opening to footprint ratio is 90%

Figure 13. Recommended stencil window position in mm



DS12517 - Rev 3 page 7/11



### 3.2 Solder paste

- 1. Halide-free flux qualification ROL0 according to ANSI/J-STD-004.
- 2. "No clean" solder paste is recommended.
- 3. Offers a high tack force to resist component movement during high speed.
- 4. Use solder paste with fine particles: powder particle size 20-45 μm.

#### 3.3 Placement


- 1. Manual positioning is not recommended.
- 2. It is recommended to use the lead recognition capabilities of the placement system, not the outline centering
- 3. Standard tolerance of ±0.05 mm is recommended.
- 4. 3.5 N placement force is recommended. Too much placement force can lead to squeezed out solder paste and cause solder joints to short. Too low placement force can lead to insufficient contact between package and solder paste that could cause open solder joints or badly centered packages.
- To improve the package placement accuracy, a bottom side optical control should be performed with a high resolution tool.
- For assembly, a perfect supporting of the PCB (all the more on flexible PCB) is recommended during solder paste printing, pick and place and reflow soldering by using optimized tools.

### 3.4 PCB design preference

- 1. To control the solder paste amount, the closed via is recommended instead of open vias.
- 2. The position of tracks and open vias in the solder area should be well balanced. A symmetrical layout is recommended, to avoid any tilt phenomena caused by asymmetrical solder paste due to solder flow away.

### 3.5 Reflow profile

Figure 14. ST ECOPACK® recommended soldering reflow profile for PCB mounting




Note: Minimize air convection currents in the reflow oven to avoid component movement.

DS12517 - Rev 3 page 8/11



# 4 Ordering information

Figure 15. Ordering information scheme



**Table 4. Ordering information** 

| Order code   | Marking | Weight  | Base qty. | Delivery mode |
|--------------|---------|---------|-----------|---------------|
| ESDA8P30-1T2 | E       | 0.76 mg | 12000     | Tape and reel |

1. The marking can be rotated by multiples of 90° to differentiate assembly location.

DS12517 - Rev 3 page 9/11



# **Revision history**

Table 5. Document revision history

| Date        | Revision | Changes                     |
|-------------|----------|-----------------------------|
| 03-Apr-2018 | 1        | First issue.                |
| 24-Aug-2018 | 2        | Updated Table 2.            |
| 18-Oct-2018 | 8        | Updated Figure 10. Marking. |

DS12517 - Rev 3 page 10/11



#### **IMPORTANT NOTICE - PLEASE READ CAREFULLY**

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2018 STMicroelectronics - All rights reserved

DS12517 - Rev 3 page 11/11