

Absolute Maximum Rating ⁽¹⁾ $T_A = 25^\circ \text{C}$

Symbol	Parameter	Units	Absolute Max.
$V_{d, \text{MAX}}$	Device Voltage	V	5.5
$P_{\text{IN, MAX}}$	CW RF Input Power	dBm	18
P_{DISS}	Total Power Dissipation ⁽²⁾	mW	465
T_{OPT}	Operating Temperature	$^\circ\text{C}$	-40 to 85
$T_{\text{J, MAX}}$	Junction Temperature	$^\circ\text{C}$	150
T_{STG}	Storage Temperature	$^\circ\text{C}$	-65 to 150

Thermal Resistance

Thermal Resistance ⁽³⁾ $\theta_{\text{JC}} = 114^\circ \text{C/W}$
 $(I_d = 57 \text{ mA}, T_b = 94^\circ \text{C})$

Notes:

1. Operation of this device in excess of any of these limits may cause permanent damage.
2. Ground lead temperature is 25°C . Derate 8.8 mW/ $^\circ \text{C}$ for $T_c > 117^\circ \text{C}$.
3. Thermal resistance measured using Infrared measurement technique.

Electrical Specification

Symbol	Parameter and Test Condition	Frequency	Units	Min.	Typ.	Max.
I_d	Device Current		mA	51.5	57.7	64.5
G_p	Power Gain	900 MHz	dB		20.5	
		2000 MHz		16.3	17.8	19.3
$f_{3\text{dB}}$	3 dB Bandwidth		GHz		2.5	
OIP3 ^[5]	Output 3 rd Intercept Point	900 MHz	dBm		32.3	
		2000 MHz		28	29.9	
S11	Input Return Loss, 50 Ω source	900 MHz	dB		-22.4	
		2000 MHz			-14.8	
S22	Output Return Loss, 50 Ω load	900MHz	dB		-13.8	
		2000 MHz			-10.8	
S12	Reverse Isolation	900 MHz	dB		-23.4	
		2000 MHz			-23.8	
P1dB	Output Power at 1dB Gain Compression	900 MHz	dBm		19.4	
		2000 MHz			17.2	
NF	Noise Figure	900 MHz	dB		3.8	
		2000 MHz			4.2	




Figure 1. Block diagram of board used for I_d , Gain, OIP3, S11, S22, S12, OP1dB and NF measurements. Circuit losses have been de-embedded from actual measurements.

Product Consistency Distribution Charts at 2 GHz, $V_{cc} = 5$ V




Figure 2. I_d (mA) distribution. LSL = 51.5, Nominal = 57.7, USL = 64.5.




Figure 3. Gain (dB) distribution. LSL = 16.3, Nominal = 17.8, USL = 19.3.




Figure 4. OIP3 (dBm) distribution. LSL = 28, Nominal = 29.9.

Notes:

1. Statistical distribution determined from a sample size of 4236 samples taken from 3 different wafers, measured on a production test board.
2. Future wafers allocated to this product may have typical values anywhere between the minimum and maximum specification limits.

AVT-54689 Typical Performance Curves

$T_A = 25^\circ\text{C}$, $Z_o = 50\ \Omega$, $V_{CC} = 5.0\text{ V}$, $P_{in} = -15\text{ dBm}$ (unless specified otherwise)




Figure 5. Gain vs. Frequency and Voltage




Figure 6. Gain vs. Frequency and Temperature




Figure 7. Noise Figure vs. Frequency and Voltage




Figure 8. Noise Figure vs. Frequency and Temperature




Figure 9. P1dB vs. Frequency and Voltage




Figure 10. P1dB vs. Frequency and Temperature

AVT-54689 Typical Performance Curves

$T_A = 25^\circ\text{C}$, $Z_o = 50\ \Omega$, $V_{CC} = 5.0\text{ V}$, $P_{in} = -15\text{ dBm}$ (unless specified otherwise), continued




Figure 11. OIP3 vs. Frequency and Voltage




Figure 12. OIP3 vs. Frequency and Temperature




Figure 13. I_d vs V_d and Temperature




Figure 14. S11 vs Frequency and Temperature




Figure 15. S22 vs Frequency and Temperature

AVT-54689 Typical Scattering Parameters $T_A = 25^\circ \text{C}$, $Z_0 = 50 \Omega$, $V_{CC} = 4.5 \text{V}$, (unless specified otherwise)

Freq (GHz)	S11		S21		S12		S22		K
	mag	angle	dB	mag	angle	mag	angle	mag	
0.05	0.09	-46.5	19.36	9.29	172.8	0.07	4.4	0.21	1.1
0.10	0.07	-32.7	19.26	9.18	171.5	0.07	1.0	0.19	1.1
0.50	0.07	-18.7	18.95	8.87	150.9	0.07	-10.5	0.19	1.1
0.90	0.10	-30.5	18.59	8.50	129.8	0.07	-19.6	0.23	1.1
1.50	0.17	-58.5	17.90	7.85	98.9	0.07	-30.9	0.28	1.1
2.00	0.20	-81.3	17.26	7.30	73.8	0.07	-39.7	0.31	1.2
2.50	0.20	-108.9	16.53	6.70	48.9	0.07	-48.8	0.33	1.2
3.00	0.22	-140.4	15.62	6.04	24.3	0.07	-58.3	0.36	1.2
3.50	0.25	-170.1	14.55	5.34	0.7	0.07	-67.9	0.40	1.2
4.00	0.29	164.4	13.41	4.68	-21.7	0.07	-77.5	0.45	1.2
4.50	0.31	139.2	12.29	4.12	-43.5	0.07	-88.0	0.48	1.2
5.00	0.35	114.3	11.22	3.64	-65.1	0.07	-99.7	0.49	1.3
5.50	0.38	89.9	10.12	3.21	-86.2	0.07	-112.1	0.51	1.3
6.00	0.39	60.5	8.90	2.79	-107.4	0.07	-125.8	0.55	1.3
6.50	0.43	30.7	7.48	2.37	-128.8	0.07	-140.7	0.59	1.4
7.00	0.49	7.0	5.81	1.95	-149.4	0.07	-155.9	0.63	1.5
7.50	0.57	-8.4	3.97	1.58	-168.6	0.06	-170.4	0.67	1.6
8.00	0.62	-18.0	2.11	1.27	173.9	0.06	176.1	0.71	1.7
8.50	0.66	-26.0	0.36	1.04	157.7	0.05	163.2	0.74	1.9
9.00	0.68	-35.9	-1.21	0.87	142.2	0.05	150.4	0.77	2.1
9.50	0.69	-49.1	-2.65	0.74	126.7	0.05	137.2	0.79	2.3
10.00	0.72	-64.5	-4.07	0.63	111.3	0.04	123.8	0.81	2.5
10.50	0.75	-79.7	-5.52	0.53	96.8	0.04	110.7	0.82	2.7
11.00	0.78	-92.7	-6.98	0.45	83.8	0.04	98.8	0.83	2.9
11.50	0.80	-102.8	-8.41	0.38	72.7	0.04	88.3	0.85	3.0
12.00	0.82	-110.4	-9.75	0.33	63.2	0.03	79.2	0.86	3.1
12.50	0.83	-116.3	-11.02	0.28	54.7	0.03	70.8	0.87	3.4
13.00	0.84	-122.0	-12.28	0.24	46.2	0.03	62.4	0.88	3.8
13.50	0.84	-127.9	-13.59	0.21	37.3	0.03	53.4	0.89	4.5
14.00	0.85	-134.3	-14.96	0.18	27.9	0.03	43.9	0.90	5.2
14.50	0.86	-140.8	-16.30	0.15	18.5	0.02	34.2	0.90	5.8
15.00	0.86	-147.2	-17.48	0.13	9.1	0.02	24.7	0.91	6.6
16.00	0.87	-160.3	-19.21	0.11	-8.5	0.02	12.0	0.91	8.9
17.00	0.86	-175.3	-20.13	0.10	-24.5	0.02	5.2	0.91	9.8
18.00	0.85	167.3	-20.68	0.09	-40.7	0.02	-5.3	0.91	9.5
19.00	0.86	151.8	-21.39	0.09	-54.9	0.03	-16.4	0.91	9.1
20.00	0.86	141.0	-22.12	0.08	-63.7	0.03	-21.1	0.90	8.9

Notes:

1. S-parameters are measured on a CPWG line fabricated on 0.025 inch thick Rogers® RO4350 material. The input reference plane is at the end of the input lead. The output reference plane is at the end of the output lead.

AVT-54689 Typical Scattering Parameters $T_A = 25^\circ\text{C}$, $Z_0 = 50\ \Omega$, $V_{CC} = 5.0\text{ V}$, (unless specified otherwise)

Freq (GHz)	S11		S21		S12		S22		K
	mag	angle	dB	mag	angle	mag	angle	mag	
0.05	0.07	-63.5	19.81	9.78	172.7	0.07	4.8	0.18	1.0
0.10	0.04	-49.8	19.71	9.67	171.5	0.07	1.1	0.17	1.1
0.50	0.04	-12.9	19.40	9.34	150.8	0.07	-10.4	0.17	1.1
0.90	0.08	-23.6	19.04	8.95	129.5	0.07	-19.6	0.20	1.1
1.50	0.15	-56.1	18.34	8.26	98.3	0.07	-30.9	0.26	1.1
2.00	0.18	-79.8	17.68	7.66	73.0	0.06	-39.6	0.29	1.2
2.50	0.19	-108.3	16.92	7.01	47.9	0.06	-48.5	0.31	1.2
3.00	0.20	-141.0	15.99	6.30	23.3	0.06	-57.7	0.35	1.2
3.50	0.24	-171.4	14.90	5.56	-0.3	0.06	-67.0	0.40	1.2
4.00	0.28	163.0	13.74	4.86	-22.7	0.06	-76.3	0.44	1.2
4.50	0.31	137.6	12.60	4.27	-44.6	0.07	-86.6	0.47	1.3
5.00	0.34	112.7	11.51	3.76	-66.2	0.07	-98.0	0.48	1.3
5.50	0.38	88.3	10.39	3.31	-87.3	0.07	-110.2	0.50	1.3
6.00	0.39	58.9	9.15	2.87	-108.5	0.07	-123.9	0.55	1.4
6.50	0.43	29.2	7.71	2.43	-129.8	0.07	-138.7	0.59	1.4
7.00	0.50	5.7	6.03	2.00	-150.4	0.07	-153.8	0.63	1.5
7.50	0.57	-9.5	4.17	1.62	-169.6	0.06	-168.3	0.67	1.6
8.00	0.62	-19.0	2.30	1.30	173.0	0.06	178.3	0.71	1.7
8.50	0.66	-26.9	0.55	1.07	156.9	0.05	165.4	0.74	1.9
9.00	0.68	-36.7	-1.02	0.89	141.4	0.05	152.6	0.77	2.1
9.50	0.69	-49.9	-2.47	0.75	125.9	0.05	139.4	0.79	2.3
10.00	0.72	-65.2	-3.89	0.64	110.6	0.04	125.9	0.80	2.5
10.50	0.75	-80.3	-5.34	0.54	96.1	0.04	112.8	0.82	2.7
11.00	0.78	-93.3	-6.80	0.46	83.1	0.04	100.7	0.83	2.9
11.50	0.80	-103.4	-8.23	0.39	71.9	0.04	90.2	0.85	3.0
12.00	0.82	-110.9	-9.57	0.33	62.4	0.03	80.9	0.86	3.1
12.50	0.83	-116.9	-10.84	0.29	53.9	0.03	72.4	0.87	3.4
13.00	0.84	-122.5	-12.10	0.25	45.4	0.03	63.9	0.88	3.8
13.50	0.84	-128.4	-13.41	0.21	36.5	0.03	54.8	0.89	4.5
14.00	0.85	-134.8	-14.77	0.18	27.2	0.03	45.2	0.89	5.2
14.50	0.86	-141.3	-16.11	0.16	17.7	0.02	35.4	0.90	5.8
15.00	0.86	-147.7	-17.30	0.14	8.3	0.02	25.8	0.91	6.6
16.00	0.87	-160.8	-19.04	0.11	-9.5	0.02	13.0	0.91	8.8
17.00	0.86	-175.8	-19.97	0.10	-25.6	0.02	5.8	0.91	9.7
18.00	0.85	166.7	-20.54	0.09	-41.9	0.03	-5.1	0.91	9.5
19.00	0.85	151.3	-21.26	0.09	-56.2	0.03	-16.5	0.90	9.2
20.00	0.86	140.5	-22.00	0.08	-65.2	0.03	-21.5	0.90	8.9

Notes:

1. S-parameters are measured on a CPWG line fabricated on 0.025 inch thick Rogers® RO4350 material. The input reference plane is at the end of the input lead. The output reference plane is at the end of the output lead.

AVT-54689 Typical Scattering Parameters $T_A = 25^\circ \text{C}$, $Z_0 = 50 \Omega$, $V_{CC} = 5.5 \text{ V}$, (unless specified otherwise)

Freq(GHz)	S11		S21		S12		S22		K
	mag	angle	dB	mag	angle	mag	angle	mag	
0.05	0.06	-74.2	20.02	10.03	172.7	0.07	4.6	0.17	1.1
0.10	0.03	-67.5	19.92	9.91	171.4	0.07	1.2	0.15	1.1
0.50	0.03	-6.8	19.62	9.57	150.8	0.07	-10.3	0.16	1.1
0.90	0.06	-18.0	19.25	9.18	129.4	0.07	-19.5	0.19	1.1
1.50	0.14	-54.9	18.56	8.47	98.1	0.06	-30.8	0.25	1.1
2.00	0.17	-79.3	17.90	7.85	72.7	0.06	-39.4	0.28	1.2
2.50	0.18	-108.6	17.14	7.19	47.6	0.06	-48.2	0.30	1.2
3.00	0.20	-141.8	16.21	6.46	22.9	0.06	-57.2	0.34	1.2
3.50	0.24	-172.5	15.11	5.70	-0.8	0.06	-66.4	0.38	1.2
4.00	0.28	161.8	13.94	4.98	-23.3	0.06	-75.6	0.43	1.2
4.50	0.31	136.3	12.79	4.36	-45.3	0.06	-85.8	0.46	1.3
5.00	0.35	111.5	11.68	3.84	-67.0	0.07	-97.2	0.47	1.3
5.50	0.38	87.1	10.55	3.37	-88.1	0.07	-109.3	0.49	1.3
6.00	0.39	57.7	9.30	2.92	-109.3	0.07	-122.9	0.54	1.4
6.50	0.43	28.2	7.84	2.47	-130.7	0.07	-137.8	0.58	1.4
7.00	0.50	4.9	6.15	2.03	-151.3	0.07	-152.9	0.63	1.5
7.50	0.57	-10.1	4.29	1.64	-170.3	0.06	-167.3	0.67	1.6
8.00	0.63	-19.5	2.41	1.32	172.3	0.06	179.2	0.71	1.7
8.50	0.66	-27.4	0.66	1.08	156.2	0.05	166.4	0.74	1.9
9.00	0.68	-37.2	-0.92	0.90	140.7	0.05	153.6	0.77	2.1
9.50	0.70	-50.3	-2.37	0.76	125.2	0.05	140.3	0.79	2.3
10.00	0.72	-65.6	-3.79	0.65	109.9	0.04	126.8	0.80	2.6
10.50	0.75	-80.6	-5.25	0.55	95.4	0.04	113.6	0.82	2.7
11.00	0.78	-93.5	-6.71	0.46	82.4	0.04	101.6	0.83	2.9
11.50	0.80	-103.6	-8.13	0.39	71.2	0.04	90.9	0.84	3.0
12.00	0.82	-111.1	-9.48	0.34	61.7	0.03	81.7	0.86	3.1
12.50	0.83	-117.0	-10.75	0.29	53.2	0.03	73.1	0.87	3.4
13.00	0.84	-122.6	-12.01	0.25	44.7	0.03	64.5	0.88	3.9
13.50	0.84	-128.5	-13.32	0.22	35.8	0.03	55.4	0.88	4.5
14.00	0.85	-134.9	-14.69	0.18	26.4	0.03	45.7	0.89	5.2
14.50	0.86	-141.3	-16.03	0.16	16.9	0.02	35.9	0.90	5.9
15.00	0.86	-147.7	-17.22	0.14	7.4	0.02	26.3	0.91	6.6
16.00	0.87	-160.8	-18.97	0.11	-10.4	0.02	13.4	0.91	8.9
17.00	0.86	-175.8	-19.91	0.10	-26.6	0.02	6.2	0.91	9.8
18.00	0.85	166.8	-20.50	0.09	-42.9	0.03	-4.9	0.91	9.6
19.00	0.85	151.4	-21.24	0.09	-57.3	0.03	-16.3	0.90	9.3
20.00	0.86	140.5	-22.02	0.08	-66.3	0.03	-21.3	0.90	9.2


Notes:

1. S-parameters are measured on a CPWG line fabricated on 0.025 inch thick Rogers® RO4350 material. The input reference plane is at the end of the input lead. The output reference plane is at the end of the output lead.

Part Number Ordering Information


Part Number	No. of Devices	Container
AVT-54689-BLKG	100	7" Tape/Reel
AVT-54689-TR1G	3000	13" Tape/Reel

SOT89 Package Dimensions




Symbols	Dimensions in mm			Dimensions in inches		
	Minimum	Nominal	Maximum	Minimum	Nominal	Maximum
A	1.40	1.50	1.60	0.055	0.059	0.063
L	0.89	1.04	1.20	0.0350	0.041	0.047
b	0.36	0.42	0.48	0.014	0.016	0.018
b1	0.41	0.47	0.53	0.016	0.018	0.030
C	0.38	0.40	0.43	0.014	0.015	0.017
D	4.40	4.50	4.60	0.173	0.177	0.181
D1	1.40	1.60	1.75	0.055	0.062	0.069
D2	1.45	1.65	1.80	0.055	0.062	0.069
E	3.94	-	4.25	0.155	-	0.167
E1	2.40	2.50	2.60	0.094	0.098	0.102
e1	2.90	3.00	3.10	0.114	0.118	0.122
S	0.65	0.75	0.85	0.026	0.030	0.034
e	1.40	1.50	1.60	0.054	0.059	0.063


Device Orientation



Tape Dimensions



Reel Dimensions – 13" Reel



For product information and a complete list of distributors, please go to our web site: www.avagotech.com

Avago, Avago Technologies, and the A logo are trademarks of Avago Technologies in the United States and other countries.
Data subject to change. Copyright © 2005-2013 Avago Technologies. All rights reserved.
AV02-2704EN - November 11, 2013

Avago
TECHNOLOGIES