

TECHNICAL DETAILS

- Length: 2 meters / 78.7"
- Outer Diameter: 0.8mm / 0.03"
- Resistance: 331 Ω /Km
- Current Handling Capability: ~0.8 A (depends on length and voltage!)
- Temperature Range: -60°C ~ 200°C
- Nominal Voltage: 600V
- Weight: 2.4g



LEARN



[Ultrasonic Ruler](#)

3D Printing, LED and sensors equals ray blaster!



[DIY Pocket LED Gamer - Tiny Tetris!](#)

Fun with 16x8 pixels!



[MASLOW: an Open WiFi Detector with Adafruit Pro Trinket and CC3000](#)

Mini Adafruit System Locates Open Wireless



[Animated Scrolling "Mario Clouds" TFT Jewelry](#)

The peaceful background of your favorite game, now for you to wear



[Ray Gun Blaster](#)

Make a prop replica with sound FX and NeoPixel LEDs!




[Metal Inlay Capacitive Touch Buttons](#)

Make pretty things you can touch and make bleepy noises



[Dash Hacking: Bare-Metal STM32 Programming](#)

How to disassemble an Amazon Dash button and reprogram its STM32 processor!



[Simple LED Unicorn Horn](#)

Make a quick project for halloween!



[NeoPixel GoPro Lens Light](#)


Illuminate your project build feature with a compact DIY

light



[Labo Piano Light FX](#)
Customize your Nintendo
Labo Piano with Circuit
Playground Express!

MAY WE ALSO SUGGEST...



Silicone Cover Stranded-



Silicone Cover Stranded-




Silicone Cover Stranded-



Silicone Cover Stranded-




Silicone Cover Stranded-



Silicone Cover Stranded-



Silicone Cover Stranded-




Silicone Cover Stranded-




Silicone Cover Stranded-



Silicone Covered Ribbon



Silicone Cover Stranded-



Silicone Cover Stranded-

DISTRIBUTORS [EXPAND TO SEE DISTRIBUTORS](#)

[CONTACT](#)

[SUPPORT](#)

[DISTRIBUTORS](#)

[EDUCATORS](#)

[JOBS](#)

[FAQ](#)

[SHIPPING & RETURNS](#)

[TERMS OF SERVICE](#)

[PRIVACY & LEGAL](#)

[ABOUT US](#)

"I'm an engineer. I see myself as a toolmaker and the musicians are my customers... They use my tools" -
Robert Moog



