

■ Standard Products

W.V. (V)	Cap. (±20%) (μF)	Case Size		Specification			Part No.	Min.Packaging Q'ty
		L x W x H (mm)	Size Code	L.C (μA)	tan δ (120Hz) (20°C)	ESR (100kHz) (20°C) (Ω)		Taping (pcs)
4	4.7	3.2x1.6x1.6	Y	0.5	0.06	8.0	ECST0GY475R	2000
	6.8	3.2x1.6x1.6	Y	0.5	0.06	6.0	ECST0GY685R	2000
	10	3.2x1.6x1.6	Y	0.5	0.06	4.0	ECST0GY106R	2000
	15	3.2x1.6x1.6	Y	0.6	0.06	4.0	ECST0GY156R	2000
	22	3.2x1.6x1.6	Y	0.9	0.06	3.5	ECST0GY226R	2000
		3.5x2.8x1.9	X	0.9	0.06	3.0	ECST0GX226R	2000
	33	3.5x2.8x1.9	X	1.4	0.06	2.8	ECST0GX336R	2000
		3.5x2.8x1.9	X	1.9	0.06	2.4	ECST0GX476R	2000
	60	6.0x3.2x2.5	C	1.9	0.06	1.8	ECST0GC476R	750
		6.0x3.2x2.5	C	2.8	0.06	1.6	ECST0GC686R	750
		6.0x3.2x2.5	C	4.0	0.08	1.2	ECST0GC107R	750
	100	5.8x4.6x3.2	V	4.0	0.08	1.0	ECST0GV107R	500
		7.3x4.3x2.8	D	4.0	0.08	0.8	ECST0GD107R	750
		5.8x4.6x3.2	V	6.0	0.08	1.0	ECST0GV157R	500
	150	7.3x4.3x2.8	D	6.0	0.08	0.8	ECST0GD157R	750
		7.3x4.3x2.8	D	8.8	0.12	0.7	ECST0GD227R	750
	330	7.3x4.3x2.8	D	13.2	0.14	0.7	ECST0GD337R	750
6.3	3.3	3.2x1.6x1.6	Y	0.5	0.04	7.0	ECST0JY335R	2000
	4.7	3.2x1.6x1.6	Y	0.5	0.06	6.0	ECST0JY475R	2000
	6.8	3.2x1.6x1.6	Y	0.5	0.06	5.0	ECST0JY685R	2000
	10	3.2x1.6x1.6	Y	0.7	0.06	4.0	ECST0JY106R	2000
	15	3.2x1.6x1.6	Y	1.0	0.06	3.5	ECST0JY156R	2000
		3.5x2.8x1.9	X	1.0	0.06	2.5	ECST0JX156R	2000
	22	3.2x1.6x1.6	Y	1.4	0.08	3.0	ECST0JY226R	2000
		3.5x2.8x1.9	X	1.4	0.06	2.5	ECST0JX226R	2000
	33	3.5x2.8x1.9	X	2.1	0.06	2.2	ECST0JX336R	2000
		6.0x3.2x2.5	C	2.1	0.06	1.8	ECST0JC336R	750
	47	3.5x2.8x1.9	X	3.0	0.06	2.0	ECST0JX476R	2000
		6.0x3.2x2.5	C	3.0	0.06	1.6	ECST0JC476R	750
	68	6.0x3.2x2.5	C	4.3	0.06	1.2	ECST0JC686R	750
		5.8x4.6x3.2	V	4.3	0.06	1.0	ECST0JV686R	500
		7.3x4.3x2.8	D	4.3	0.06	0.8	ECST0JD686R	750
	100	6.0x3.2x2.5	C	6.3	0.08	1.2	ECST0JC107R	750
		5.8x4.6x3.2	V	6.3	0.08	1.0	ECST0JV107R	500
		7.3x4.3x2.8	D	6.3	0.08	0.8	ECST0JD107R	750
	150	7.3x4.3x2.8	D	9.5	0.08	0.7	ECST0JD157R	750
	220	7.3x4.3x2.8	D	13.9	0.12	0.7	ECST0JD227R	750
10	2.2	3.2x1.6x1.6	Y	0.5	0.04	7.0	ECST1AY225R	2000
	3.3	3.2x1.6x1.6	Y	0.5	0.04	5.5	ECST1AY335R	2000
	4.7	3.2x1.6x1.6	Y	0.5	0.06	5.0	ECST1AY475R	2000
	6.8	3.2x1.6x1.6	Y	0.7	0.06	4.0	ECST1AY685R	2000
	10	3.2x1.6x1.6	Y	1.0	0.06	3.0	ECST1AY106R	2000
		3.5x2.8x1.9	X	1.0	0.06	2.5	ECST1AX106R	2000
	15	3.5x2.8x1.9	X	1.5	0.06	2.8	ECST1AX156R	2000
	22	3.5x2.8x1.9	X	2.2	0.06	2.4	ECST1AX226R	2000
		6.0x3.2x2.5	C	2.2	0.06	1.8	ECST1AC226R	750

Design, Specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use. Whenever a doubt about safety arises from this product, please inform us immediately for technical consultation without fail.

■ Standard Products

W.V. (V)	Cap. ($\pm 20\%$) (μF)	Case Size		Specification			Part No.	Min. Packaging Qty
		L x W x H (mm)	Size Code	L.C. (μA)	$\tan \delta$ (120Hz) (20°C)	ESR (100kHz) (20°C) (Ω)		Taping (pcs)
10	33	3.5x2.8x1.9	X	3.3	0.08	1.8	ECST1AX336R	2000
		6.0x3.2x2.5	C	3.3	0.06	1.6	ECST1AC336R	750
	47	6.0x3.2x2.5	C	4.7	0.06	1.2	ECST1AC476R	750
		5.8x4.6x3.2	V	4.7	0.06	1.0	ECST1AV476R	500
		7.3x4.3x2.8	D	4.7	0.06	0.8	ECST1AD476R	750
	68	5.8x4.6x3.2	V	6.8	0.06	1.0	ECST1AV686R	500
		7.3x4.3x2.8	D	6.8	0.06	0.8	ECST1AD686R	750
	100	7.3x4.3x2.8	D	10.0	0.08	0.7	ECST1AD107R	750
16	150	7.3x4.3x2.8	D	15.0	0.10	0.7	ECST1AD157R	750
	1	3.2x1.6x1.6	Y	0.5	0.04	10.0	ECST1CY105R	2000
	1.5	3.2x1.6x1.6	Y	0.5	0.04	8.0	ECST1CY155R	2000
	2.2	3.2x1.6x1.6	Y	0.5	0.04	6.0	ECST1CY225R	2000
	3.3	3.2x1.6x1.6	Y	0.6	0.04	5.0	ECST1CY335R	2000
	4.7	3.2x1.6x1.6	Y	0.8	0.06	4.0	ECST1CY475R	2000
	6.8	3.2x1.6x1.6	Y	1.1	0.08	5.0	ECST1CY685R	2000
		3.5x2.8x1.9	X	1.1	0.06	2.5	ECST1CX685R	2000
	10	3.5x2.8x1.9	X	1.6	0.06	2.8	ECST1CX106R	2000
	15	3.5x2.8x1.9	X	2.4	0.06	2.5	ECST1CX156R	2000
		6.0x3.2x2.5	C	2.4	0.06	1.8	ECST1CC156R	750
	22	6.0x3.2x2.5	C	3.6	0.06	1.6	ECST1CC226R	750
		6.0x3.2x2.5	C	5.3	0.06	1.2	ECST1CC336R	750
		5.8x4.6x3.2	V	5.3	0.06	1.0	ECST1CV336R	500
	47	7.3x4.3x2.8	D	5.3	0.06	0.8	ECST1CD336R	750
		5.8x4.6x3.2	V	7.6	0.06	1.0	ECST1CV476R	500
		7.3x4.3x2.8	D	7.6	0.06	0.8	ECST1CD476R	750
	68	7.3x4.3x2.8	D	10.9	0.06	0.7	ECST1CD686R	750
20	0.68	3.2x1.6x1.6	Y	0.5	0.04	12.0	ECST1DY684R	2000
	1.5	3.2x1.6x1.6	Y	0.5	0.04	6.5	ECST1DY155R	2000
	2.2	3.2x1.6x1.6	Y	0.5	0.04	6.0	ECST1DY225R	2000
	3.3	3.2x1.6x1.6	Y	0.7	0.04	5.5	ECST1DY335R	2000
		3.5x2.8x1.9	X	0.7	0.04	3.0	ECST1DX335R	2000
	4.7	3.2x1.6x1.6	Y	1.0	0.08	5.0	ECST1DY475R	2000
		3.5x2.8x1.9	X	1.0	0.06	3.0	ECST1DX475R	2000
	6.8	3.5x2.8x1.9	X	1.4	0.06	2.5	ECST1DX685R	2000
	10	3.5x2.8x1.9	X	2.0	0.06	2.1	ECST1DX106R	2000
		6.0x3.2x2.5	C	2.0	0.06	1.8	ECST1DC106R	750
	15	6.0x3.2x2.5	C	3.0	0.06	1.7	ECST1DC156R	750
	22	6.0x3.2x2.5	C	4.4	0.08	1.2	ECST1DC226R	750
		5.8x4.6x3.2	V	4.4	0.06	1.0	ECST1DV226R	500
		7.3x4.3x2.8	D	4.4	0.06	0.8	ECST1DD226R	750
	33	5.8x4.6x3.2	V	6.6	0.06	0.9	ECST1DV336R	500
		7.3x4.3x2.8	D	6.6	0.06	0.7	ECST1DD336R	750
25	0.47	3.2x1.6x1.6	Y	0.5	0.04	14.0	ECST1EY474R	2000
	1	3.2x1.6x1.6	Y	0.5	0.04	8.0	ECST1EY105R	2000
	1.5	3.2x1.6x1.6	Y	0.5	0.04	7.5	ECST1EY155R	2000

Design, Specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use. Whenever a doubt about safety arises from this product, please inform us immediately for technical consultation without fail.

■ Standard Products

W.V. (V)	Cap. (±20%) (μF)	Case Size		Specification			Part No.	Min.Packaging Q'ty
		L x W x H (mm)	Size Code	L.C (μA)	tan δ (120Hz) (20°C)	ESR (100kHz) (20°C) (Ω)		Taping (pcs)
25	2.2	3.2x1.6x1.6	Y	0.6	0.06	7.0	ECST1EY225R	2000
		3.5x2.8x1.9	X	0.6	0.04	4.5	ECST1EX225R	2000
	3.3	3.5x2.8x1.9	X	0.9	0.04	3.5	ECST1EX335R	2000
	4.7	3.5x2.8x1.9	X	1.2	0.06	2.8	ECST1EX475R	2000
	6.8	6.0x3.2x2.5	C	1.7	0.06	1.9	ECST1EC685R	750
	10	6.0x3.2x2.5	C	2.5	0.06	1.5	ECST1EC106R	750
	15	5.8x4.6x3.2	V	3.8	0.06	1.2	ECST1EV156R	500
		7.3x4.3x2.8	D	3.8	0.06	1.0	ECST1ED156R	750
	22	7.3x4.3x2.8	D	5.5	0.06	0.7	ECST1ED226R	750
35	0.15	3.2x1.6x1.6	Y	0.5	0.04	19.0	ECST1VY154R	2000
	0.22	3.2x1.6x1.6	Y	0.5	0.04	18.0	ECST1VY224R	2000
	0.33	3.2x1.6x1.6	Y	0.5	0.04	15.0	ECST1VY334R	2000
	0.47	3.2x1.6x1.6	Y	0.5	0.04	12.0	ECST1VY474R	2000
	0.68	3.2x1.6x1.6	Y	0.5	0.04	8.0	ECST1VY684R	2000
	1	3.2x1.6x1.6	Y	0.5	0.04	7.5	ECST1VY105R	2000
	1.5	3.5x2.8x1.9	X	0.6	0.04	5.0	ECST1VX155R	2000
	2.2	3.5x2.8x1.9	X	0.8	0.04	4.0	ECST1VX225R	2000
	3.3	3.5x2.8x1.9	X	1.2	0.04	3.5	ECST1VX335R	2000
	4.7	6.0x3.2x2.5	C	1.7	0.06	2.0	ECST1VC475R	750
	6.8	6.0x3.2x2.5	C	2.4	0.06	1.8	ECST1VC685R	750
	10	5.8x4.6x3.2	V	3.5	0.06	1.2	ECST1VV106R	500
		7.3x4.3x2.8	D	3.5	0.06	1.0	ECST1VD106R	750
	15	7.3x4.3x2.8	D	5.3	0.06	0.8	ECST1VD156R	750

Design, Specifications are subject to change without notice. Ask factory for technical specifications before purchase and/or use.
Whenever a doubt about safety arises from this product, please inform us immediately for technical consultation without fail.