3D_STP.ZIP **English Customer View Model** 2D_DXF.ZIP **English 3D PDF** PDF **3D Customer View Model** 2D_DXF.ZIP **English** 3D PDF PDF 3D **Customer View Model** 3D_IGS.ZIP **English Customer View Model** 3D_STP.ZIP **English Product Specifications Product Specification SUPER SEAL CONNECTOR** PDF **Japanese Qualification Test Report Super Seal Connector** PDF **Japanese Instruction Sheets** Instruction Sheet (non U.S.) SUPER SEAL CONNECTOR PLUG HOUSING CONNECTOR PDF **English SUPER SEAL CONNECTOR PLUG HOUSING CONNECTOR**

TIF

English

FEATURES

+

Please review product documents or contact us for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features Sealable Yes Connector & Contact Terminates To Printed Circuit Board Shielded No Hybrid Header No **Configuration Features** Number of Positions 60 Number of Rows 4 Number of Sections 2 **Number of Signal Positions** 60 **Electrical Characteristics** Nominal Voltage Architecture (V) 12, 24, 42, 48, 240 Voltage Rating (Max) (VAC) 250 **Operating Voltage (VAC)** 250 **Operating Voltage (VDC)** 250 Voltage Rating (Max) (VDC) 250 **Body Features** Color Black **Contact Features** Pin Diameter 1 mm [.039 in] **Interface Plating** Gold (Au) **Termination Features Termination Method** Through Hole - Solder Mechanical Attachment Panel Mount Retention Without **PCB Mount Alignment** Without Mounting Orientation Horizontal/90° **Mounting Holes** With Locking Interface With **PCB Mount Retention** Without Housing Features Centerline (Pitch) 3 mm [.118 in] **Dimensions** Width 78 mm [3.071 in] Profile Height from PCB 27.9 mm [1.098 in] **Length** 36.5 mm [1.437 in]

Usage Conditions

Operating Temperature Range -40 – 125 °C [-40 – 257 °F]
Operating Temperature (Max) (°C) 100, 105, 110, 120, 125, 65, 70, 75, 80, 85, 90
Operating Temperature (Max) (°F) 149, 158, 167, 176, 185, 194, 212, 221, 230, 248, 257

Industry Standards
Degree of Protection Other
UL Flammability Rating UL 94V-0

Packaging Features
Packaging Type Tube

PRODUCT COMPLIANCE

+

Statement of Compliance
Statement of Compliance
PDF