
FEATURES	BENEFITS
Lowest power solution across all operating modes	Provides lowest power consumption solution for battery- backed and power-sensitive applications
Highly programmable	Offers design flexibility to develop one application for worldwide markets
Integrated ring cadencing and system state control	Reduces real-time software overhead
Common application programming interface	Significantly reduces development time with VoicePath API-II software
Comprehensive line sensing	Enables high performance GR-909 diagnostics and subscriber loop test and self test support with VeriVoice Test Suite software
Integrated switching regulator	Enables lowest component count and highest efficiency in all states of operation
Small footprint	Saves board space

VE8820 VoicePort Chipset



Related Literature

- Le88116/136 Single-Channel Tracking Battery Wideband VoicePort[™] Device Data Sheet*
- Le88266/286 Dual Channel Tracking Battery Wideband Auto Battery Switching (ABS) VoicePort[™] Device Data Sheet*
- Le88276 Dual Channel Tracking Battery Wideband Auto Battery Switching (ABS) VoicePort[™] Device Data Sheet*
- Le71HR0866G VE880 Series Line Module (Supports 2FXS with a 12 V Flyback Tracking Power Supply)
- Le71HR0864G VE880 Series Line Module (Supports 2FXS with a 12V ABS Power Supply)
- Le71HR8820G/8821G VE880 Series Line Modules (Supports 2FXS with 12V Flyback Tracking or Inverting Boost Power Supply)

*Contact your Zarlink Sales Representative to obtain the data sheet.

Packaging and Availability

See Ordering Information on first page.

For More Information:

To find the Zarlink Sales Office nearest you or for technical support, visit our website at: www.zarlink.com



For more information about all Zarlink products visit our Web Site at

www.zarlink.com

Information relating to products and services furnished herein by Zarlink Semiconductor Inc. or its subsidiaries (collectively "Zarlink") is believed to be reliable. However, Zarlink a ssumes no liability for errors that may appear in this publication, or for liability o therwise a rising from the application or use of a ny such information, product or service or for any infringement of patents or other intellectual property rights owned by third parties which may result from such application or use. Neither the supply of such information or purchase of product or service conveys any license, either express or implied, under patents or other intellectual property rights owned by Zarlink or licensed from third parties by Zarlink, whatsoever. Purchasers of products are also hereby notified that the use of product in certain ways or in combination with Zarlink, or non-Zarlink furnished goods or services may infringe patents or other intellectual property rights owned by Zarlink.

This publication is issued to provide information only and (unless agreed by Zarlink in writing) may not be used, applied or reproduced for any purpose nor form part of any order or contract nor to be regarded as a representation relating to the products or services concerned. The products, their specifications, services and other information appearing in this publication are subject to change by Za rlink without notice. No warranty or gu arantee express or implied is made regarding the capability, performance or suitability of any product or service. Information concerning possible methods of use is provided as a guide only and does not constitute any guarantee that such methods of use will be satisfactory in a specific piece of equipment. It is the user's responsibility to fully determine the performance and suitability of any equipment using such information and to ensure that any publication or data used is up to date and has not been superseded. Manufacturing does not necessarily include testing of all functions or parameters. These products are not suitable for use in any medical products whose failure to perform may result in significant injury or death to the user. All products and materials are sold and services provided subject to Zarlink's conditions of sale which are available on request.

Purchase of Zarlink's l₂C components conveys a license under the Philips l₂C Patent rights to use these components in and l₂C System, provided that the system conforms to the l₂C Standard Specification as defined by Philips.

Zarlink, ZL, the Zarlink Semiconductor logo and the Legerity logo and combinations the reof, VoiceEdge, VoicePort, SLAC, ISLIC, ISLAC and VoicePath are trademarks of Zarlink Semiconductor Inc.

TECHNICAL DOCUMENTATION - NOT FOR RESALE