# TRANSFORMERS FOR DIGITAL AUDIO DATA TRANSMISSION



For Use with Cirrus Logic's CS8401, CS8402, CS8403 & CS8404 ICs

## Application

These transformers have been designed for use at the


interface between line driver and receiver and the interconnecting medium in Digital Audio Data Transmission Systems according to AES 3-199X or IEC 958. In such systems, two channels of periodically sampled and uniformly quantized audio signals are transmitted on a single shielded twisted pair.

The electrical parameters of the interface are based on those of CCITT V.II or balanced voltage digital circuits which allow signal transmission up to a few hundred meters. The isolation transformers are essential in improving the balance of the transmitter and the receiver circuitry, and reducing common mode noise and EMI. These transformers are recommended for use with the Cirrus Logic CS8401, CS8402, CS8403 and CS8404 "Digital Audio Interface Transmit Device."

The schematic below represents an implementation of transmit and receive circuits using isolation transformers at both ends. Equalization in the receiver may permit to increase the length of the interconnecting cable.

### **Applicable Documents**

AES 3-1985 (ANSI S4.40-1985), AES 3-199XDraft, IEC 958, CP-340, EBU 3250



# **Application Circuit**

T<sub>1</sub>, T<sub>2</sub>: PE-65612 or PE-65812

### For More Information **Pulse Worldwide Pulse China Headquarters Pulse North China Pulse Europe Pulse South Asia Pulse North Asia** Zeppelinstrasse 15 B402, Shenzhen Academy of Room 2704/2705 135 Joo Seng Road 3F No. 198, Zhongyuan Road Headquarters 12220 World Trade Drive 71083 Herrenberg Aerospace Technology Bldg. Super Ocean Finance Ctr. #03-02 Zhongli City San Diego, CA 92128 Germany 10th Kejinan Road 2067 Yan An Road West PM Industrial Bldg. Taoyuan County (32068) U.S.A. High-Tech Zone Shanghai 200336 Singapore 368363 Taiwan Nanshan District China Shenzen, PR China 518057 Tel: 858 674 8100 Tel: 49 7032 7806 0 Tel: 86 755 33966678 Tel: 86 21 62787060 Tel: 65 6287 8998 Tel: 886 3 4356768 Fax: 49 7032 7806 12 Fax: 858 674 8262 Fax: 86 755 33966700 Fax: 86 2162786973 Fax: 65 6287 8998 Fax: 886 3 4356823 Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright, 2013. Pulse Electronics, Inc. All rights reserved.

arks or register

2

pulseelectronics.com

T601.F (6/13)