

PIN PLATING CODES:	
XXXXX-1YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-2YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-3YY	50u"/1.27u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-4YY	100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 14)
XXXXX-4YYHLF	
XXXXX-5YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-6YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-7YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-8YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-9YY	15u"/0.38u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni
XXXXX-0YY	30u"/0.76u MIN (SEE NOTE 13) OVER 50u"/1.27u MIN Ni

A

NOTES

1. PART NUMBER OPTIONS:

PIN PLATING CODES (SEE ABOVE)

HIGH TEMP. MATERIAL:

PART NUMBERS WITH AND WITHOUT "H" WILL BE SUPPLIED WITH HIGH TEMPERATURE PLASTIC

NUMBER OF POSITIONS :

ANY NUMBER OF POSITIONS FROM 1 THRU 36.
-X00H INDICATES BERGSTRIIP PRODUCT. SEE PAGE 3 FOR SPECIAL GEMETRY OF THIS CONTINUOUS STRIP PRODUCT. AUTOMATED REELS WILL CONTAIN 36,000 PINS. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

PACKAGING :

NONE =POLY BAGS WITHOUT PICK UP CAP

T =PACKAGED IN TUBES

C =PACKAGED IN TUBE WITH PICK UP CAP

A =PACKAGED IN TAPE AND REEL WITH PICK UP CAP

D =PACKAGED IN TAPE AND REEL WITHOUT PICK UP CAP

E =PACKAGED IN TAPE AND REEL WITH NARROW PICK UP CAP

BERGSTRIIP™ PART NUMBERS FOLLOWED BY A "B" ARE BULK PRICED.

LEAD FREE :

ADD "LF" SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE

ADDITIONAL CODE :

NONE = GENERAL TAIL LENGTH AND MATING LENGTH

R = REVERSE THE TAIL LENGTH AND MATING LENGTH

2. BODY MATERIAL :

BERGSTIK: MANUFACTURER'S OPTION OF NYLON, PCT GLASS FIBER REINFORCED, OR LCP MINERAL FILLED FLAME RETARDENT PER UL-94V-0.

COLOR : BLACK

BERGSTRIIP : PRODUCED WITH HIGH TEMPERATURE LCP THERMOPLASTIC, FLAME RETARDENT PER UL-94V-0.

COLOR : BLACK

PART NUMBERS WITH AND WITHOUT "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA-RED OR VAPOR PHASE SOLDER PROCESS.

D

3. PIN MATERIAL : PHOS-BRONZE.

4. MEASURED WITH PART IN RESTRAINED CONDITION.

5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.

6. 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.

7. PIN CANNOT PROTRUDE PAST EDGE OF HOUSING. MUST BE .005±.005/13±13 FROM END OF HOUSING HOLE.

8. MILITARY BERGSTIK HEADER
P/N XXXX-XY-MIL.
NOT AVAILABLE.

9. ±.010/0.25 TOL APPLIES TO ALL "G" TAILS EXCEPT INDICATED PARTS ON TABLE WHERE +.010/0.25 -.000/0.00 APPLIES.

10. INDICATED PART NUMBERS ARE PRODUCED AND SOLD IN THE TAIWAN/SINGAPORE AREAS. THESE ARE NOT AVAILABLE IN BERGSTRIIP™ CONTINUOUS STRIP.

11. NOTCH CONFIGURATION WILL VARY PER VENDOR'S DISCRETION.

12. THESE PRODUCTS MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

13. PLATING OPTIONS:

PERFORMANCE PLATING WILL BE EITHER GOLD OR GXT ON POST OR TAIL, OPTIONALLY <78~295u"/2~7.5u> TIN ON TAIL.

14. *THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT ENVIRONMENTS.*

15. THE TOTAL PIN LGTH DON'T EXCEED 34.5mm

16. INCREMENTS BY 0.1mm IN LENGTHS ONLY

17. THE TOTAL PIN LGTH <10mm OR >37mm PRODUCT HAS TIN PLATING OR GOLD PLATING OVER ALL. THE OTHERS HAS GOLD OR TIN PLATING ON CONTACT AREA AND TIN PLATING ON TAIL.

18. FOR SPECIAL PACKAGING REQUEST PLEASE CONTACT PRODUCT MANAGER FOR AVAILABILITY

19. TO DETERMINE DIMENSIONS:

N=NUMBER OF POSITION PER ROW

EXAMPLE: 10 PDS. N X .100/2.54, REFERENCE DIMENSION

20. 68000-406160035ALF IS SPECIAL PART NUMBER, IT IS 6PIN, MATING LENGTH IS 16mm.

TAIL LENGTH IS 3.5mm. AND PACKAGE IS TAPE AND REEL AND NO CAP.

mat'l. code NOTES 2 & 3		surface ISO 1302	tolerance ISO 406 ISO 101	projection	product family
ldr ecn no	ldr date	tolerances unless otherwise specified			BERGSTIK
DF		angles	.XX±01/.X±3		title
		linear	.XXX±0.006/.XX±.15	INCH/MM	BERGSTIK® II HEADER
		0±2°	.XXX±0.002/.XXX±.005	Scale 1:1	.100/2.54cc SR STRAIGHT
		ldr T.BREWBAKER	01/05/95	dwg no	sheet 2 of 8 size
		engr T.HANNA	01/05/95		68000
		chr J.MURPHY	01/05/95		A3
		pppd T.HANNA	01/05/95		type Product Customer Drawing
sheet index	revision sheet				

D

1

2

3



4

5

6

BERGSTRIPTM HEADER


REEL PACKING DIMENSIONS




SINGLE ROW TOP VIEW

NOTE 11

MATING LENGTH
DIM H $\pm .008$
DIM $H \pm .20$



SINGLE ROW SIDE VIEW



NOTE 6

SINGLE ROW END VIEW

mat'l. code NOTES 2 & 3		surface ISO 1302	tolerance ISO 406 ISO 1101	projection 		product family BERGSTIK	
ltr ecn no	date	angles tolerances unless otherwise specified	linear .XX±01/.X±3 .XXX±006/.XX±15 .XXX±0002/.XXX±005	INCH/MM	scale 1:1	title BERGSTIK® II HEADER .100/2.54cc SR STRAIGHT	dwg no sheet 3 of 8 size A3
DF		0°±2°					
		dr T.BREWBAKER	01/05/95				
		enr T.HANNA	01/05/95				
		chr J.MURPHY	01/05/95				
		appd T.HANNA	01/05/95				
sheet index	revision sheet					type Product Customer Drawing	

4 PDS: Rev :DF

STATUS Released

Printed: Jan 29, 2021

3

2

1

D

1

2 1 3

4 1

5 1

6

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH		BERGSTRIPTM		LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	AVAILABLE		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	NOTES	PACKAGING	
55492-XYX	0.315	8.00	0.095	2.41	0.120	3.05	NO	POLY BAGS	
60017-XYX	0.620	15.75	0.210	5.33	0.310	7.87	NO	POLY BAGS	
60018-XYX	0.660	16.76	0.250	6.35	0.310	7.87	NO	POLY BAGS	
63334-XYX	0.435	11.05	0.095	2.41	0.240	6.10	NO	POLY BAGS	
68000-XYX	0.425	10.80	0.095	2.41	0.230	5.84	YES	POLY BAGS	
68001-XYX	0.450	11.43	0.120	3.05	0.230	5.84	YES	POLY BAGS/TUBES	
68002-XYX	0.480	12.19	0.150	3.81	0.230	5.84	YES	POLY BAGS	
68003-XYX	0.525	13.34	0.195	4.95	0.230	5.84	NO	POLY BAGS	
68004-XYX	0.525	13.34	0.107	2.72	0.318	8.08	YES	POLY BAGS	
68024-XYX	0.568	14.43	0.150	3.81	0.318	8.08	YES	POLY BAGS	
68031-XYX	0.513	13.03	0.183	4.65	0.230	5.84	NO	POLY BAGS	
68032-XYX	0.543	13.79	0.213	5.41	0.230	5.84	NO	POLY BAGS	
68033-XYX	0.708	17.98	0.473	12.01	0.135	3.43	NO	POLY BAGS	
68415-XYX	0.615	15.62	0.115	2.92	0.400	10.16	NO	POLY BAGS	
68416-XYX	0.813	20.65	0.483	12.27	0.230	5.84	NO	POLY BAGS	
68418-XYX	0.730	18.54	0.400	10.16	0.230	5.84	NO	POLY BAGS	
68422-XYX	0.631	16.03	0.213	5.41	0.318	8.08	NO	POLY BAGS	
68443-XYX	0.755	19.18	0.425	10.80	0.230	5.84	NO	POLY BAGS	
68456-XYX	0.825	20.96	0.115	2.92	0.610	15.49	NO	POLY BAGS	
68457-XYX	0.548	13.92	0.130	3.30	0.318	8.08	NO	POLY BAGS	
68465-XYX	0.925	23.50	0.595	15.11	0.230	5.84	NO	POLY BAGS	
68466-XYX	0.925	23.50	0.128	3.25	0.697	17.70	NO	POLY BAGS	
68472-XYX	0.913	23.19	0.413	10.49	0.400	10.16	NO	POLY BAGS	
68479-XYX	0.718	18.24	0.388	9.86	0.230	5.84	NO	POLY BAGS	
68483-XYX	0.835	21.21	0.417	10.59	0.318	8.08	NO	POLY BAGS	
68487-XYX	0.705	17.91	0.110	2.79	0.495	12.57	NO	POLY BAGS	
68489-XYX	1.095	27.81	0.765	19.43	0.230	5.84	NO	POLY BAGS	
68490-XYX	1.025	26.04	0.695	17.65	0.230	5.84	NO	POLY BAGS	
68497-XYX	0.612	15.54	0.085	2.16	0.427	10.85	NO	POLY BAGS	
68603-XYX	0.555	14.10	0.120	3.05	0.335	8.51	NO	POLY BAGS	
68604-XYX	0.600	15.24	0.120	3.05	0.380	9.65	NO	POLY BAGS	

NOTE 1,12

BERGSTRIPTM

AVAILABLE

NOTES

PACKAGING

LF

OPTION

A

B

C

D

Amphenol

FCI

© 2016 A FCI

Downloaded from Arrow.com

form: A3-2016-02-24

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

356

357

358

359

360

361

362

363

364

365

366

367

368

369

370

371

372

373

374

375

376

377

378

379

380

381

382

383

384

385

386

387

388

389

390

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

416

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

466

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

491

492

493

494

495

496

497

498

499

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

612

613

614

615

616

617

618

619

620

621

622

623

624

625

626

627

628

629

630

631

632

633

634

635

636

637

638

639

640

641

642

643

644

645

646

647

648

649

650

651

652

653

654

655

656

657

658

659

660

661

662

663

664

665

666

667

668

669

670

671

672

673

674

675

676

677

678

679

680

681

682

683

684

685

686

687

688

689

690

691

692

693

694

695

696

697

698

699

700

701

702

703

704

705

706

707

708

709

710

711

712

713

714

715

716

717

718

719

720

721

722

723

724

725

726

727

728

729

730

731

732

733

734

735

736

737

738

739

740

741

742

743

744

745

746

747

748

749

750

751

752

753

754

755

756

757

758

759

760

761

762

763

764

765

766

767

768

769

770

771

772

773

774

775

776

777

778

779

780

781

782

783

784

785

786

787

788

789

790

791

792

793

794

795

796

797

798

799

800

801

802

803

804

805

806

807

808

809

810

811

812

813

814

815

816

817

818

819

820

821

822

823

824

825

826

827

828

829

830

831

832

833

834

835

836

837

838

839

840

841

842

843

844

845

846

847

848

849

850

851

852

853

854

855

856

857

858

859

860

861

862

863

864

865

866

867

868

869

870

871

872

873

874

875

876

877

878

879

880

881

882

883

884

885

886

887

888

889

890

891

892

893

894

895

896

897

898

899

900

901

902

903

904

905

906

907

908

909

910

911

912

913

914

915

916

917

918

919

920

921

922

923

924

925

926

927

928

929

930

931

932

933

934

935

936

937

938

939

940

941

942

943

944

945

946

947

948

949

950

951

952

953

954

955

956

957

958

959

960

961

962

963

964

965

966

967

968

969

970

971

972

973

974

975

976

977

978

979

980

981

982

983

984

985

986

987

988

989

990

991

992

993

994

995

996

997

998

999

1000

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050

1051

1052

1053

1054

1055

1056

1057

1058

1059

1060

1061

1062

1063

1064

1065

1066

1067

1068

1069

1070

1071

1072

1073

1074

1075

1076

1077

1078

1079

1080

1081

1082

1083

1084

1085

1086

1087

1088

1089

1090

1091

1092

1093

1094

1095

1096

1097

1098

1099

1100

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

1117

1118

1119

1120

1121

1122

1123

1124

1125

1126

1127

1128

1129

1130

1131

1132

1133

1134

1135

1136

1137

1138

1139

1140

1141

1142

1143

mat'l. code NOTES 2 & 3	date	surface ISO 1302	tolerance ISO 406 ISO 1101	projection	product family	
tr	ecr no	dr	tolerances unless otherwise specified		BERGSTIK	
DF			XX40/X4.3			
			linear XX±0.006/XX±15	INCH/MM	BERGSTIK® II HEADER	
		0±2°	XXX±0.0002/XXX±.005	scale 1:1	.100/2.54cc SR STRAIGHT	
		dr	T.BREV/BAKER 01/05/95		dwg no	sheet 6 of 8 size
		engr	T.HANNA 01/05/95	Amphenol FCi	68000	A3
		chr	J.MURPHY 01/05/95		type	Product Customer Drawing
		ppd	T.HANNA 01/05/95			
sheet	revision					
index	sheet					

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH		BERGSTRIPTM AVAILABLE		LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H			
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING	NOTES	
84918	XYH	0.340	0.120	0.120	0.120	0.120	POLY BAGS	YES	OB
84921	XYH	0.370	0.150	0.150	0.120	0.120	POLY BAGS	YES	OB
86506	XYH	0.440	0.120	0.120	0.220	0.220	POLY BAGS	YES	OB
86579	XYH	0.450	0.120	0.120	0.230	0.230	POLY BAGS	NOTE 9	OB
86634	XYH		NOT AVAILABLE						NOTE 1,12
86635	XYH		NOT AVAILABLE						
86636	XYH		NOT AVAILABLE						
86637	XYH		NOT AVAILABLE						
86638	XYH		NOT AVAILABLE						
86793	XYH	0.900	0.100	0.100	0.700	0.700	POLY BAGS	NOTE 10	OB
86899	XYH	1.020	0.120	0.120	0.800	0.800	POLY BAGS		OB
87185	XYH	1.238	0.095	0.095	2.41	1.043	POLY BAGS	NOTE 10	
87204	XYH	0.895	0.120	0.120	0.675	0.675	POLY BAGS		OB
87241	XYH	1.000	0.120	0.120	0.780	0.780	POLY BAGS		OB
87502	XYH	1.130	0.110	0.110	0.920	0.920	POLY BAGS		OB
87827	XYH	0.380	0.120	0.120	0.160	0.160	POLY BAGS		
87916	XYH	1.058	0.128	0.128	0.830	0.830	POLY BAGS		NOTE 1,12
88005	XYH	0.536	0.095	0.095	0.341	0.341	POLY BAGS	NOTE 10	OB
88706	XYH	0.900	0.100	0.100	0.700	0.700	POLY BAGS		OB
89232	XYH	0.325	0.000	0.000	0.230	0.230	POLY BAGS	NOTE 7	OB

mat'l. code NOTES 2 & 3		surface ISO 1302	tolerance ISO 406 ISO 101	projection	product family
ltr ecn no	dr date	tolerances unless otherwise specified			BERGSTIK
DF		angles	.XX±01/.X±3	INCH/MM	title
		linear	.XXX±0.006/.XX±.15	Scale 1:1	BERGSTIK® II HEADER
		0°±2°	.XXX±0.002/.XXX±.005		.100/2.54cc SR STRAIGHT
		dr T.BREWBAKER	01/05/95		dwg no sheet 7 of 8 size
		enr T.HANNA	01/05/95		68000
		chr J.MURPHY	01/05/95		A3
		ppd T.HANNA	01/05/95		type Product Customer Drawing
sheet index	revision sheet				

PRODUCT NUMBER	TOTAL PIN LGTH		TAIL LENGTH		MATING LENGTH		BERGSTRIIP		LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	AVAILABLE		
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC	PACKAGING	NOTES	
90522-XYX	0.668	16.97	0.135	3.43	0.433	11.00	POLY BAGS	NOTE 10	OB
90547-XYX	0.508	12.90	0.095	2.41	0.313	7.95	POLY BAGS	NOTE 10	OB
90719-XYX	0.384	9.75	0.106	2.69	0.178	4.52	POLY BAGS	-	OB
90726-XYX	0.440	11.18	0.110	2.79	0.230	5.84	POLY BAGS	-	OB
91276-XYX	1.225	31.12	0.225	5.72	0.900	22.86	POLY BAGS	-	NOTE 1,12
92020-XYX	0.372	9.45	0.094	2.39	0.178	4.52	POLY BAGS	-	OB
92418-XYX	0.572	14.53	0.118	3.00	0.354	8.99	POLY BAGS	-	OB
93167-XYX	0.394	10.01	0.059	1.50	0.235	5.97	POLY BAGS	-	OB
93287-XYXH	0.585	14.86	0.085	2.16	0.400	10.16	POLY BAGS	-	OB
93944-XYX	0.941	23.90	0.130	3.30	0.711	18.06	POLY BAGS	-	OB
93992-XYXH	0.415	10.54	0.085	2.16	0.230	5.84	POLY BAGS	-	OB
94063-XYX	0.376	9.55	0.138	3.51	0.138	3.51	POLY BAGS	NOTE 10	OB
94094-XYX	0.592	15.04	0.314	7.98	0.178	4.52	POLY BAGS	-	OB
94544-XYX	0.550	13.97	0.130	3.30	0.330	8.38	POLY BAGS	NOTE 10	OB
94611-XYXH	0.320	8.13	0.095	2.41	0.125	3.18	POLY BAGS	-	OB
95017-XYXH	0.560	14.22	0.060	1.52	0.400	10.16	POLY BAGS	-	OB
95103-XYX	1.064	27.03	0.433	11.00	0.531	13.49	POLY BAGS	NOTE 10	OB
95104-XYX	0.370	9.40	0.126	3.20	0.144	3.66	POLY BAGS	NOTE 10	OB
95648-XYXH	0.655	16.64	0.155	3.94	0.400	10.16	POLY BAGS	-	OB
95655-XYX	1.164	29.57	0.095	2.41	0.969	24.61	POLY BAGS	NOTE 10	OB
98001-XYXH	0.610	15.49	0.420	10.67	0.090	2.29	POLY BAGS	-	OB
98136-XYXH	0.475	12.07	0.095	2.41	0.280	7.11	POLY BAGS	-	OB
10004394-XYXH	0.290	7.37	0.095	2.41	0.095	2.41	POLY BAGS	-	OB
10076764-XYXH	0.479	12.19	0.114	2.9	0.265	6.75	POLY BAGS	-	OB
10103017-XYX	0.335	8.51	0.130	3.30	0.105	2.67	POLY BAGS	-	OB
10121349-XYX	0.626	15.9	0.120	3.05	0.406	10.3	POLY BAGS/TAPE REEL	-	NOTE 1,12

mat'l. code NOTES 2 & 3		surface ISO 1302	tolerance ISO 406 ISO 101	projection	product family
DF	ltr ecn no	date	tolerances unless otherwise specified		BERGSTIK
			angles	INCH/MM	
			linear	Scale 1:1	
			0±2°		
	dr	T.BREWBAKER	01/05/95		dwg no sheet 8 of 8 size
	engr	T.HANNA	01/05/95		68000 A3
	chr	J.MURPHY	01/05/95		.100/2.54cc SR STRAIGHT
	pppd	T.HANNA	01/05/95		type Product Customer Drawing
sheet index	revision sheet				