

PCIe Gen3 Storage Switch Family

PM8546, PM8545, PM8544, PM8543, PM8542, and PM8541

Diagnostics and Debug (Continued)

- External loopback at PHY and TLP layers
- Errors, statistics, performance, and TLP latency counters

Peripheral I/O Interfaces

- Up to 11 Two-Wire Interfaces (TWIs) with SMBus support
- Up to 4 SFF-8485-compliant SGPIO ports
- Up to 106 parallel GPIO pins
- 10/100 Ethernet MAC port (MII/RMII) (PSX 96x/80x/64xG3)
- 16-bit local bus interface with ECC protection
- Up to 4 UARTs
- JTAG and EJTAG interface

High-speed I/O

- PCIe Gen3 8 GT/s
- Supports PCIe-compliant link training and manual PHY configuration

Chiplink Diagnostic Tools

- Extensive debug, diagnostics, configuration, and analysis tools with an intuitive GUI
- Access to configuration data, management capabilities, and signal integrity analysis tools (such as real-time eye capture)
- Connects to device over in-band PCIe or sideband signals (UART and EJTAG)

Ordering Information


Product	Lanes	Ports/NTBs	Partitions	Hot-plug Controllers	Package	Ordering No.
PSX 96xG3 PCIe Storage Switch	96	48	24	48	37.5 mm x 37.5 mm	PM8546B-FEI
PSX 80xG3 PCIe Storage Switch	80	40	20	40	37.5 mm x 37.5 mm	PM8545B-FEI
PSX 64xG3 PCIe Storage Switch	64	32	16	32	37.5 mm x 37.5 mm	PM8544B-FEI
PSX 48xG3 PCIe Storage Switch	48	24	12	24	27.0 mm x 27.0 mm	PM8543B-F3EI
PSX 32xG3 PCIe Storage Switch	32	16	8	16	27.0 mm x 27.0 mm	PM8542B-F3EI
PSX 24xG3 PCIe Storage Switch	24	12	6	12	27.0 mm x 27.0 mm	PM8541B-F3EI

Evaluation Kits

The evaluation kits are used to evaluate and test device functionality, measure signal integrity, and customize and develop PSX firmware. The following kits are available:

- PM5461-KIT—PSX/PFX 96/80/64xG3, 1-Slot, 16 HD Evaluation Kit (PMC-2151996)
- PM5462-KIT—PSX/PFX 48/32/24xG3, 3-Slot Evaluation Kit (PMC-2151645)

Example Application



Microsemi Corporate Headquarters
 One Enterprise, Aliso Viejo, CA 92656 USA
 Within the USA: +1 (800) 713-4113
 Outside the USA: +1 (949) 380-6100
 Fax: +1 (949) 215-4996
 Email: sales.support@microsemi.com
www.microsemi.com

©2016–2017 Microsemi Corporation. All rights reserved. Microsemi and the Microsemi logo are registered trademarks of Microsemi Corporation. All other trademarks and service marks are the property

Microsemi Corporation (Nasdaq: MSCC) offers a comprehensive portfolio of semiconductor and system solutions for aerospace & defense, communications, data center and industrial markets. Products include high-performance and radiation-hardened analog mixed-signal integrated circuits, FPGAs, SoCs and ASICs; power management products; timing and synchronization devices and precise time solutions, setting the world's standard for time; voice processing devices; RF solutions; discrete components; enterprise storage and communication solutions, security technologies and scalable anti-tamper products; Ethernet solutions; Power-over-Ethernet ICs and midspans; as well as custom design capabilities and services. Microsemi is headquartered in Aliso Viejo, California and has approximately 4,800 employees globally. Learn more at www.microsemi.com.

Microsemi makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its products and services for any particular purpose, nor does Microsemi assume any liability whatsoever arising out of the application or use of any product or circuit. The products sold hereunder and any other products sold by Microsemi have been subject to limited testing and should not be used in conjunction with mission-critical equipment or applications. Any performance specifications are believed to be reliable but are not verified, and Buyer must conduct and complete all performance and other testing of the products, alone and together with, or installed in, any end-products. Buyer shall not rely on any data and performance specifications or parameters provided by Microsemi. It is the Buyer's responsibility to independently determine suitability of any products and to test and verify the same. The information provided by Microsemi hereunder is provided "as is, where is" and with all faults, and the entire risk associated with such information is entirely with the Buyer. Microsemi does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other IP rights, whether with regard to such information itself or anything described by such information. Information provided in this document is proprietary to Microsemi, and Microsemi reserves the right to make any changes to the information in this document or to any products and services at any time without notice.

PMC-2152162. 3.0. 5/17