

В

С

CAT. NO. & DIMENSIONS

(NOTE 3	NO. OF CONTACTS	CAT. NO.	D)			
(14012 3	(n)	GAT. NO.	A ± 0.2	B ± 0.2	C± 0.2	D ± 0.2	E ± 0.2
	4	HFW4S-2STLF	7	5.14	3		
	5	HFW5S-2STLF	8	6.14	4	*********	
	6	HFW6S-2STLF	9	7.14	5		
	7	HFW7S-2STLF	10	8.14	6		
	8	HFW8S-2STLF	11	9.14	7		
	9	HFW9S-2STLF	12	10.14	8	0.35	7.3
	10	HFW10S-2STLF	13	11.14	9	0.35	8.3
	11	HFW11S-2STLF	14	12.14	10	1.35	7.3
	12	HFW12S-2STLF	15	13.14	11	1.35	8.3
	13	HFW13S-2STLF	16	14.14	12	2.35	7.3
	14	HFW14S-2STLF	17	15.14	13	2.35	8.3
	15	HFW15S-2STLF	18	16.14	14	3.35	7.3
	16	HFW16S-2STLF	19	17.14	15	3.35	8.3
	17	HFW17S-2STLF	20	18.14	16	4.35	7.3
	18	HFW18S-2STLF	21	19.14	17	4.35	8.3
	19	HFW19S-2STLF	22	20.14	18	5.35	7.3
	20	HFW20S-2STLF	23	21.14	19	5.35	8.3
	21	HFW21S-2STLF	24	22.14	20	6.35	7.3
	22	HFW22S-2STLF	25	23.14	21	6.35	8.3
	23	HFW23S-2STLF	26	24.14	22	7.35	7.3
	24	HFW24S-2STLF	27	25.14	23	7.35	8.3
	25	HFW25S-2STLF	28	26.14	24	8.35	7.3
	26	HFW26S-2STLF	29	27.14	25	8.35	8.3
	27	HFW27S-2STLF	30	28.14	26	9.35	7.3
	28	HFW28S-2STLF	31	29.14	27	9.35	8.3
	29	HFW29S-2STLF	32	30.14	28	10.35	7.3
	30	HFW30S-2STLF	33	31.14	29	10.35	8.3
*	31	HFW31S-2STLF	34	32.14	30	11.35	7.3
	32	HFW32S-2STLF	35	33.14	31	11.35	8.3
*	33	HFW33S-2STLF	36	34.14	32	12.35	7.3

CAT. NO. HFW (n) S-2 ST __ LF SERIES NO. OF CONTACTS STRAIGHT TYPE FOR FPC / FFC FOR AUTOMATIC MOUNTING (SMT) PACKAGE STYLE LEAD FREE

NOTES

- 1. THIS PRODUCT IS THE CONNECTOR DSIGNED TO TERMINATE FPC/FFC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. SEE PART DRAWINGS FOR DIMENSIONS A~E.
- 3. PLEASE CONSULT US IN CASE OF USING PARTS WITH * MARK.

ma	t'l. code	9		surfa	. /	1 150 406			proj	ectio	on	product family 58				580	OF		ODE JP		
	·					ISO 1101			(4)											Ų!	
ltr	ecn no	dr	date	tolerar	nces unl other	ess	speci	fied	4	_	7	title		САТ	. NO	ТΔ	BLE	FOR			
Α	J05-0334	H.T	6/3/'05	l					r	nm		1	mm					ONNE	СТО)R	
В	J06-0435	H.T	10/26/'06	angles	linear						P	·									
					1 ,	,			scal	е :	\propto	(CAT.No.HFWS-2STLF)									
				dr	STATE	tulo	10/261	186			4	dwg	no			5	sheet	t 1 o	f 1	size	
				engr	11-10/19	tender 10/26/06		1006		C				sheet 1 of 1 JSA 96464						٨٨	
				chr	R. 2h	rigi	19/261	166			7)						-			H4	
				appd	S. auda	Bran je	10/27	166				type	Р	rodu	ct C	usto	mer	Draw	ing		
she	et rev	isior	В																	Rev	
inde	ex she	et	1																	В	
SC-HF form:		65,964	66,96467,935	88,93587			1													2	

PDM: Rev:B

STATUS: Released

Printed: Jan 24, 2010

Downloaded from Arrow.com.


Copyright FCI.

С

Α

 \bigcirc

D



Downloaded from Arrow.com.

PDM: Rev:C

STATUS: Released

Printed: Feb 16, 2008

В

С

D

CAT. NO. & DIMENSIONS

Α

/NOTE 4\	NO. OF	CAT. NO.	DIMEN:	SIONS (N	OTE3)
(NUIE.4)	CONTACTS (n)	(NOTE2)	F ± 5	G ± 0.3	H ± 0.1
	4	HFW4S-2STE1LF	28.4	24	
	5	HFW5S-2STE1LF	28.4	24	_
	6	HFW6S-2STE1LF	28.4	24	
	7	HFW7S-2STE1LF	28.4	24	
	8	HFW8S-2STE1LF	28.4	24	
	9	HFW9S-2STE1LF	28.4	24	
	10	HFW10S-2STE1LF	28.4	24	_
	11	HFW11S-2STE1LF	28.4	24	-
	12	HFW12S-2STE1LF	28.4	24	_
	13	HFW13S-2STE1LF	28.4	24	_
	14	HFW14S-2STE1LF	36.4	32	28.4
	15	HFW15S-2STE1LF	36.4	32	28.4
	16	HFW16S-2STE1LF	36.4	32	28.4
	17	HFW17S-2STE1LF	36.4	32	28.4
	18	HFW18S-2STE1LF	48.4	44	40.4
	19	HFW19S-2STE1LF	48.4	44	40.4
~~~~~	20	HFW20S-2STE1LF	48.4	44	40.4
	21	HFW21S-2STE1LF	48.4	44	40.4
	22	HFW22S-2STE1LF	48.4	44	40.4
	23	HFW23S-2STE1LF	48.4	44	40.4
	24	HFW24S-2STE1LF	48.4	44	40.4
	25	HFW25S-2STE1LF	48.4	44	40.4
	26	HFW26S-2STE1LF	48.4	44	40.4
	27	HFW27S-2STE1LF	48.4	44	40.4
	28	HFW28S-2STE1LF	48.4	44	40.4
	29	HFW29S-2STE1LF	60.4	56	52.4
	30	HFW30S-2STE1LF	60.4	56	52.4
*	31	HFW31S-2STE1LF	60.4	56	52.4
	32	HFW32S-2STE1LF	60.4	56	52.4
*	33	HFW33S-2STE1LF	60.4	56	52.4

CAT. NO. HFW (n) S = 2 ST E1 LF **SERIES** NO. OF CONTACTS STRAIGHT TYPE FOR FPC / FFC FOR AUTOMATIC MOUNTING (SMT) PACKAGE STYLE LEAD FREE

## NOTES

- THIS PRODUCT IS THE CONNECTOR DESIGNED TO TERMINATE FPC/FFC AND COPES WITH AUTOMATIC MOUNTING (SMT).
- 2. THIS CATALOG NO. INDICATES PLASTIC TAPE PACKAGED CONNECTOR.
- 3. SEE PART DRAWINGS FOR DIMENSIONS F~H.
- 4. PLEASE CONSULT US IN CASE OF USING PARTS WITH * MARK.

	·······				,		,			,											
ma	t'l. cod	е			surfa	ce ₅₈ /	tole	eranc 0 406	е	proj	ectio	on	prod	duc.	t fa	mily		580F			ODE
					ISO 13		ISO 1101			4	_	1							/1		JP
Itr	ecn no	dr	date	)	tolera	nces un other	ess Wise	speci	ified	7		7	title								
Α	J05-0334	H.T	6/3/'0	05							nm		1				E FO				_
В	J06-0435	H.T	10/26	/'06	angles	linear					<del></del>	-					ım Sl				)NN.
				***************************************						scal	е ;	$\overline{\chi}$	(CAT.No.HFWS-2STE1LF)								
					dr	11-12/2	st silo	10/16	106	ALL PROPERTY OF THE PARTY OF TH			dwg	nc	)		5	shee	t 1 c	of 1	size
					engr	1-100	TO THE	10/26	166		C	١.				JS	4 96	5466	5		Α4
					chr	K. Sh	orgi	10/26	166			7)							_		M4
					appd	P. Oludon	ma	10/27	166				type	e F	rodu	ict (	Custo	mer	Drav	ving	
she	et rev	isior	В																		Rev.
ind	ex she	eet	1																		В
SC-HF form:		64 96	5467					1													2

PDM: Rev:B

STATUS: Released


Printed: Jan 24, 2010

Downloaded from Arrow.com.

D

С

Copyright FCI.



Downloaded from Arrow.com.

PDM: Rev:B

STATUS: Released

Printed: Jan 24, 2010




В

С

D

RECOMMENDED CABLE (FFC)

n: NO. OF CONDUCTOR



В

Α

 $\bigcirc$ 

#### PT. NO. MATERIAL NOTE **DESCRIPTION** FLAME RESISTING POLYESTER 1 **INSULATOR** OR EQUIVARENT PLATING: TIN OR SOLDER 2 CONDUCTOR COPPER FOIL $1\mu m$ MIN. FLAME RESISTING POLYESTER 3 SUPPORTING TAPE OR EQUIVARENT

NOTES

- 1. NO BURR AT EACH PORTION.
- 2. NO PEELING IN COMMON USE.

	t'l. c	<u> </u>				surfa	CB /	Itale	rana		proje	o ti		Dro	duct	for	ailv				10	ODE
IIIu		ode				ISO 1302 V   ISO 1101				(A)		7	product family 580F								JP	
ltr	ecn	no	dr	dat	е	tolera	nces un othe	less rwise	ess wise specified				J	title	;							
AA	J04-0	334	H.T	0ct.1	3,'04	angles					1	٦m				REC	OMM	1END	ED (	CABLE	-	
AB	J06-04	435	H.T	10/2	6/'06	ungies	linea						-	(CAT.No.HFWS-2ST)								
							1	,				9	$\propto$			(						
			dr /		11-rops	1- 10/26/66						dwg	no			S	hee	t 1 o	f 1	size		
						engr	- 1-15kg	techer	telle 10/26/66		FC					JSA 9			3588		A ₄	
						chr	<u>R Sh</u>	oupi	10/2	486			7)									M4
						appd	S. Olyde	Mus	10/2:	166				type	e Pi	rodu	ct C	usto	mer	Draw	ing	
she	et L	revi	sion	AB																		Rev
ind	ex :	she	et	1																		AB
										- I												_

form: A4

PDM: Rev:AB

STATUS: Released

Printed: Jan 24, 2010

Downloaded from Arrow.com.

С

Copyright FCI.

D




В

С

D



n: NO. OF CONDUCTORS



()

()

Α

PT. NO.	DISCRIPTION	MATERIAL	THICKNESS (µm)
1	BASE FILM	POLYIMIDE OR POLYESTER OR EQUIVALENT	25
2	CONDUCTOR	COPPER FOIL(PLATING : SOLDER 1 m MIN.)	35
3	OVERLAY	POLYIMIDE OR POLYESTER OR EQUIVALENT	
4	SUPPORTING TAPE	POLYESTER OR POLYIMIDE OR EQUIVALENT	188

NOTES

- 1. NO BURR AT EACH PORTION.
- 2. NO PEELING IN COMMON USE.
- 3. TOTAL THICKNESS LIMIT OF EACH MATERIAL (INCLUDING ADHESIVE AGENT) IS SPECIFIED.

ma	t'l. code	)		surfac		tole ISC ISC			proje	ction	ا ۱	proc	, 50(\E 1							ODE JP
ltr	ecn no	dr	date		ces unl				(4)			title								
AA	J04-0334	H.T	Oct.13,'04						l rr	ım				REC	OMM	END	ED C	CABLE	_	
AB	J06-0435	H.T	10/26/'06	angles	linear							(CAT.No.HFWS-2ST)								
					,	,			scale	: 2				(0)					,	
				dr	4-1250	testi	19/26	168			-	dwg	no			S	hee	t 1 c	of 1	size
				engr	<u>Herrica</u>	teste	10/26	166 FC				JSA 93587 🗘								
				chr 0	2. Show	uñ	10/26	100							007		7007			A4
				$appd  \mathcal{J}$	: Widow	Live	10/27	106				type	; P	rodu	ct C	usto	mer	Drav	ving	
she	et rev	ision	AB																	Rev.
ind	ex she	et	1																	AB

form: A4

PDM: Rev:AB

STATUS: Released

Printed: Jan 24, 2010

Downloaded from Arrow.com.

D

С

Copyright FCI.

()