

# Contents

<b>1</b>	<b>Functional description</b>	<b>8</b>
1.1	Functional mode	10
1.1.1	Tag mode	11
<b>2</b>	<b>Signal description</b>	<b>12</b>
2.1	Antenna coil (AC0, AC1)	12
2.2	Ground (VSS), only available on ST25TA02KB-P and ST25TA02KB-D	12
2.3	GPO supply voltage (VDCG), only available on ST25TA02KB-P	12
2.3.1	Operating supply voltage VDCG	12
2.3.2	Power-up conditions	12
2.4	General purpose output (GPO), only available on ST25TA02KB-P and ST25TA02KB-D	12
<b>3</b>	<b>ST25TAxxxB memory management</b>	<b>13</b>
3.1	Memory structure	13
3.1.1	File identifier	13
3.1.2	CC file layout	13
3.1.3	NDEF file layout	14
3.1.4	System file layout	15
3.2	Read and write access rights to the NDEF file	16
3.2.1	Read and Write protection modes	17
3.2.2	Read and Write access conditions	17
3.2.3	Changing the read protection mode	18
3.2.4	Changing the write protection mode	18
3.3	Granted access life time	19
3.4	NDEF file passwords	19
<b>4</b>	<b>Specific features</b>	<b>21</b>
4.1	Read/Write counter	21
4.2	General purpose output (GPO), only available on ST25TA02KB-D/P	21
4.2.1	Session Open configuration (GPO field = 0x10 or 0x90)	22
4.2.2	WIP Writing in Progress configuration (GPO field = 0x20 or 0xA0)	23
4.2.3	MIP NDEF Message writing in Progress configuration (GPO field = 0x30 or 0xB0)	24

4.2.4	INT Interrupt configuration (GPO field = 0x40 or 0xC0) . . . . .	25
4.2.5	State Control configuration (GPO field = 0x50 or 0xD0) . . . . .	26
4.2.6	RF busy configuration (GPO field = 0x60 or 0xE0) . . . . .	27
4.2.7	Field detect configuration (GPO field = 0x70 or 0xF0) . . . . .	28
4.3	TruST25™ digital signature feature . . . . .	29
<b>5</b>	<b>Communication mechanism . . . . .</b>	<b>30</b>
5.1	Master and slave . . . . .	30
<b>6</b>	<b>RF command sets . . . . .</b>	<b>31</b>
6.1	Structure of the command sets . . . . .	32
6.2	I-Block format . . . . .	32
6.2.1	C-APDU: payload format of a command . . . . .	34
6.2.2	R-APDU: payload format of a response . . . . .	34
6.3	R-Block format . . . . .	35
6.4	S-Block format . . . . .	36
6.5	CRC of the RF frame . . . . .	37
6.6	Status and error codes . . . . .	37
6.7	NFC Forum Type 4 Tag protocol . . . . .	38
6.7.1	NDEF Tag Application Select command . . . . .	38
6.7.2	Capability Container Select command . . . . .	38
6.7.3	NDEF Select command . . . . .	39
6.7.4	System File Select command . . . . .	40
6.7.5	ReadBinary command . . . . .	40
6.7.6	UpdateBinary command . . . . .	41
6.8	ISO/IEC 7816-4 commands . . . . .	42
6.8.1	Verify command . . . . .	42
6.8.2	Change Reference Data command . . . . .	44
6.8.3	Enable Verification Requirement command . . . . .	45
6.8.4	Disable Verification Requirement command . . . . .	46
6.9	ST-proprietary command set . . . . .	47
6.9.1	ExtendedReadBinary command . . . . .	47
6.9.2	EnablePermanentState command . . . . .	47
6.9.3	UpdateFileType command . . . . .	48
6.9.4	SendInterrupt command . . . . .	49
6.9.5	StateControl command . . . . .	50

6.10	ISO14443-4 / NFC-A command set	51
6.10.1	Anticollision command set	51
6.10.2	RATS command and ATS response	52
6.10.3	PPS command and response	53
6.10.4	DESELECT command	54
<b>7</b>	<b>Functional procedures</b>	<b>56</b>
7.1	Protecting an NDEF file	56
7.2	Accessing a protected NDEF file	56
7.3	Unprotecting an NDEF file	56
7.4	Locking an NDEF file	56
7.5	Reaching the READ-ONLY state	57
7.6	Changing a password	57
7.7	Changing the file type	57
<b>8</b>	<b>UID: unique identifier</b>	<b>58</b>
<b>9</b>	<b>Maximum ratings</b>	<b>59</b>
<b>10</b>	<b>GPO characteristics</b>	<b>60</b>
10.1	CMOS GPO characteristics (ST25TA02K-P only)	60
10.2	Open drain GPO characteristics (ST25TA02K-D only)	61
<b>11</b>	<b>GPO parameters (ST25TA02K-D and ST25TA02K-P)</b>	<b>62</b>
<b>12</b>	<b>RF electrical parameters</b>	<b>63</b>
<b>13</b>	<b>Package information</b>	<b>64</b>
13.1	UFDFPN5 package information	64
<b>14</b>	<b>Ordering information</b>	<b>66</b>
<b>15</b>	<b>Revision history</b>	<b>68</b>

## List of tables

Table 1.	Signal names	9
Table 2.	Functional mode	10
Table 3.	File identifier	13
Table 4.	CC file layout	13
Table 5.	NDEF file layout	14
Table 6.	Field list	15
Table 7.	Details about the Counter configuration field	16
Table 8.	Details about the GPO field	16
Table 9.	Read protection modes	17
Table 10.	Write protection modes	17
Table 11.	Read access conditions (CCRD values)	18
Table 12.	Write access conditions (CCWR)	18
Table 13.	RF command sets	31
Table 14.	I-Block format	32
Table 15.	PCB field of the I-Block format	32
Table 16.	C-APDU format	34
Table 17.	R-APDU format	34
Table 18.	R-Block format	35
Table 19.	R-Block detailed format	35
Table 20.	S-Block format	36
Table 21.	S-Block detailed format	36
Table 22.	Status code of the ST25TxxxB	37
Table 23.	Error codes of the ST25TxxxB	37
Table 24.	C-APDU of the NDEF Tag Application Select command	38
Table 25.	R-APDU of the NDEF Tag Application Select command	38
Table 26.	C-APDU of the Capability Container Select command	39
Table 27.	R-APDU of the Capability Container Select command	39
Table 28.	C-APDU of the NDEF Select command	39
Table 29.	R-APDU of the NDEF Select command	40
Table 30.	C-APDU of the System File Select command	40
Table 31.	R-APDU of the System File Select command	40
Table 32.	C-APDU of the ReadBinary command	41
Table 33.	R-APDU of the ReadBinary command	41
Table 34.	C-APDU of the UpdateBinary command	42
Table 35.	R-APDU of the UpdateBinary command	42
Table 36.	Verify command format	43
Table 37.	R-APDU of the Verify command	43
Table 38.	Change Reference Data command format	44
Table 39.	R-APDU of the Change Reference Data command	44
Table 40.	Enable Verification Requirement command format	45
Table 41.	R-APDU of the Enable Verification Requirement command	45
Table 42.	Disable Verification Requirement command format	46
Table 43.	R-APDU of the Disable Verification Requirement command	46
Table 44.	C-APDU of the ExtendedReadBinary command	47
Table 45.	EnablePermanentState command format	48
Table 46.	R-APDU table of the EnablePermanentState command	48
Table 47.	UpdateFileType command format	49
Table 48.	R-APDU of the UpdateFileType command	49

Table 49.	SendInterrupt command format . . . . .	49
Table 50.	R-APDU of the SendInterrupt command . . . . .	50
Table 51.	StateControl command format . . . . .	50
Table 52.	R-APDU of the StateControl command . . . . .	50
Table 53.	Commands issued by the RF host . . . . .	51
Table 54.	Example of anticollision sequence . . . . .	51
Table 55.	RATS command . . . . .	52
Table 56.	Conversion from FSDI to FSD . . . . .	52
Table 57.	ATS response . . . . .	53
Table 58.	PPS command . . . . .	54
Table 59.	Ascending and descending data rate coding . . . . .	54
Table 60.	PPS response . . . . .	54
Table 61.	UID format . . . . .	58
Table 62.	Absolute maximum ratings . . . . .	59
Table 63.	GPO operating conditions . . . . .	60
Table 64.	DC characteristics . . . . .	60
Table 65.	GPO AC Characteristics . . . . .	60
Table 66.	GPO operating conditions . . . . .	61
Table 67.	DC characteristics . . . . .	61
Table 68.	GPO timings measurement . . . . .	62
Table 69.	Default operating conditions . . . . .	63
Table 70.	RF characteristics . . . . .	63
Table 71.	UFDFPN5 - 5-lead, 1.7 × 1.4 mm, 0.55 mm thickness package mechanical data . . . . .	64
Table 72.	Ordering information scheme . . . . .	66
Table 73.	Document revision history . . . . .	68

## List of figures

Figure 1.	Block diagram - ST25TA02KB and ST25TA512B	8
Figure 2.	Block diagram - ST25TA02KB-D	8
Figure 3.	Block diagram - ST25TA02KB-P	9
Figure 4.	5-pin package connections - ST25TA02KB-D	9
Figure 5.	5-pin package connections - ST25TA02KB-P	9
Figure 6.	Applicative example of GPO usage - ST25TA02KB-D	10
Figure 7.	Applicative example of GPO usage - ST25TA02KB-P	11
Figure 8.	Changing the read protection mode	18
Figure 9.	Changing the write protection mode	19
Figure 10.	Open drain GPO configured as Session Open (GPO field = 0x10 or 0x90)	22
Figure 11.	CMOS GPO configured as Session Open (GPO field = 0x10 or 0x90)	23
Figure 12.	CMOS GPO configured as WIP (GPO field = 0x20 or 0xA0)	23
Figure 13.	Open drain GPO configured as WIP (GPO field = 0x20 or 0xA0)	24
Figure 14.	CMOS GPO configured as MIP (GPO field = 0x30 or 0xB0)	24
Figure 15.	Open drain GPO configured as WIP (GPO field = 0x30 or 0xB0)	25
Figure 16.	CMOS GPO configured as INT (GPO field = 0x40 or 0xC0)	25
Figure 17.	Open drain GPO configured as INT (GPO field = 0x40 or 0xC0)	26
Figure 18.	CMOS GPO configured as State Control (GPO field = 0x50 or 0xD0)	26
Figure 19.	Open drain GPO configured as State Control (GPO field = 0x50 or 0xD0)	27
Figure 20.	CMOS GPO configured as RF busy (GPO field = 0x60 or 0xE0)	27
Figure 21.	Open drain GPO configured as RF busy (GPO field = 0x60 or 0xE0)	28
Figure 22.	Open drain GPO configured as Field detect (GPO field = 0x70 or 0xF0)	28
Figure 23.	Open drain GPO configured as State Control (GPO field = 0x50 or 0xD0)	28
Figure 24.	UFDFPN5 - 5-lead, 1.7 × 1.4 mm, 0.55 mm thickness package outline	64


# 1 Functional description

The ST25TA512B, ST25TA02KB, ST25TA02KB-D and ST25TA02KB-P (hereinafter referred to as ST25TAxxxB) devices are NFC tags that can be accessed from the RF interface, based on the ISO/IEC 14443 Type A standard.

The ST25TAxxxB are compatible with the NFC Forum Type 4 Tag specifications and support all corresponding commands.

Figures 1, 2 and 3 show the block diagram, respectively, of the ST25TA02KB/ST25TA512B, ST25TA02KB-D and ST25TA02KB-P devices.

**Figure 1. Block diagram - ST25TA02KB and ST25TA512B**



**Figure 2. Block diagram - ST25TA02KB-D**




Figure 3. Block diagram - ST25TA02KB-P





Table 1. Signal names

Signal name	Function	Direction
AC0, AC1	Antenna coils	-
V <sub>DCG</sub> <sup>(1)</sup>	Supply voltage for CMOS GPO driver	Power
V <sub>SS</sub> <sup>(2)</sup>	Ground	-
GPO <sup>(2)</sup>	Interrupt output	CMOS or Open drain output


- 1. Only available on ST25TA02KB-P.
- 2. Only available on ST25TA02KB-P and ST25TA02KB-D.

Figure 4. 5-pin package connections - ST25TA02KB-D



- 1. See Package mechanical data section for package dimensions, and how to identify pin 1.

Figure 5. 5-pin package connections - ST25TA02KB-P



- 1. See Package mechanical data section for package dimensions, and how to identify pin 1.



1.1 Functional mode


The ST25TAxxxB have only one functional mode available (see [Table 2](#)).

Table 2. Functional mode

Mode	Supply source	Comments
Tag mode	RF field only	The RF interface operates only when RF field level is sufficient.


The optional GPO open drain transistor requests an external pull-up ( $> 4.7\text{ k}\Omega$ ) to operate (see [Figure 6](#)).

Figure 6. Applicative example of GPO usage - ST25TA02KB-D



The optional GPO CMOS driver requests an external supply to operate (see [Figure 7](#)).

**Figure 7. Applicative example of GPO usage - ST25TA02KB-P**



### 1.1.1 Tag mode

The ST25TAxxxB are supplied by the RF field and can communicate with an RF host (RFID reader or NFC phone). The User memory can be accessed by the RF commands.

## 2 Signal description

### 2.1 Antenna coil (AC0, AC1)

These inputs are used to connect the ST25TAxxxB devices to an external coil exclusively. It is advised not to connect any other DC or AC path to neither AC0 nor AC1.

When correctly tuned, the coil is used to access the devices using NFC Forum Type 4 commands.

### 2.2 Ground ( $V_{SS}$ ), only available on ST25TA02KB-P and ST25TA02KB-D

$V_{SS}$ , when connected, is the reference for the  $V_{DCG}$  supply voltage and for all pads, including AC0 and AC1.

### 2.3 GPO supply voltage ( $V_{DCG}$ ), only available on ST25TA02KB-P

This pin can be connected to an external DC supply voltage. It only supplies the GPO driver block.

#### 2.3.1 Operating supply voltage $V_{DCG}$

Before checking ST25TA02KB-P GPO, a valid and stable  $V_{DCG}$  voltage within the specified [ $V_{DCG(min)}$ ,  $V_{DCG(max)}$ ] range must be applied.

To maintain a stable DC supply voltage, it is recommended to decouple the  $V_{DCG}$  line with suitable capacitors (usually of the order of 10 nF and 100 pF) close to the  $V_{DCG}$  /  $V_{SS}$  package pins.

This voltage must remain stable and valid until the end of the GPO usage by the ST25TA02KB-P.

#### 2.3.2 Power-up conditions

The  $V_{DCG}$  rise time must not vary faster than 1 V /  $\mu$ s.

### 2.4 General purpose output (GPO), only available on ST25TA02KB-P and ST25TA02KB-D

The GPO pad is either an open drain pad on which an external pull-up resistor shall be connected, or a CMOS pad with default polarity set to 0.

This pad is a configurable output signal, driven to active level when configured events occur. Its behavior is consistent with the RF session activated and with the mode chosen by the user, see [Section 7: Functional procedures](#) for more details.

## 3 ST25TxxxB memory management

### 3.1 Memory structure

The ST25TxxxB support the NDEF Tag Application as defined in the NFC Forum Type 4 Tag. They are composed of three files:

- a Capability Container (CC) file
- an NDEF file
- a System file: this file is an ST-proprietary file

The System file contains some information on the configuration of the ST25TxxxB devices. The CC file gives some information about the ST25TxxxB and the NDEF file. The NDEF file contains the User data.

#### 3.1.1 File identifier

The file identifier is the value used in the Select command to select a file.

**Table 3. File identifier**

File identifier	Meaning
0xE101	System file
0xE103	CC file
0x0001	NDEF file

#### 3.1.2 CC file layout

The CC file gives some information about the ST25TxxxB and the NDEF file. This file is a read-only file for the RF host and cannot be modified by issuing a write command.

The T field, Read Access and Write Access fields can be changed by the RF host by issuing a specific process (refer to [Section 7: Functional procedures](#)).

**Table 4. CC file layout**

File offset	Meaning	Value	Comments
0x0000	Length CC file	0x000F	15 bytes
0x0002	Mapping version <sup>(1)</sup>	0x20 or 0x10	V 2.0 or V 1.0
0x0003	MLe: Maximum number of bytes that can be read	0x00FF <sup>(2)</sup>	255 bytes <sup>(2)</sup>
		0x0040 <sup>(3)</sup>	64 bytes <sup>(3)</sup>
0x0005	MLc: Maximum number of bytes that can be written	0x0036	54 bytes

Table 4. CC file layout (continued)

File offset	Meaning	Value	Comments
0x0007	NDEF file control TLV	0x04 <sup>(4)</sup>	T field
0x0008		0x06	L field
0x0009		0x0001	FileID
0x000B		0x0100 <sup>(2)</sup>	FLEN: Maximum
		0x0040 <sup>(3)</sup>	NDEF file size in Bytes
0x000D		0x00 <sup>(4)</sup>	CCRD: Read access condition
0x000E		0x00 <sup>(4)</sup>	CCWR: Write access condition

1. According to the reader command format the ST25TAxxxB devices will automatically align to the corresponding NFC Forum version.
2. ST25TA02KB, ST25TA02KB-D and ST25TA02KB-P.
3. ST25TA512B.
4. Delivery state.

### 3.1.3 NDEF file layout

The NDEF file contains the NDEF message that contains the User data. The RF host can read and write data inside the file. The first two bytes named NDEF Message Length define the size of the NDEF message. The NDEF Message Length shall be managed by the application and the ST25TAxxxB devices do not check if its value is relevant vs. the data written by the RF host. If the NDEF Message Length value stored in the file is greater than FLEN-2<sup>(a)</sup> the tag handles it as an invalid case and returns 0x00 for the byte values at offsets 0x0000 and 0x0001 in the response to a ReadBinary command.

For more details about the read command, refer to [Section 6.7.5: ReadBinary command](#).

Table 5. NDEF file layout

File offset	Byte 0	Byte 1	Byte 2	Byte 3
0x0000	NDEF Message Length		User data	User data
0x0004	User data	User data	User data	User data
...	...	...	...	...
...	...	...	...	...
...	...	...	...	...
0x003C <sup>(1)</sup> or 0x00FC <sup>(2)</sup>	...	...	...	User data

1. ST25TA512B.
2. ST25TA02KB, ST25TA02KB-D and ST25TA02KB-P.

a. NDEF Message Length > FLEN-2 can occur because of a successful UpdateBinary command with wrong value, or because of a corrupted UpdateBinary command.

### 3.1.4 System file layout

The system file specifies the configuration of the ST25TAxxxB devices. [Table 6](#) lists the different fields.

**Table 6. Field list**

File offset	Field name	No. of bytes	Read access	Write access	Device(s)	Delivery state
0x0000	Length system file	2	Yes	-	ST25TA512B ST25TA02KB ST25TA02KB-D ST25TA02KB-P	0x0012
0x0002	ST reserved	1	Yes	None	ST25TA512B ST25TA02KB	0x80
	GPO Config			Yes <sup>(1)</sup>	ST25TA02KB-D ST25TA02KB-P	0x70 <sup>(2)</sup>
0x0003	Event Counter Config	1	Yes	Yes <sup>(1)</sup>	ST25TA512B ST25TA02KB ST25TA02KB-D ST25TA02KB-P	0x00
0x0004	20-bit counter (MS nibble 0x0)	3	Yes	None		0x000000
0x0007	Product version	1	Yes	None		0x22 <sup>(3)</sup>
0x0008	UID	7	Yes	None	ST25TA512B	0x02E4 xx xx xx xx xx <sup>(4)</sup>
					ST25TA02KB	0x02E3 xx xx xx xx xx <sup>(4)</sup>
					ST25TA02KB-D	0x02F3 xx xx xx xx xx <sup>(4)</sup>
					ST25TA02KB-P	0x02A3 xx xx xx xx xx <sup>(4)</sup>
0x000F	Memory Size - 1	2	Yes	None	ST25TA512B	0x003F
					ST25TA02KB ST25TA02KB-D ST25TA02KB-P	0x00FF
0x0011	IC reference code	1	Yes	None	ST25TA512B	0xE5
					ST25TA02KB	0xE2
					ST25TA02KB-D	0xF2
					ST25TA02KB-P	0xA2

1. Configuration bytes can be locked by setting the Most significant bit to 1. Once locked, these bytes cannot be changed anymore.
2. Field detect as GPO configuration.
3. ST reserved.
4. x values are defined by ST to ensure UID uniqueness.

**Table 7. Details about the Counter configuration field**

File offset	b7	b6-b2	b1	b0
0x0003	Counter configuration lock bit: 0b0: unlocked 0b1: locked			
Counter enable: 0b0: disable 0b1: enable				
Counter increment: 0b0: on Read 0b1: on Write				

**Table 8. Details about the GPO field**

File offset	b7	b6-b4	b3-b0
0x0002	GPO config lock bit: 0b0: unlocked 0b1: locked		
GPO configuration: 0b000: Not used 0b001: Session opened 0b010: WIP 0b011: MIP 0b100: Interrupt 0b101: State Control 0b110: RF Busy 0b111: Field Detect			
0b0000 ST Reserved			

## 3.2 Read and write access rights to the NDEF file

The NDEF file can be protected for read or write accesses with passwords that the host shall present before accessing the NDEF file. There are two 128-bit passwords, one for the read access and the other one for the write access.

An NDEF file can also be locked for read or write accesses. Thus, the host cannot access the NDEF file.

The read password shall be sent to the ST25TxxxB devices before reading a read-protected NDEF file.

The write password shall be sent to the ST25TxxxB devices before writing a write-protected NDEF file. The write password shall be sent to change the read or write

protection mode. The access rights are only relevant for the NDEF file. If the Verify command is used with the CC, System or no file selected, an error is responded by the tag.

### 3.2.1 Read and Write protection modes

Three protection modes are defined for each of the Read and Write access rights to the NDEF file:

- UNPROTECTED
- PROTECTED
- FORBIDDEN

The Read/Write protection mode is identified by the R-APDU value responded to a Verify command (see [Section 6.8.1: Verify command](#)).

**Table 9. Read protection modes**

Mode	Verify (P1P2=0x0001) R-APDU	Meaning
READ UNPROTECTED	0x9000	Read access without any security (delivery state)
READ PROTECTED	0x6300	Read access protected by password
READ FORBIDDEN	0x6984	Read access forbidden (permanent state)

**Table 10. Write protection modes**

Mode	Verify (P1P2=0x0002) R-APDU	Meaning
WRITE UNPROTECTED	0x9000	Write access without any security (delivery state)
WRITE PROTECTED	0x6300	Write access protected by password
WRITE FORBIDDEN	0x6984	Write access forbidden (permanent state)

### 3.2.2 Read and Write access conditions

The CCRD and CCWR bytes (see [Table 3](#)) in the CC file are used to identify the Read and Write access conditions for the NDEF message as defined in the NFC Forum Type 4 Tag specification. The ST25TAxxxB support one read condition value and two write condition values.

Tables [11](#) and [12](#) show how these condition values are mapped to the read and write protection modes defined in [Section 3.2.1](#).

---

**Warning:** As several protection modes may be mapped to a single condition value, the Read and Write access condition values are not to be used to identify the protection modes.

---



**Table 11. Read access conditions (CCRD values)**

Value	Read protection modes
0x00	UNPROTECTED <sup>(1)</sup> , PROTECTED <sup>(1)</sup> , FORBIDDEN <sup>(1)</sup>

1. Refer to [Section 3.2.1](#) to discriminate between the protection modes.


**Table 12. Write access conditions (CCWR)**

Value	Write protection modes
0x00	UNPROTECTED
0xFF	PROTECTED <sup>(1)</sup> , FORBIDDEN <sup>(1)</sup>

1. Refer to [Section 3.2.1](#) to discriminate between the protection modes.

### 3.2.3 Changing the read protection mode

The state diagram of [Figure 8](#) shows how to change the read protection mode of the NDEF file.


**Figure 8. Changing the read protection mode**

1. See the procedure to protect the read access ([Section 7.1: Protecting an NDEF file](#)).
2. See the procedure to unprotect the read access ([Section 7.3: Unprotecting an NDEF file](#)).
3. See the procedure to forbid the read access ([Section 7.4: Locking an NDEF file](#)).
4. Proprietary state, not defined by NFC Forum Type 4 Tag.
5. Delivery state.

### 3.2.4 Changing the write protection mode

The state diagram on [Figure 9](#) shows how to change the write protection mode of the NDEF file.

Figure 9. Changing the write protection mode



1. See the procedure to protect the write access ([Section 7.1: Protecting an NDEF file](#)).
2. See the procedure to unprotect the write access ([Section 7.3: Unprotecting an NDEF file](#)).
3. See the procedure to forbid the write access ([Section 7.4: Locking an NDEF file](#)).
4. Proprietary state, not defined by NFC Forum Type 4 Tag.
5. Delivery state.

### 3.3 Granted access life time

When the NDEF file is in a READ or WRITE PROTECTED state, the corresponding file access is granted starting from the first successful password presentation (see [Section 7.1](#)), and until one of the following events occurs:

- an RF field shutdown
- a successful DESELECT command
- a successful NDEF Tag Application Select command (no file selected)
- successful Capability Container Select or System File Select command (other file selected)
- a wrong password presentation (security session closed)

When the NDEF file is in a READ or WRITE FORBIDDEN state, the corresponding file access is never granted.

### 3.4 NDEF file passwords

Two passwords are available on the ST25TxxxB devices:

- Read password: protects the read access to the NDEF file
- Write password: protect the write access to the NDEF file and the setting of the read and write protection modes (see [Section 7.1](#) and [Section 7.2](#))

The length of a password is 128 bits (16 bytes).

A password is presented using the Verify command (see [Section 6.8.1: Verify command](#)).

After three consecutive authentication failures for a given password, further attempts will fail until the following sequence of events occurs:

- tag set in Standby power mode (RF field shutdown or DESELECT command)
- tag activation (anticollision and RATS commands)
- successful NDEF Tag Application Select command
- successful NDEF Select command

*Note:* The delivery state for all passwords is 0x00000000000000000000000000000000.

## 4 Specific features

### 4.1 Read/Write counter

A 20-bit counter can track the read or write events on the NDEF file.

It benefits from an anti-tearing mechanism, that ensures the consistency of the counter, even if there has been an electrical problem during its increment.

The value of the Read/Write counter can be checked by any application, by reading suitable bytes in System file (see [Section 3.1.4](#)).

If enabled, the Read/Write counter will be incremented on the first event (exclusively read / write) performed on the NDEF File, after a successful NDEF Tag Application Select command. Following read/write events will not modify the counter value until a new successful NDEF Tag Application Select command is issued.

The counter is reset when it is disabled.

Apart from these procedures, there is no way to act on the value of this counter.

The Read/Write counter can be configured through a specific byte in System file (see [Section 3.1.4](#)).

This configuration byte allows to:

- Enable or disable this counter
- Define if the counter must be incremented on a read or write sequence
- Definitively lock this configuration byte

---

**Warning:** Once this configuration byte is locked, it cannot be changed anymore: the counter will behave accordingly.

---

If enabled, the Read/Write counter will have an impact on the execution time of the event being countered: the counter increment needs some write cycles of specific EEPROM cells automatically managed by ST25TAxxxB, which increase the total time before the response is sent to the reader.

As a consequence, an S(WTX) request can be issued on the command that will increment the counter (see [Section 6.4: S-Block format](#)).

### 4.2 General purpose output (GPO), only available on ST25TA02KB-D/P

The GPO pad is either a CMOS pad (ST25TA02KB-P) or an open drain pad (ST25TA02KB-D).

In case of CMOS GPO active state is 1 and inactive state is 0.

In case of open drain an external pull-up shall be connected to it. In this case, active state is 0 and inactive state is 1. If no pull-up is used the active state is 0, but inactive state is HZ.

This pad is a configurable output signal, driven to the alternate polarity when configured event occur. Its behavior is consistent with the RF session activated and with the mode chosen by the user.

The user can select one of these configurations ([Table 68: GPO timings measurement](#)):

- SessionOpen: an RF session is ongoing.
- MIP (NDEF Message updating In Progress): the RF host is writing an NDEF length different from 0x0000. This mode can be used to detect when the RF host changes the NDEF message as defined by the NFC Forum.
- WIP (Writing In Progress): the ST25TA02KB-D/P is executing a writing operation.
- INT (interrupt): the RF host can force the ST25TA02KB-D/P to send an alternate pulse on the GPO pin.
- State mode: the RF host can control the state of the GPO pad during the RF session.
- RF busy: an RF host is communicating with the ST25TA02KB-P.
- Field detection: the RF field is sufficient to establish an RF communication with the ST25TA02KB-P.

GPO configuration byte can be locked, by setting its Most Significant Bit to 1 (1xxx 0000 b). Once locked, this byte cannot be changed anymore.

#### 4.2.1 Session Open configuration (GPO field = 0x10 or 0x90)

When the GPO is configured as “Session Open”, it goes to the active state when an RF session is ongoing (see [Figure 10](#)).


An RF session is taken when the ST25TA02KB-D/P receives a valid Select Application. The session is released when:

- ST25TA02KB-D/P receives a valid Deselect command
- RF field becomes OFF


GPO is driven to active state after a delay (1) when the session is open.

GPO is released after a delay (2) when the session is released.

**Figure 10. Open drain GPO configured as Session Open (GPO field = 0x10 or 0x90)**



1. CmdEOFToGPlow (RF command End of frame to GPORF Session pad low).
2. CmdEOFToGPHZ (RF command End of frame to GPORF Session pad HZ).

**Figure 11. CMOS GPO configured as Session Open (GPO field = 0x10 or 0x90)**


1. CmdEOFToGPhigh (RF command End of frame to GPORF Session pad high).
2. CmdEOFToGPlow (RF command End of frame to GPORF Session pad low).

#### 4.2.2 WIP Writing in Progress configuration (GPO field = 0x20 or 0xA0)


When the GPO is configured as “WIP”, it goes to the active state state during an RF writing operation (see [Figure 12](#)).

During an RF session, when the ST25TA02KB-D/P updates a file, the GPO is driven in active state after a delay (1) following the beginning of the correspondent UpdateBinary command execution.

GPO will remain in active state during the writing time (2), before being released.

**Figure 12. CMOS GPO configured as WIP (GPO field = 0x20 or 0xA0)**

1. CmdEOFToGPhigh (RF Command End of frame to GPO high).
2. Writing time duration.

**Figure 13. Open drain GPO configured as WIP (GPO field = 0x20 or 0xA0)**


1. CmdEOFtoGPlow (RF Command End of frame to GPO low).
2. Writing time duration.

### 4.2.3 MIP NDEF Message writing in Progress configuration (GPO field = 0x30 or 0xB0)

When the GPO is configured as MIP, its state goes to the active state when the RF host writes the NDEF length to another value than 0x0000 (see [Figure 14](#)).


During an RF session, when the ST25TA02KB-D/P changes an NDEF file and updates the NDEF length with a value different from 0x0000, the GPO is driven in active state after a delay (1) following the beginning of the correspondent UpdateBinary command execution.

GPO will remain in active state during the writing time (2), before being released.

**Figure 14. CMOS GPO configured as MIP (GPO field = 0x30 or 0xB0)**

1. CmdEOFtoGPhigh (RF command End of frame to GPO high).
2. Writing time duration.

Figure 15. Open drain GPO configured as WIP (GPO field = 0x30 or 0xB0)




1. CmdEOFtoGPlow (RF command End of frame to GPO low).
2. Writing time duration.

#### 4.2.4 INT Interrupt configuration (GPO field = 0x40 or 0xC0)

The RF host can send a pulse on the GPO pad. The GPO pad goes to active state at the end of the command and goes to the inactive state at the end of the ST25TA02KB-D/P response (see [Figure 16](#)).


During an RF session, when the ST25TA02KB-D/P receives a valid SendInterrupt command, the GPO pin is driven in active state (1). Then the GPO pin is released at the end of the response (2).

Figure 16. CMOS GPO configured as INT (GPO field = 0x40 or 0xC0)



1. CmdEOFtoGPhigh (RF command End of frame to GPO high).
2. RespEOFtoGPlow.




**Figure 17. Open drain GPO configured as INT (GPO field = 0x40 or 0xC0)**


#### 4.2.5 State Control configuration (GPO field = 0x50 or 0xD0)

When the GPO is configured as State Control, the RF host can control the state of the GPO by sending a dedicated command (see [Figure 18](#)).

During an RF session, the ST25TA02KB-D/P can control the GPO pin. After receiving a valid StateControl command with Data=0x00, the GPO pin is driven in active state after a delay (1). The GPO will be released after a valid StateControl command with Data=0x01 or after a Power off.

**Figure 18. CMOS GPO configured as State Control (GPO field = 0x50 or 0xD0)**

1. CmdEOFToGPhigh (RF Reset GPO command End of frame to GPO high).
2. CmdEOFToGPlow (RF Set GPO command End of frame to GPO low).


**Figure 19. Open drain GPO configured as State Control (GPO field = 0x50 or 0xD0)**

1. CmdEOFtoGPlow (RF Reset GPO command End of frame to GPO low).
2. CmdEOFtoGPHZ (RF Set GPO command End of frame to GPO HZ).


#### 4.2.6 RF busy configuration (GPO field = 0x60 or 0xE0)

When the GPO is configured as RF busy, the GPO goes to the active state, both when the ST25TA02KB-D/P is processing an RF command or when an RF session is ongoing (see [Figure 20](#)).

When an RF field is present, the GPO is driven in active state after a delay (1) when the ST25TA02KB-D/P detects the first command. If the RF session is ongoing and the ST25TA02KB-D/P receives a not-supported command, GPO remains active. It will be released only at the end of the RF session, after (2).

**Figure 20. CMOS GPO configured as RF busy (GPO field = 0x60 or 0xE0)**

1. CmdSOFtoGPhigh (RF command Start of frame to GPO high).
2. CmdEOFtoGPlow (RF command End of frame to GPO low).



**Figure 21. Open drain GPO configured as RF busy (GPO field = 0x60 or 0xE0)**

1. CmdSOFtoGPlow (RF command Start of frame to GPO low).
2. CmdEOFtoGPHZ (RF command End of frame to GPO HZ).

#### 4.2.7 Field detect configuration (GPO field = 0x70 or 0xF0)

When the GPO is configured as Field detect, the GPO goes to the active state when ST25TA02KB-D/P detects an RF Field (see [Figure 22](#)).

When an RF field is present, GPO is driven in active state after a delay when the ST25TA02KB-D/P detects this field. Whatever the activity during the RF field detection (communication with the reader or not), GPO will stay active. It will be released when the ST25TA02KB-D/P leaves the RF field.

**Figure 22. Open drain GPO configured as Field detect (GPO field = 0x70 or 0xF0)****Figure 23. Open drain GPO configured as State Control (GPO field = 0x50 or 0xD0)**

### 4.3 TruST25™ digital signature feature

The ST25TAxxxB devices support the TruST25™ digital signature feature, which allows the user to verify the authenticity of the device, based on a unique digital signature.

TruST25™ solution encompasses secure industrialization processes and tools deployed by STMicroelectronics to generate, store and check the signature in the device.

Implementation details can be found in AN5101. Contact your STMicroelectronics sales office to get this documentation.

## 5 Communication mechanism

This section describes the principle of communication between an RF host and the ST25TAxxxB devices.

### 5.1 Master and slave

The ST25TAxxxB act as slave devices on the RF channel and therefore wait for a command from the RF host before sending a response.

The RF host shall generate the RF field and the RF commands.

## 6 RF command sets

This section describes the ST25TAxxxB command sets that can be issued by the RF host.

There are three command families:

- the NFC Forum Type 4 Tag command set
- the ISO/IEC 7816-4 command set
- the ST-proprietary command set

The NFC Forum Type 4 Tag command set and the ISO/IEC 7816-4 command set use the I-Block format. For more details about the I-Block format, refer to [Section 6.2: I-Block format](#).

Two other command formats exist:

- the commands using the R-Block format
- the commands using the S-Block format

For more details about these formats, refer to [Section 6.3: R-Block format](#) and to [Section 6.4: S-Block format](#).

This section gives a brief description of the RF host commands. The format of these command sets is the I-Block format.

[Table 13](#) lists the RF command sets.

**Table 13. RF command sets**

Family command set	Command name	Class byte	Instruction code	Brief description
NFC Forum Type 4 Tag	NDEF Tag Application Select	0x00	0xA4	NDEF Tag Application Select
	CC select	0x00	0xA4	Selects the CC file
	NDEF Select	0x00	0xA4	Selects the NDEF file
	System select	0x00	0xA4	Selects the system file
	ReadBinary	0x00	0xB0	Reads data from file
	UpdateBinary	0x00	0xD6	Writes or erases data to an NDEF file
ISO/IEC 7816-4	Verify	0x00	0x20	Checks the right access of an NDEF file or sends a password
	ChangeReferenceData	0x00	0x24	Changes a Read or Write password
	EnableVerificationRequirement	0x00	0x28	Activates the password security
	DisableVerificationRequirement	0x00	0x26	Disables the password security
ST-proprietary	EnablePermanentState	0xA2	0x28	Enables the READ FORBIDDEN or the WRITE FORBIDDEN protection mode
	ExtendedReadBinary	0xA2	0xB0	Reads data from file
	UpdateFileType	0xA2	0xD6	Sets file type to NDEF or to proprietary
	StateControl	0xA2	0xD6	Drives the state of the GPO pin
	SendInterrupt	0xA2	0xD6	Generates a pulse on the GPO pin

## 6.1 Structure of the command sets

The exchange of data between the RF host and the ST25TxxxB uses three kinds of data formats, called blocks:

- I-Block (Information block): to exchange the command and the response
- R-Block (Receive ready block): to exchange positive or negative acknowledgment
- S-Block (Supervisory block): to use either the Deselect command or the Frame Waiting eXtension (WTX) command or response

This section describes the structure of I-Block, R-block and S-Block. This format is used for the application command set.

## 6.2 I-Block format

The I-Block is used to exchange data between the RF host and the ST25TxxxB. It is composed of three fields, as detailed in [Table 14](#).

**Table 14. I-Block format**

Name	SoD		Payload	EoD
	PCB	DID	-	CRC
Length	1 byte	1 byte	1 to 251 bytes	2 bytes
PCB field				
DID field (optional)				
RF host to ST25TxxxB: C-APDU ST25TxxxB to RF host: R-APDU				
2 CRC bytes				

**Table 15. PCB field of the I-Block format**

	b7-b6	b5	b4	b3	b2	b1	b0
	0b00	0	0	X	0	1	X
I-Block							
RFU							
Must be set to 0							
DID field is present, if bit is set							
Must be set to 0							
Must be set to 1							
Block number <sup>(1)</sup>							

1. Follow ISO 14443\_4 Block numbering rules (see note)

Note: Block numbering rules:

**Reader rules:**

Rule A: The Reader block number shall be initialized to 0.

Rule B: When an I-block or an R(ACK) block with a block number equal to the current block number is received, the Reader shall toggle the current block number before optionally sending a block to the ST25TxxxB.

**ST25TxxxB rules:**

Rule C: The ST25TxxxB block number shall be initialized to 1 at activation.

Rule D: When an I-block is received, the ST25TxxxB shall toggle its block number before sending a block.

*Note: The ST25TxxxB may check if the received block number is not in compliance with Reader rules to decide neither to toggle its internal block number nor to send a response block.*

Rule E: When an R(ACK) block with a block number not equal to the current ST25TxxxB block number is received, the ST25TxxxB shall toggle its block number before sending a block.

*Note: There is no block number toggling when an R(NAK) block is received.*

When the RF host sends a command to the ST25TxxxB, the format of the payload is the C-APDU.

When the ST25TxxxB sends a command to the RF host, the format of the payload is the R-APDU.



### 6.2.1 C-APDU: payload format of a command

The C-APDU format is used by the RF host to send a command to the ST25TAxxxB.

[Table 16](#) describes its format.

**Table 16. C-APDU format**

Name	Payload field						
	CLA	INS	P1	P2	L <sub>C</sub>	Data	Le
Length	1 byte	1 byte	1 byte	1 byte	1 byte	Lc byte	1 byte
Class byte - 0x00: standard command - 0xA2: ST command <sup>(1)</sup>							
Instruction byte							
Param Byte 1							
Param Byte 2							
Number of bytes of the Data field							
Data bytes							
Number of bytes to be read in the ST25TAxxxB memory							

1. See [Table 13](#).

### 6.2.2 R-APDU: payload format of a response

The ST25TAxxxB use the I-Block format to reply to a command that has used the I-Block format. This format is described in [Table 17](#).

**Table 17. R-APDU format**

Name	Payload field		
	Data (optional)	SW1	SW2
Length	Le byte	1 byte	1 byte
Data			
Status byte 1			
Status byte 2			

### 6.3 R-Block format

The R-Block is used to convey positive or negative acknowledgment between the RF host and the ST25TxxxB.

**Table 18. R-Block format**

NFC frame	SoD		-	EoD
	PCB	DID	Payload	CRC
Length	1 byte	1 byte	0 byte	2 bytes
R(ACK) without the DID field: 0xA2 or 0xA3 R(ACK) with the DID field: 0xAA or 0xAB R(NAK) without the DID field: 0xB2 or 0xB3 R(NAK) with the DID field: 0xBA or 0xBB				
DID field (optional)				
-				
2 CRC bytes				

There are two kinds of R-Blocks:

- R(ACK): the acknowledgment block sent by the RF host or by the ST25TxxxB
- R(NAK): the non-acknowledgment block sent by the RF host

**Table 19. R-Block detailed format**

	b7-b6	b5	b4	b3	b2	b1	b0
	0b10	1	X	X	0	1	X
R-Block							
Must be set to 1.							
0: ACK 1: NAK							
0: DID field is not present 1: DID field is present							
Must be set to 0							
Must be set to 1							
Block number							

## 6.4 S-Block format

The S-Block is used to exchange control information between a reader and a contactless tag.

**Table 20. S-Block format**

NFC frame	SoD		-	EoD
	PCB	DID	Payload	CRC
Length	1 byte	1 byte	1 byte	2 bytes
0xC2: for S(DES) when the DID field is not present 0xCA: for S(DES) when the DID field is present 0xF2: for S(WTX) when the DID field is not present 0xFA: for S(WTX) when the DID field is present				
DID field (optional)				
WTX field (optional) <sup>(1)</sup>				
2 CRC bytes				

1. This field is present when b5-b4 bits are set to 0b11 (S-Block is a WTX). See [Table 21](#).

There are two requests using the S-Block format:

- S(DES): the Deselect command
- S(WTX): the Waiting Frame eXtension command or response.

A Waiting Time eXtension request occurs in RF when the operating time needed by the ST25TAxxxB is greater than 19.2 ms.

The WTX field indicates the increase time factor to be used in this command execution ( $FDT_{temp} = WTX * 19.2 \text{ ms}$ ). WTX depends on FWI.

**Table 21. S-Block detailed format**

	b7-b6	b5-b4	b3	b2	b1	b0
	0b11	X	X	0	1	0
S-Block						
0b00: Deselect 0b11: WTX						
0: DID field is not present 1: DID field is present						
Must be set to 0						
Must be set to 1						
Must be set to 0						

**Note:** After receiving the deselect command, the ST25TAxxxB enter the Standby power mode.  
In response to a RATS command, the ST25TAxxxB return the FWI parameter (default frame waiting time used); when the ST25TAxxxB need more time for a command execution, they

request a frame waiting time extension by responding 0xF2 0xWTX  
(Request waiting time = FWI \* WTX). If the reader accepts the ST25TxxxB request, it acknowledges the request by sending the command 0xF2 0xWTX. The frame waiting time becomes FWI \* WTX for the current command only.

## 6.5 CRC of the RF frame

The two CRC bytes check the data transmission between the RF host and the ST25TxxxB. For the RF frame, the CRC is computed on all the data bits in the frame, excluding parity bits, SOF and EOF, and the CRC itself.

The CRC is as defined in ISO/IEC 13239. The initial register content shall be 0x6363 and the register content shall not be inverted after calculation.

## 6.6 Status and error codes

This section lists the status and the error codes of the ST25TxxxB.

**Table 22. Status code of the ST25TxxxB**

	SW1	SW2	Comment
Value	0x90	0x00	Command completed successfully

**Table 23. Error codes of the ST25TxxxB**

	SW1	SW2	Comment
Length	1 byte	1 byte	
Value	0x62	0x82	End of file or record reached before reading Le bytes
Value	0x63	0x00	Password is required
Value	0x63	0xCX	Password is incorrect, X further retries allowed (X can take values 0, 1 or 2)
Value	0x65	0x81	Unsuccessful updating
Value	0x67	0x00	Wrong frame length
Value	0x69	0x81	Command is incompatible with the file structure
Value	0x69	0x82	Security status not satisfied
Value	0x69	0x84	Reference data not usable
Value	0x69	0x85	Conditions of use not satisfied
Value	0x6A	0x80	Incorrect parameters Le or Lc
Value	0x6A	0x82	File or application not found
Value	0x6A	0x84	File overflow (Lc error)
Value	0x6A	0x86	Incorrect P1 or P2 values
Value	0x6D	0x00	INS field not supported
Value	0x6E	0x00	Class not supported

## 6.7 NFC Forum Type 4 Tag protocol

The ST25TxxxB command set is built to easily support the NFC Forum Type 4 Tag protocol.

### 6.7.1 NDEF Tag Application Select command

The RF host shall send this command to activate the NDEF Tag Application.

To activate the NDEF Tag Application, the RF host sends the Select command in addition to the sequence defined in the NFC Forum digital protocol.

[Table 24](#) defines the C-APDU of the Select command to select the NDEF Tag Application (called NDEF Tag Application Select).

**Table 24. C-APDU of the NDEF Tag Application Select command**

Name	CLA	INS	P1	P2	Lc	Data	Le
-	0x00	0xA4	0x04	0x00	0x07	0xD27600 00850101	0x00
Class byte							
Select instruction code							
P1 field							
P2 field							
Number of bytes of data							
Application ID							
Le field							

[Table 25](#) defines the R-APDU of the NDEF Tag Application Select command.

**Table 25. R-APDU of the NDEF Tag Application Select command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed
Value	-	0x6A	0x82	NDEF Tag Application not found
Value	-	0x6D	0x00	Class not supported
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

### 6.7.2 Capability Container Select command

The RF host uses the Capability Container Select procedure to select the capability container (CC) file.

The CC file is selected when this command returns "command completed" in the R-APDU. [Table 26](#) defines the C-APDU of the Select command to select the CC file (called Capability Container Select).

**Table 26. C-APDU of the Capability Container Select command**

Name	CLA	INS	P1	P2	Lc	Data	Le
-	0x00	0xA4	0x00	0x0C	0x02	0xE103	-
Class byte							
Select instruction code							
P1 field							
P2 field							
Number of bytes of data							
CC file ID							
(empty field)							

[Table 27](#) defines the R-APDU of the CC Select command.

**Table 27. R-APDU of the Capability Container Select command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed
Value	-	0x6A	0x82	File or application not found
Value	-	0x6D	0x00	Class not supported
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

### 6.7.3 NDEF Select command

The RF host uses the NDEF Select command to select the NDEF file.

The NDEF file is selected when this command returns “command completed” in the R-APDU. [Table 28](#) defines the C-APDU of the Select command to select the NDEF file (called NDEF Select).

**Table 28. C-APDU of the NDEF Select command**

Name	CLA	INS	P1	P2	Lc	Data	Le			
-	0x00	0xA4	0x00	0x0C	0x02	0x0001	-			
Class byte										
Select instruction code										
P1 field										
P2 field										
Number of bytes of data										
0x0001: NDEF file										
(empty field)										

[Table 29](#) defines the R-APDU of the NDEF Select command.

**Table 29. R-APDU of the NDEF Select command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed
Value	-	0x6A	0x82	File or application not found
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

#### 6.7.4 System File Select command

The RF host uses this command to select the system file.

The System file is selected when this command returns "command completed" in the R-APDU.

[Table 30](#) defines the C-APDU of the command to select the System file (called System Select).

**Table 30. C-APDU of the System File Select command**

Name	CLA	INS	P1	P2	Lc	Data	Le
-	0x00	0xA4	0x00	0x0C	0x02	0xE101	-
Class byte							
Select instruction code							
P1 field							
P2 field							
Number of bytes of data							
System file ID							
(empty field)							

[Table 31](#) defines the R-APDU of the System File Select command.

**Table 31. R-APDU of the System File Select command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed
Value	-	0x6A	0x82	System file not found, no data is returned
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

#### 6.7.5 ReadBinary command

On receiving the ReadBinary command, the ST25TAxxxB read the requested memory field and send back its value in the R-APDU response.

Before sending a ReadBinary command, a file shall be selected by using a Select command.

The Response of the ReadBinary command is successful when the start offset P1P2 is lower than LEN: the length of the selected file<sup>(b)</sup>. If  $Le = 0$  or  $P1P2 + Le > LEN$ , the command is successful and the tag sends all data available in the selected file, from offset P1P2 to offset  $LEN - 1$ .

[Table 32](#) defines the ReadBinary command.

**Table 32. C-APDU of the ReadBinary command**

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0x00	0xB0	2 bytes	-	-	1 byte
Class byte						
Read instruction code						
Offset in the file selected $0x0000 \leq P1P2 < LEN$						
(empty field)						
(empty field)						
Number of bytes to read: $0x00 \leq Le \leq MLe$						

[Table 33](#) defines the R-APDU of the ReadBinary command.

**Table 33. R-APDU of the ReadBinary command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	Content read	0x90	0x00	Command completed
Value	-	0x69	0x85	Read access forbidden
Value	-	0x6A	0x80	Wrong Le value ( $> MLe$ )
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x82	File or application not found
Value	-	0x6A	0x86	Wrong start address ( $P1P2 \geq LEN$ )
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

## 6.7.6 UpdateBinary command

On receiving the UpdateBinary command, the ST25TAXxxB write the data field into the selected file and send back a status in the R-APDU response. If needed, ST25TAXxxB will request a timing extension (see [Section 6.4](#)).

- b. For more details about CC file, refer to [Section 3.1.2: CC file layout](#).  
 For more details about NDEF file, refer to [Section 3.1.3: NDEF file layout](#).  
 For more details about System file, refer to [Section 3.1.4: System file layout](#).



Before sending an UpdateBinary command, a file shall be selected by issuing a Select command.

[Table 34](#) and [Table 35](#) define, respectively, the UpdateBinary command, and its R-APDU.

**Table 34. C-APDU of the UpdateBinary command**

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0x00	0xD6	2 bytes	1 byte	Lc bytes	-
Class byte						
Write instruction code						
Offset in the file selected						
Number of bytes of data ( $0x01 \leq Lc \leq MLc$ )						
Data to write in the ST25TAxxxB memory						
(empty field)						

**Table 35. R-APDU of the UpdateBinary command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed
Value	-	0x65	0x81	Unsuccessful updating
Value	-	0x69	0x85	Write access forbidden
Value	-	0x6A	0x80	Wrong Lc value (0 or > MLc)
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x82	File or application not found
Value	-	0x6A	0x86	Wrong start address
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

## 6.8 ISO/IEC 7816-4 commands

The ISO/IEC 7816-4 command set offers some extended features such as the protection of the NDEF file. This command set is used to manage the right access of the NDEF file.

### 6.8.1 Verify command

The Verify command has two functions:

1. Check if a password is required to access to the NDEF file (the LC field = 0x00).
2. Check that the password embedded in the Verify command allows the access to the memory (Lc field = 0x10 and the password is present).

When the Lc field equals 0x00, the verify command returns a success code (0x90 00) provided that the access to the NDEF file does not require a password. When the access to the NDEF file is protected, the tag responds the error code 0x6300 to the Verify command.

When the access to the NDEF file is forbidden, the tag responds the error code 0x6984 to the Verify command.

When the Lc field equals 0x10, on receiving the Verify command, the ST25TxxxB compares the requested password with the data contained in the request and reports whether the operation has been successful in the response.

Before sending this command, an NDEF file shall be selected by issuing the NDEF Select command. Thus, this command checks the right access condition of the last NDEF file selected.

After a successful password verification, an access is granted for the whole NDEF file.

[Table 36](#) defines the Verify command.

**Table 36. Verify command format**

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0x00	0x20	2 bytes	1 byte	Lc bytes	-
Class byte						
Instruction code						
Password identification						
0x0001: Read NDEF password transmit						
0x0002: Write NDEF password transmit						
Other: RFU <sup>(1)</sup>						
0x00: the password is not present						
0x10: the password is present in the data field						
Password						
(empty field)						

1. Return ERROR code when used.

[Table 37](#) defines the R-APDU of the Verify command.

**Table 37. R-APDU of the Verify command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	No password required (Lc = 0x0) or correct password (Lc = 0x10)
Value	-	0x69	0x84	The conditions of use are not satisfied (e.g. the access to the NDEF file is forbidden)
Value	-	0x69	0x81	Command incompatible with file structure
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x80	Incorrect parameter in command data field
Value	-	0x63	0x00	A password is required

Table 37. R-APDU of the Verify command (continued)

	Data	SW1	SW2	Comment
Value	-	0x63	0xCX	The password transmitted is incorrect and X encodes the number of further allowed retries
Value	-	0x6*	0x**	Refer to <a href="#">Section 3.4: NDEF file passwords</a>

## 6.8.2 Change Reference Data command

The Change Reference Data command replaces the read or write password related to the NDEF files previously selected. It can be performed only if the security status satisfies the security attributes for this command.

Before sending this command, the verify command with the correct NDEF write password shall be issued. Thus, this command changes the reference data of the NDEF file.

[Table 38](#) defines the Change Reference Data command.

Table 38. Change Reference Data command format

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0x00	0x24	2 bytes	0x10	Lc bytes	-
Class byte						
Instruction code						
Password identification						
0x0001: Read password transmit						
0x0002: Write password transmit						
Other: RFU <sup>(1)</sup>						
0x10: the password is present in the data field						
NDEF new file Password						
(empty field)						

1. Return ERROR code when used.

[Table 39](#) defines the R-APDU of the Change Reference Data command.

Table 39. R-APDU of the Change Reference Data command

	Data	SW1	SW2	Comment
Length	0	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed, the password value has been changed
Value	-	0x69	0x81	Command is incompatible with the file structure
Value	-	0x65	0x81	Unsuccessful updating
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x80	Incorrect parameter in file structure
Value	-	0x6A	0x82	File or application not found

**Table 39. R-APDU of the Change Reference Data command (continued)**

	Data	SW1	SW2	Comment
Value	-	0x6A	0x86	Incorrect P1 or P2 values
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

### 6.8.3 Enable Verification Requirement command

The Enable Verification Requirement command activates the protection by password of the NDEF file. When this command is successful, the read or write access to the NDEF file is protected by a 128-bit password. It can be performed only if the security status satisfies the security attributes for this command.

The response time of the command is ~5 ms.

Before sending this command, the verify command with the correct NDEF write password shall be issued. Thus, this command changes the protection mode of the NDEF file.

[Table 40](#) defines the Enable Verification requirement command.

**Table 40. Enable Verification Requirement command format**

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0x00	0x28	2 bytes	-	-	-
Class byte						
Instruction code						
New security attributes						
0x0001: Enable the READ PROTECTED state						
0x0002: Enable the WRITE PROTECTED state						
Other: RFU						
(empty field)						
(empty field)						
(empty field)						

The last five bits identify the password sent in the Verify command.

[Table 41](#) defines the R-APDU of the Enable Verification Requirement command.

**Table 41. R-APDU of the Enable Verification Requirement command**

	Data	SW1	SW2	Comment
Length	0	1 byte	1 byte	-
Value	-	0x90	0x00	Protection mode changed to PROTECTED state
Value	-	0x69	0x81	Command is incompatible with the file structure
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x80	Incorrect parameter in command data field

**Table 41. R-APDU of the Enable Verification Requirement command (continued)**

	Data	SW1	SW2	Comment
Value	-	0x6A	0x82	File or application not found
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

## 6.8.4 Disable Verification Requirement command

The Disable Requirement command deactivates the protection by password of the NDEF file. When this command is successful, the read or write access to the NDEF file is granted without security requirements. It can be performed only if the security status satisfies the security attributes for this command.

Before sending this command, the verify command with the correct NDEF write password shall be issued. Thus, this command changes the protection mode of the NDEF file.

This response time of the command is ~6 ms.

[Table 42](#) defines the Disable Verification Requirement command.

**Table 42. Disable Verification Requirement command format**

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0x00	0x26	2 bytes	-	-	-
Class byte						
Instruction code						
New security attributes						
0x0001: Enable the READ UNPROTECTED state						
0x0002: Enable the WRITE UNPROTECTED state						
Other: RFU						
(empty filed)						
(empty filed)						
(empty filed)						

[Table 43](#) defines the R-APDU of the Disable Verification Requirement command.

**Table 43. R-APDU of the Disable Verification Requirement command**

	Data	SW1	SW2	Comment
Length	0	1 byte	1 byte	-
Value	-	0x90	0x00	Protection mode set to UNPROTECTED state
Value	-	0x69	0x81	Command is incompatible with the file structure
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x80	CC file or System file selected
Value	-	0x6A	0x82	File or application not found
Value	-	0x6A	0x86	Incorrect P1 or P2 values

**Table 43. R-APDU of the Disable Verification Requirement command (continued)**

	Data	SW1	SW2	Comment
Value	-	0x65	0x81	Update failed
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

## 6.9 ST-proprietary command set

The RF host can be issued with the command set described in this section.

### 6.9.1 ExtendedReadBinary command

On receiving the ExtendedReadBinary command, the ST25TxxxB reads the requested memory field and sends back its value in the R-APDU response.

The effect and behavior of this command are identical to those of the ReadBinary command (see [Section 6.7.5: ReadBinary command](#)), the only difference being the value of the CLA field.

**Table 44. C-APDU of the ExtendedReadBinary command**

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0xA2	0xB0	2 bytes	-	-	1 byte
ST Class byte						
Read instruction code						
Offset in the file selected						
(empty field)						
(empty field)						
Number of bytes to read between 0x00 ≤ Le ≤ MLe						

Refer to [Table 31: R-APDU of the System File Select command](#) for the list of return codes and definitions.

### 6.9.2 EnablePermanentState command

This command configures the protection of the NDEF file to the READ FORBIDDEN or to the WRITE FORBIDDEN state.

This response time of the is ~6 ms.

[Table 45](#) defines the EnablePermanentState requirement command.

**Table 45. EnablePermanentState command format**

Name	CLA	INS	P1 and P2	Lc	Data	Le
-	0xA2	0x28	2 bytes	-	-	-
Class byte						
Instruction code						
New security attributes						
0x0001: Enable the READ FORBIDDEN state						
0x0002: Enable the WRITE FORBIDDEN state						
Other: RFU						
(empty field)						
(empty field)						
(empty field)						

[Table 46](#) defines the R-APDU of the EnablePermanentState command.

**Table 46. R-APDU table of the EnablePermanentState command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed
Value	-	0x65	0x81	Update failed
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x82	File or application not found
Value	-	0x6A	0x86	Incorrect P1 or P2 values
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

### 6.9.3 UpdateFileType command

This command makes it possible to modify the value of the T field from the CC file (see [Table 3: File identifier](#)).

This command is successful only when application and file 0x0001 are selected and if the file length has previously been set to 0x0000 (message invalid) and protection modes have been set to READ UNPROTECTED and WRITE UNPROTECTED states.

The response time of the command is ~6 ms.

[Table 47](#) defines the UpdateFileType command.

**Table 47. UpdateFileType command format**

Name	CLA	INS	P1	P2	Lc	Data	Le
Value	0xA2	0xD6	0x00	0x00	0x01	1 byte	-
Class byte							
Select instruction code							
P1 field							
P2 field							
Number of bytes of data							
File type							
-							

[Table 48](#) describes the R-APDU of the UpdateFileType command.

**Table 48. R-APDU of the UpdateFileType command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	Command completed
Value	-	0x69	0x82	Security status not satisfied
Value	-	0x6A	0x80	CC file or System file selected
Value	-	0x6A	0x82	File or application not found
Value	-	0x6A	0x86	Incorrect P1 or P2 values
Value	-	0x6*	0x**	Refer to <a href="#">Section 6.6: Status and error codes</a>

#### 6.9.4 SendInterrupt command

On receiving the SendInterrupt command, the ST25TxxxB generates a pulse on the GPO pin. It starts at the end of the command and ends at the end of the RF response.

Before sending this command, the system file shall be selected by issuing the System Select command.

[Table 49](#) defines the SendInterrupt command.

**Table 49. SendInterrupt command format**

	CLA	INS	P1 and P2	Lc	Data	Le
Length	1 byte	1 byte	2 bytes	1 byte	-	-
Value	0xA2	0xD6	0x001E	0x00	-	-



[Table 50](#) describes the R-APDU of the SendInterrupt command.

**Table 50. R-APDU of the SendInterrupt command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	The interrupt has been sent
Value	-	0x6A	0x80	The GPO is not configured as an interrupt mode
Value	-	0x6A	0x82	File or application not found
Value	-	0x6A	0x86	Incorrect P1 or P2 values
Value	-	0x6E	0x00	Class not supported

### 6.9.5 StateControl command

On receiving the StateControl command with activation value 0x00, the ST25TAxxxB devices drive the GPO pin to active state. On receiving the StateControl command with deactivation value 0x01, the ST25TAxxxB release the GPO pin that returns to inactive state.

Before sending this command, the system file shall be selected by issuing the System Select command.

[Table 51](#) defines the State Control command.

**Table 51. StateControl command format**

	CLA	INS	P1 and P2	Lc	Data	Le
Length	1 byte	1 byte	2 bytes	1 byte	-	-
Activation value	0xA2	0xD6	0x001F	0x01	0x00	-
Deactivation value	0xA2	0xD6	0x001F	0x01	0x01	-

**Table 52. R-APDU of the StateControl command**

	Data	SW1	SW2	Comment
Length	-	1 byte	1 byte	-
Value	-	0x90	0x00	The set or reset has been sent
Value	-	0x6A	0x80	The GPO is not configured in StateControl mode
Value	-	0x6A	0x82	File or application not found
Value	-	0x6A	0x86	Incorrect P1 or P2 values
Value	-	0x6E	0x00	Class not supported

## 6.10 ISO14443-4 / NFC-A command set

This section describes the commands used to activate and deactivate the tag.

### 6.10.1 Anticollision command set

[Table 53](#) lists the commands that can be issued only by the RF host. The format of these commands is described in the NFC Forum Digital Protocol specification.

**Table 53. Commands issued by the RF host**

Family command set	Command name	Instruction code
NFC-A technology	ALL_REQ	0x52 <sup>(1)</sup>
	SENS_REQ	0x26 <sup>(1)</sup>
	SDD_REQ	0x93 or 0x95
	SEL_REQ	0x93 or 0x95
	SLP_REQ	0x50

1. Code on 7 bits.

**Note:** In response to a SDD\_REQ Command with a SEL\_PAR value equal to 20h, ST25TAxxxB in the Operating Field transmit the requested cascade level of their NFCID1 (NFCID1 CL<sub>n</sub>, with n=1 or 2). The NFCID1 of ST25TAxxxB consists of 7 bytes. The length of the Response containing a complete NFCID1 cascade level (i.e., NFCID1 CL1, or NFCID1 CL2) is always 5 bytes. The coding of the Response depends on the value of the SEL\_CMD byte and the size of the NFCID1.

Refer to the example below for more details.

**Table 54. Example of anticollision sequence**

Command	Code	Comment	Response	Code	Comment
SENS_REQ or ALL-REQ	26	-	ATQA	42 00	UID double size bit frame anticollision
	52				
SDD_REQ 1	93 20	NVB 20 Number Valid bit (2 bytes Code and NVB)	-	CT uid1 uid2 uid3 BCC	CT Cascade Tag "0x88" (UID 7bytes) BCC Block Check Character (XOR previous Bytes)
SEL_REQ 1	93 70 CT uid1 uid2 uid3 BBC	NVB 70 (cmd NVB Uid lower bytes) CT Cascade Tag "0x88"	SAK and CRC	04 DA17	UID not complete
SDD_REQ 2	95 20	NVB 20 Number Valid bit (2 bytes Code and NVB)	-	uid4 uid5 uid6 uid7 BCC	(UID 7bytes) BCC Block Check Character (XOR previous Bytes)
SEL_REQ 1	95 70 uid4 uid5 uid6 uid7 BBC	NVB 70 (cmd NVB Uid Upper bytes)	SAK and CRC	20 FC70	UID complete

### 6.10.2 RATS command and ATS response

RATS command and ATS response are used for NFC Forum Type 4A Tag Platform Device Activation (as defined in NFC Forum Digital Protocol specification).

[Table 55](#) details the RATS command. This command shall be sent after the anticollision process.

**Table 55. RATS command**

Name	INS	Param		CRC
Byte field	0xE0	1 byte		2 bytes
Bit field	-	b7-b4	b3-b0	-
Instruction code				
FSDI				
DID (0 ≤ DID ≤ 14)				
2 CRC bytes				

The FSDI field codes the FSD that defines the maximum size that an RF host is able to receive. [Table 56](#) gives the conversion from FSDI to FSD.

**Table 56. Conversion from FSDI to FSD**

FSDI	0x0	0x1	0x2	0x3	0x4	0x5	0x6	0x7	0x8	0x9h-0xE	0xF
FSD	16	24	32	40	48	64	96	128	256	RFU	256

The DID (Dynamic ID, optionally affected to the ST25TAxxxB by the host to address ST25TAxxxB in all commands) field defines the value of the addressed ST25TAxxxB.

If DID is not '0', the ST25TAxxxB ignore the command if it contains a DID different from the one affected to ST25TAxxxB during RATS.

Table 57. ATS response

Name	TL	T0	TA(1)	TB(1)		TC(1)	CRC
Byte field	0x05	0x75	0x80	0x60		0x02	2 bytes
Bit field	-	-	-	b8-b5	b4-b1	-	-
Length of the ATS response							
FSCI = 5 → FSC = 64 bytes							
The maximum ascending data rate is 106 kbps The maximum descending data rate is 106 kbps							
FWI field (FWI = 6 → FWT = 19.2 ms)							
SFGI field (SFGI = 0 → SFGT = 302 μs)							
The DID is supported							
2 CRC bytes							

The FSCI codes the FSC which stands for the maximum frame size that the ST25TxxxB is able to receive. The ST25TxxxB are able to receive up to 64 bytes of command. If the RF host sends a command with more than 64 bytes, the ST25TxxxB will be unable to treat the command and will not reply.

The FWI which stands for the Frame Waiting time Integer codes the FWT. This time corresponds to the maximum duration while an RF host shall send before sending the next command.

The SFGI which stands for the Start-up Frame Guard Time is the minimum time that the reader shall wait after receiving the response of the ST25TxxxB.

### 6.10.3 PPS command and response<sup>(c)</sup>

PPS (Protocol and Parameter Selection) command and response are defined in ISO/IEC 14443-4, in the Protocol Activation of PICC Type A.

The PPS command allows to change the data rates of the ascending (RF host to ST25TxxxB) and descending (ST25TxxxB to RF host) data rates. Usage of this command is optional, as the ST25TxxxB devices only support 106 Kb/s in both directions.

c. Not useful in case of ST25TxxxB that only supports a Data Rate of 106 kbit/s in both directions.

Table 58. PPS command

	Name	INS (PPSS)		PPS0	PPS1			CRC
	Byte field	0xDX		0x11	1 byte			2 bytes
	Bit field	b7-b4	b3-b0	-	0b0000	b3-b2	b1-b0	-
INS	Instruction code							
	DID							
-	PPS1 is present							
PPS1	RFU							
	Descending data rate (106 kbit/s) = 0b00							
	Ascending data rate (106 kbit/s) = 0b00							
-	2 CRC bytes							

The ascending and descending data rates shall be coded as described in [Table 59](#).

Table 59. Ascending and descending data rate coding

Value	0b00	0b01	0b10	0b11
Data rate	106 kbps	RFU	RFU	RFU

When the ST25TAxxxB are able to change both data rates, they return the following response. The data rate of this response is 106 kbps; then, the ST25TAxxxB change the ascending and descending data rates. [Table 60](#) gives the details of the PPS response.

Table 60. PPS response

Name	Response (PPSS)		CRC
Byte field	0xDX		2 bytes
Bit field	b8-b5	b4-b1	-
Response code			
DID field			
2 CRC bytes			

#### 6.10.4 DESELECT command

DESELECT command and response are defined in ISO/IEC 14443-4, in the Protocol Deactivation of PICC Type A.

This command makes it possible to put the tag in Standby power mode<sup>(d)</sup> after the transactions between the RF host and the tag have been completed.

d. This state can also be reached by a shutdown of the RF field.

It consists of an S(DES) request block (see [Section 6.4: S-Block format](#)) sent by the RF host and an S(DES) response sent as acknowledge by the tag.

## 7 Functional procedures

In addition to the NDEF Detection, NDEF Read and NDEF Write procedures described in the NFC Forum Type 4 Tag specification, the ST25TAxxxB devices support the procedures described in this section to manage the protection of the NDEF file.

### 7.1 Protecting an NDEF file

The RF host executes this procedure to enable the read or write protection of an NDEF file. This process can be reverted by the procedure described in [Section 7.3](#).

1. Select the NDEF Tag Application
2. Select the NDEF file
3. Transmit the NDEF file Write password by using the Verify command
4. Activate the protection by sending the EnableVerificationRequirement command with the adequate security attribute (see [Section 6.8.3: Enable Verification Requirement command](#))

### 7.2 Accessing a protected NDEF file

The RF host executes this procedure to access an NDEF file that has been previously protected by a password.

1. Select the NDEF Tag Application
2. Select the NDEF file
3. Transmit the Read or Write password (according to the protected access) using the Verify command
4. Access the NDEF file using the ReadBinary or the UpdateBinary command

### 7.3 Unprotecting an NDEF file

The RF host executes this procedure to disable the read or write access protection of an NDEF file. This process can be reverted by the procedure described in [Section 7.1](#).

1. Select the NDEF Tag Application
2. Select the NDEF file
3. Transmit the NDEF file Write password by using the Verify command
4. Deactivate the protection by sending the DisableVerificationRequirement command with the adequate security attribute (see [Section 6.8.4: Disable Verification Requirement command](#)).

### 7.4 Locking an NDEF file

The RF host executes this procedure to permanently permanently forbid the read or write access to an NDEF file. Compared to the one described in [Section 7.1](#), this process cannot be reverted.

1. Select the NDEF Tag Application
2. Select the NDEF file
3. Transmit the NDEF file Write password by using the Verify command
4. Send an EnablePermanentState command with the adequate security attribute (see [Section 6.9.2: EnablePermanentState command](#))

## 7.5 Reaching the READ-ONLY state

The RF host executes this procedure to set the tag in the READ-ONLY state defined in the NFC T4T specification

1. Write a non-empty NDEF message using the NDEF Write procedure from the NFC T4T specification
2. Lock the write access using the procedure described in [Section 7.4](#)

## 7.6 Changing a password

The RF host executes this procedure to modify the read or write password used for the protection of the NDEF file

1. Select the NDEF Tag Application
2. Select the NDEF file
3. Transmit the old password value using the Verify command with the adequate security attribute (see [Section 6.8.1: Verify command](#))
4. Transmit the new password value using the ChangeReferenceData command with the same security attribute (see [Section 6.8.2: Change Reference Data command](#))

## 7.7 Changing the file type

The RF host executes this procedure to change the value of the T field from the CC file

1. Select the NDEF Tag Application
2. Select the file 0x0001 using the NDEF Select command
3. Unprotect all file accesses using the procedure detailed in [Section 7.3](#)
4. Set the File Length to 0x0000 using the UpdateBinary command
5. Send an UpdateFileType command with the new T field value as data (see [Section 6.9.3: UpdateFileType command](#))

---

**Warning:** If the T field is set to a value different from 0x04, the file 0x0001 is no longer an NDEF file but a proprietary file, and the tag is in a state out of the scope of the NFC Forum.

---



# 8      UID: unique identifier

The ST25TAxxxB is uniquely identified by a 7-byte unique identifier (UID). The UID is a read-only code and comprises:

- the IC manufacturer code, on 1 byte (0x02 for STMicroelectronics)
- the Product code, on 1 byte
- a device number, on 5 bytes.

*Table 61* describes the UID format.

**Table 61. UID format**

-	0x02	1 byte <sup>(1)</sup>	5 bytes
IC manufacturer code			
Product code			
Device number			

1. This byte is 0xE3 for ST25TA02KB, 0xA3 for ST25TA02KB-P, 0xF3 for ST25TA02KB-D and 0xE4 for ST25TA512B.



## 9 Maximum ratings

Stressing the devices above the ratings listed in [Table 62](#) may cause permanent damage to them. These are stress ratings only and operation of the devices at these or any other conditions above those indicated in the operating sections of this specification is not implied. Exposure to absolute maximum rating conditions for extended periods may affect device reliability.

**Table 62. Absolute maximum ratings**

Symbol	Parameter		Min.	Max.	Unit
T <sub>A</sub>	Ambient operating temperature		-40	85	°C
T <sub>STG</sub> h <sub>STG</sub> t <sub>STG</sub>	Storage conditions	Sawn wafer on UV tape	15	25	°C
			-	g <sup>(1)</sup>	months
			Kept in its original packing form		
T <sub>STG</sub>	Storage temperature	Sawn bumped wafer (kept in its antistatic bag)	15	25	°C
	Storage time		-	g <sup>(2)</sup>	months
I <sub>CC</sub> <sup>(3)</sup>	RF supply current AC0 - AC1		-	100	mA
V <sub>MAX_1</sub> <sup>(3)</sup>	RF input voltage amplitude between AC0 and AC1, V <sub>SS</sub> pad left floating	V <sub>AC0</sub> - V <sub>AC1</sub> (peak to peak)	-	10	V
V <sub>ESD</sub>	Electrostatic discharge voltage (human body model) <sup>(4)</sup>	AC0 - AC1	-	2000	V

1. Counted from ST shipment date.
2. Counted from ST production (taping) date.
3. Based on characterization, not tested in production. Maximum absorbed power = 100 mW at 7.5 A/m.
4. AEC-Q100-002 (compliant with JEDEC Std JESD22-A114A, C1 = 100 pF, R1 = 1500  $\Omega$ , R2 = 500  $\Omega$ ).

## 10 GPO characteristics

This section summarizes the operating and measurement conditions of the GPO feature. The DC and AC characteristics are derived from tests performed under the measurement conditions summarized in the following tables. The GPO I/O is CMOS compliant.

### 10.1 CMOS GPO characteristics (ST25TA02K-P only)

**Table 63. GPO operating conditions**

Symbol	Parameter	Min.	Max.	Unit
V <sub>DCG</sub>	GPO power supply	1.65	5.5	V

**Table 64. DC characteristics**

Symbol	Parameter	Test condition	Min.	Typ.	Max.	Unit
V <sub>OL</sub>	Output Low voltage (GPO)	I <sub>OL</sub> = 0.7 mA, V <sub>DCG</sub> = 1.65 V	-	-	0.2 V <sub>DCG</sub>	V
V <sub>OH</sub>	Output High voltage (GPO)	I <sub>OH</sub> = -0.7 mA, V <sub>DCG</sub> = 1.65 V	0.8 V <sub>DCG</sub>	-	-	
V <sub>OL</sub>	Output Low voltage (GPO)	I <sub>OL</sub> = 2 mA, V <sub>DCG</sub> = 2.7 V	-	-	0.2 V <sub>DCG</sub>	
V <sub>OH</sub>	Output High voltage (GPO)	I <sub>OH</sub> = -2 mA, V <sub>DCG</sub> = 2.7 V	0.8 V <sub>DCG</sub>	-	-	
V <sub>OL</sub>	Output Low voltage (GPO)	I <sub>OL</sub> = 4 mA, V <sub>DCG</sub> = 5.5 V	-	-	0.2 V <sub>DCG</sub>	
V <sub>OH</sub>	Output High voltage (GPO)	I <sub>OH</sub> = -4 mA, V <sub>DCG</sub> = 5.5 V	0.8 V <sub>DCG</sub>	-	-	
I <sub>L_VDCG</sub>	Input leakage (V <sub>DCG</sub> )	V <sub>DCG</sub> = 1.8 V, T = 90 °C	-	5	75	nA
		V <sub>DCG</sub> = 2.7 V, T = 90 °C	-	6	100	
		V <sub>DCG</sub> = 5.5 V, T = 90 °C	-	14	150	

**Table 65. GPO AC Characteristics**

Symbol	Parameter	Test condition	Min.	Max.	Unit
t <sub>f</sub> (IO) <sub>out</sub>	Output fall time <sup>(1)</sup>	CL = 50 pF, V <sub>DCG</sub> = 1.65 V to 5.5 V	-	90 <sup>(2)(3)</sup>	ns
t <sub>r</sub> (IO) <sub>out</sub>	Output rise time <sup>(1)</sup>	CL = 50 pF, V <sub>DCG</sub> = 1.65 V to 5.5 V	-	90 <sup>(2)</sup>	ns

1. V<sub>ref(t)</sub> output timing reference levels 0.3 V<sub>DCG</sub> to 0.7 V<sub>DCG</sub> V.
2. Characterization only on bench.
3. When GPO is set in RF Field detection mode return to quiet position could request long time depending of ST25TAxxxB activity (~20ms).

**Note:** The GPO (general purpose output) can sink or source at least 0.7 mA at 1.65 V, 2 mA at 2.7 V, and 4 mA at 5.5 V.

## 10.2 Open drain GPO characteristics (ST25TA02K-D only)

**Table 66. GPO operating conditions**

Symbol	Parameter	Min.	Max.	Unit
$V_{DCG}$	GPO power supply	1.65	5.5	V

**Table 67. DC characteristics**

Symbol	Parameter	Test condition	Min.	Max.	Unit
$V_{OL}^{(1)}$	Output Low voltage (GPO)	$I_{OL} = 1\text{ mA}$ , Pull-up supply = 1.65 to 5.5 V	-	0.4 V	V

1. Characterized only.

# 11 GPO parameters (ST25TA02K-D and ST25TA02K-P)

This section lists the timing of the GPO according to its configuration.

**Table 68. GPO timings measurement <sup>(1)</sup>**

GPO field		I/F	Condition	Command	Symbol	Typ.	Unit
Session Open	0x10 or 0x90	RF	GPO in active state when session active	NDEF select	CmdEOFtoGPActive <sup>(2)</sup>	170	µs
			GPO returns in inactive state	Deselect	CmdEOFtoGPInactive <sup>(3)</sup>	370	
WIP	0x20 or 0xA0	RF	GPO in active state when programming	Update Binary	CmdEOFtoGPActive	75	µs
					Writing time duration (No time extension)	(4)	ms
Message In Progress	0x30 or 0xB0	RF	GPO in active state when modifying NDEF	UpdateBinary (Msg Length #0)	CmdEOFtoGPActive <sup>(2)</sup>	75	µs
				UpdateBinary	Writing time duration (No time extension)	(4)	ms
Interrupt	0x40 or 0xC0	RF	GPO in active state after receiving an Interrupt command	SendInterrupt	CmdEOFtoGPActive <sup>(2)</sup>	75	µs
					Pulse duration	540	
State Control	0x50 or 0xD0	RF	GPO in active state when activated	StateControl(0)	CmdEOFtoGPActive <sup>(2)</sup>	60	µs
			GPO returns in inactive state when deactivated	StateControl(1)	CmdEOFtoGPInactive <sup>(3)</sup>	60	
RF Busy	0x60 or 0xE0	RF	GPO in active state after receiving an RF command	Anticollision command or start of RF disturb <sup>(5)</sup>	CmdSOFtoGPActive <sup>(6)</sup>	6	µs
		RF	GPO returns in inactive state after deselection or RF command in another protocol	Deselect or end of RF disturb <sup>(5)</sup>	CmdEOFtoGPInactive <sup>(3)</sup>	460	
Field detect	0x70 or 0xF0	RF	GPO in active state when RF field is present	-	t <sub>FDETON</sub>	140	µs
					t <sub>FDETOFF</sub>	20	

1. Characterized only.

2. CmdEOFtoGPActive equals CmdEOFtoGPHigh for ST25TA02KB-P, and CmdEOFtoGPLow for ST25TA02K2-D.

3. CmdEOFtoGPInactive equals CmdEOFtoGPLow for ST25TA02KB-P, and CmdEOFtoGPHz for ST25TA02K2-D.

4. Writing time is a function of the message length and is automatically managed by the ST25TA02KB-D and by the ST25TA02KB-P. The NDEF message is mapped on memory blocks of 16 bytes. Each basic block has a typical update time duration of 6 ms, including the internal verify.

5. Command using another RF protocol.

6. CmdSOFtoGPActive equals CmdSOFtoGPHigh for ST25TA02KB-P, and CmdSOFtoGPLow for ST25TA02K2-D.

## 12 RF electrical parameters

This section summarizes the operating and measurement conditions, and the DC and AC characteristics of the devices in RF mode.

The parameters in the DC and AC characteristics tables that follow are derived from tests performed under the measurement conditions summarized in the relevant tables. Designers should check that the operating conditions in their circuit match the measurement conditions when relying on the quoted parameters.

**Table 69. Default operating conditions**

Symbol	Parameter	Min.	Max.	Unit
$T_A$	Ambient operating temperature	-40	85	°C

**Table 70. RF characteristics<sup>(1)</sup>**

Symbol	Parameter	Condition	Min	Typ	Max	Unit
$f_C$	External RF signal frequency	-	13.553	13.56	13.567	MHz
$H_{ISO}$	Operating field according to ISO	$T_A = 0^{\circ}\text{C}$ to $50^{\circ}\text{C}$	1500	-	7500	mA/m
$H_{Extended}$	Operating field in extended temperature range	$T_A = -40^{\circ}\text{C}$ to $85^{\circ}\text{C}$	100	-	7500	mA/m
$H_{min}$	Field detect, set-up field <sup>(1)</sup>	$T_A = -40^{\circ}\text{C}$ to $85^{\circ}\text{C}$	-	50	-	mA/m
$MI_{CARRIER}$	100% carrier modulation index	$MI = (A - B) / (A + B)$	90	-	100	%
$t_1$	Pause A length	-	$28 / f_C$	-	$40.5 / f_C$	$\mu\text{s}$
$t_2$	Pause A low time	-	$7 / f_C$	-	$t_1$	$\mu\text{s}$
$t_3$	Pause A rise time	-	$1.5 t_4$	-	$16 / f_C$	$\mu\text{s}$
$t_4$	Pause A rise time section	-	0	-	$6 / f_C$	$\mu\text{s}$
$t_{MIN CD}$	Minimum time from carrier generation to first data	From $H_{min}$	-	-	5	ms
$W_t$	RF write time (including internal Verify) for one page	-	-	$4.468^{(2)}$	-	ms
$C_{TUN}^{(3)}$	Internal tuning capacitor <sup>(4)</sup>	$f_C = 13.56 \text{ MHz}$	45	50	55	pF
$t_{RF\_OFF}$	RF OFF time	Chip reset	-	-	0.1	ms

1. All timing characterizations performed on a reference antenna with the following characteristics:

External size: 75 mm x 48 mm  
 Number of turns: 4  
 Width of conductor: 0.5 mm  
 Space between two conductors: 0.5 mm  
 Value of the tuning capacitor: 50 pF (ST25TAxxxB)  
 Value of the coil: 2.5  $\mu\text{H}$   
 Tuning frequency: 14.2 MHz.

2. Time between command EOF and Response SOF when updating NDEF Message Length.

3. See [Capacitor value](#).

4. Characterized only, at room temperature only, measured at  $V_{AC0}-V_{AC1} = 5 \text{ V}$  peak to peak at 13.56 MHz.


## 13 Package information

In order to meet environmental requirements, ST offers these devices in different grades of ECOPACK® packages, depending on their level of environmental compliance. ECOPACK® specifications, grade definitions and product status are available at: [www.st.com](http://www.st.com).

ECOPACK® is an ST trademark.

### 13.1 UFDFPN5 package information

Figure 24. UFDFPN5 - 5-lead, 1.7 × 1.4 mm, 0.55 mm thickness package outline



1. Max. package warpage is 0.05 mm.
2. Exposed copper is not systematic and can appear partially or totally according to the cross section.
3. Drawing is not to scale.

Table 71. UFDFPN5 - 5-lead, 1.7 × 1.4 mm, 0.55 mm thickness package mechanical data

Symbol	millimeters			inches <sup>(1)</sup>		
	Min	Typ	Max	Min	Typ	Max
A	0.500	0.550	0.600	0.0197	0.0217	0.0236
A1	0.000	-	0.050	0.0000	-	0.0020
b <sup>(2)</sup>	0.175	0.200	0.225	0.0069	0.0079	0.0089
D	1.600	1.700	1.800	0.0630	0.0669	0.0709
D1	1.400	1.500	1.600	0.0551	0.0591	0.0630
E	1.300	1.400	1.500	0.0512	0.0551	0.0591
E1	0.175	0.200	0.225	0.0069	0.0079	0.0089
e	-	0.400	-	-	0.0157	-
L	0.500	0.550	0.600	0.0197	0.0217	0.0236

**Table 71. UFDFPN5 - 5-lead, 1.7 × 1.4 mm, 0.55 mm thickness  
package mechanical data (continued)**

Symbol	millimeters			inches <sup>(1)</sup>		
	Min	Typ	Max	Min	Typ	Max
L1	-	0.100	-	-	0.0039	-
k	-	0.400	-	-	0.0157	-

1. Values in inches are converted from mm and rounded to 4 decimal digits.
2. Dimension b applies to plated terminal and is measured between 0.15 and 0.30mm from the terminal tip.



## 14 Ordering information

Table 72. Ordering information scheme

	ST25	T	A	02K/512	B	-A/P/D	C	6	F/G/H	5
<b>Device type</b>	ST25 = RF memory	T = Tags + RFID	A = ISO14443-A	02K: 2 Kbits 512: 512 bits	B = Version B	-A/P/D	C	6	F/G/H	5
<b>Product Type</b>										
<b>Protocol</b>										
<b>Memory density</b>										
<b>Product version</b>										
<b>Interface</b>	A = None P = P-CMOS GPO D = Open drain GPO						C = Counter			
<b>Features</b>										
<b>Operating temperature</b>										
<b>Package / Packing</b>										
<b>Capacitor value</b>										

**Note:** *Parts marked as “ES”, “E” or accompanied by an Engineering Sample notification letter, are not yet qualified and therefore not yet ready to be used in production and any consequences deriving from such usage will not be at ST charge. In no event, ST will be liable for any customer usage of these engineering samples in production. ST Quality has to be contacted prior to any decision to use these Engineering samples to run qualification activity.*

15      **Revision history**

**Table 73. Document revision history**

Date	Revision	Changes
13-Nov-2017	1	Initial release.



**IMPORTANT NOTICE – PLEASE READ CAREFULLY**

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2017 STMicroelectronics – All rights reserved

