

Making Connections

miSLIC™ Line Circuits

- Low Cost BOM
- Ultra-low Power
- Adaptive Ringing

Home ▶ Voice Line Circuits ▶ VE950 - General Purpose Ringing SLIC ▶ LE9530

Products

- ▼ Voice Line Circuits
 - ▶ miSLIC Series – High Performance Line Circuits
 - ▶ ZL880 - Enhanced Dual Channel Wideband FXS Line Interfaces
 - ▶ VE880 - FXS and FXD Line Interfaces
 - ▶ VE890 - Integrated FXS/FXD Line Interface
 - ▼ VE950 - General Purpose Ringing SLIC
 - LE9540
 - LE9541
 - LE9530
 - LE9531
 - LE9520
 - LE9500
 - ▶ VE792 - Next Generation Carrier Chipset
 - ▶ VE790 - High Performance Programmable Chipset
 - ▶ VE750 - Line Card Access Switches
 - ▶ VE580 - General Purpose SLICs and Codec
 - ▶ VE770 - SLIC/Codecs with (DTMF)
 - ▶ Integrated Fixed Companding Codecs
 - ▶ Multi-Featured Programmable Phone Codecs

LE9530

Dual Channel Ringing SLIC

Overview | Docs & Specs | Applications | Packaging

Product Packaging & Availability

Part Number	Package Type	Pin Count	Lead-Free Option	Shipping Option(s)	Status
LE9530CETC	eTQFP	48	GREEN	Tray	Production
LE9530CETCT	eTQFP	48	GREEN	TR	Production
LE9530CPQC	QFN	48	GREEN	Tray	Production
LE9530CPQCT	QFN	48	GREEN	TR	Production
LE9530DETC	eTQFP	48	GREEN	Tray	Production
LE9530DETCCT	eTQFP	48	GREEN	TR	Production
LE9530DPQC	QFN	48	GREEN	Tray	Production
LE9530DPQCT	QFN	48	GREEN	TR	Production

Packaging Information

- Soldering Profiles
- Moisture Sensitivity
- Shelf Life
- Reliability Data