



Contact

SRSF Series

SRSF-21()-250A




SRSF-61()-()250A




SPS Series

SPS-51T-187-8




<Double wire crimp>

SRSF-91()-250AS



SRSF-82()-250A



Contact

Model No.	Applicable wire		Insulation O.D.(mm)	Material	Surface finish	Q'ty/reel
	mm ²	AWG #				
SRSF-21-250A	0.32~0.82	22~18	2.5~3.0	Barss	—	5,000
SRSF-21T-250A					Tin-plated	
SRSF-61-250A	0.82~2.08	18~14	3.0~3.9	Barss	—	5,000
SRSF-61T-250A					Tin-plated	
SRSF-61AT-M250A				Copper alloy	Tin-plated	
SRSF-91-250AS	2.08~3.30	14~12	3.9~4.4	Barss	—	5,000
SRSF-91T-250AS					Tin-plated	
SRSF-82-250A	0.82+0.82, 1.31+1.31, 1.31+0.52, 1.31+2.08	18+18, 16+16, 16+20, 16+14	3.0+3.0, 3.4+3.4, 3.4+2.5, 3.4+3.9	Barss	—	5,000
SRSF-82T-250A					Tin-plated	
SPS-51T-187-8	0.52~2.0, 0.52+0.52	20~14, 20+20	1.9~3.6, 2.54+2.54	Barss	Tin-plated	7,500


RoHS compliance

Contact	Applicator	
	Crimp applicator	Dies set
SRSF-21()-250A	MK-L-SPS	MKDSSPS21250
SRSF-61()-()250A		MKDSSPS61250
SRSF-91()-250AS		MKDSSRSF82250A
SRSF-82()-250A		MKDSSPS91250
SPS-51T-187-8		MK/SPS-51-187

RoHS compliance

IS CONNECTOR

Housing (Invensys Infinite Switch)




Part No.	Circuits	Color	Q'ty/box	Applicable Contacts
RSFP-IS-2V-250	2	Natural	1,000	SRSF-21()-250A, SRSF-61()-()250A, SRSF-91()-250AS, SRSF-82()-250A
RSFP-IS-3V-250	3		800	
RSFP-IS-3VB-250-187-8	3	Black	800	SRSF-21()-250A, SRSF-61()-()250A, SRSF-91()-250AS,SRSF-82()-250A, SPS-51T-187-8
Material				

Glass-filled PBT, UL94V-0

RoHS compliance

Housing (Invensys M-Series Infinite Switch)




Part No.	Circuits	Color	Q'ty/box	Applicable Contacts
RSFP-ISM-3V-250	3	Natural	1,600	SRSF-21()-250A, SRSF-61()-()250A, SRSF-91()-250AS, SRSF-82()-250A
RSFP-ISM-4V-250	4		1,600	
RSFP-ISM-4V-250-GE				
Material				

PA 66, UL94V-0


RoHS compliance

Housing (EGO Infinite Switch)

RSFP-3V-ES-A-H



RSFP-3V-ES-B



Part No.	Circuits	Color	Q'ty/box	Applicable Contacts
RSFP-3V-ES-A-H	3	Natural	1,000	SRSF-21()-250A, SRSF-61()-()250A, SRSF-91()-250AS, SRSF-82()-250A
RSFP-3V-ES-B	3		1,000	SRSF-21()-250A, SRSF-61()-()250A, SRSF-91()-250AS,SRSF-82()-250A

Material				
PA 66, UL94V-0				

RoHS compliance