


A

B

C

D

PRODUCT NUMBER NOTES 4 & 8	DIM A	ESD PIN LOCATION
10037912-1X1LF	0°	PER VIEW F
10037912-1X2LF	45°	PER VIEW F
10037912-1X3LF	90°	PER VIEW F
10037912-1X4LF	135°	PER VIEW G
10037912-1X5LF	180°	PER VIEW G
10037912-1X6LF	225°	PER VIEW G
10037912-1X7LF	270°	PER VIEW G
10037912-1X8LF	315°	PER VIEW F
10037912-1X9LF	N/A NOTE 5	PER VIEW H






A



B

C

D

spec ref				dr	Chen-Hong Tan		2005/08/18		<div>projection</div> <div></div>	<div>MM</div> <div></div>	size	A3		scale	1:1					
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng	Terry Luo				2019/04/24		ecn no				ELX-DG-33324-1			
ASME Y14.5						chr	-				-		rel level				Released			
-						appr	Heaven Cen				2019/04/25		product family				AirMax Accessories			
surface		3.2		<div>linear</div> <div></div>	0.X	±.3	Amphenol	FCi	title	10.8mm GUIDE MODULE ASSY				dwg no	10037912				rev	E
		0.XX	±.10																	
		0.XXX	±.050																	
ASME Y14.5		angular		0°	±2°			cat. no.	-		Product - Customer Drw				sheet 2 of 3					

- ①. MATERIAL: ZINC ALLOY
- ②. FINISH: HOUSING; ZINC YELLOW CHROMATE
ESD CONTACT; 1.27um MINIMUM NICKEL ALL OVER
- 3. APPLICATION SPEC: GS-20-045
- ④. X = 0 FOR MODULES WITH ESD GROUNDING OPTION
X = 1 FOR MODULES W/O ESD GROUNDING OPTION
- ⑤. FOR THE -109LF VERSION (NO KEY) THE MATING GUIDE PIN MUST BE ORIENTATED SO IT MAKES CONTACT WITH THE ESD PIN
- ⑥. THRU HOLE PLATING AND ANNULAR RINGS MUST BE ADDED AS APPROPRIATE FOR APPLICATIONS WITH THE ESD GROUNDING OPTION.
FINISHED HOLE SIZE IS THE SAME REGARDLESS OF PLATED BARREL OR NOT
- ⑦. REFER TO CUSTOMER DRAWING 10035911 FOR INFORMATION REGARDING PCB LAYOUT OF POWER AND GUIDE MODULES RELATIVE TO SIGNAL MODULES
- ⑧. EQUIVALENT PRODUCTS SHOWN ON CUSTOMER DRAWING 10025408 MAY BE SUBSTITUTED PRIOR TO TOOLING COMPLETION
- 9. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 10. PACKAGING MEETS GS-14-920 LEAD FREE LABELING SPECIFICATION.

spec ref				dr		Chen-Hong Tan		2005/08/18		projection		MM		size		A3		scale		1:1																					
tolerance std ASME Y14.5 -		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Terry Luo		2019/04/24						ecn no		ELX-DG-33324-1																									
				chr		-		-						rel level						Released																					
				appr		Heaven Cen		2019/04/25						product family												AirMax Accessories															
surface 3.2 ✓ ASME Y14.5		linear		0.X		±.3		Amphenol FCi		title		10.8mm GUIDE MODULE ASSY WITH ESD & KEYING OPTIONS										dwg no		10037912										rev		E					
																																						0.XX		±.10	
																																						0.XXX		±.050	
ASME Y14.5		angular		0°		±2°				cat. no.		-		Product - Customer Drw										sheet 3 of 3																	