


Model HM67 Series

Ordering Information



Outline Dimensions (Inch/mm)

Figure 1







Figure 2



Recommended Solder Pad Layout



Recommended Solder Pad Layout




General Note

TT Electronics reserves the right to make changes in product specification without notice or liability.
All information is subject to TT Electronics' own data and is considered accurate at time of going to print.


Electrical Characteristics @ 25°C

(A) Attenuation vs. Frequency Graphs


HM67-B5R0LF




HM67-S250LF



HM67-B110LF



HM67-B510LF




General Note


TT Electronics reserves the right to make changes in product specification without notice or liability.
All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

Electrical Characteristics @ 25°C (Continued)


HM67-S510LF




HM67-B102LF




HM67-B471LF



HM67-B222LF



HM67-B472LF




General Note


TT Electronics reserves the right to make changes in product specification without notice or liability.
All information is subject to TT Electronics' own data and is considered accurate at time of going to print.

Electrical Characteristics @ 25°C (Continued)

(B) Insertion Loss vs. Frequency Graph



(C) Current Derating Curve



General Note

TT Electronics reserves the right to make changes in product specification without notice or liability.
All information is subject to TT Electronics' own data and is considered accurate at time of going to print.