


PRODUCT NO.

10116658-52**



RECOMMENDED MOUNTING P.C.B. LAYOUT



DDR II 0.6mm PITCH 200 POS
STANDARD TYPE ASS'Y
catalog no

Rev. 10116658
CUSTOMER COPY
Sheet 2 of 4

REV. 10080117

2

3

4

5


6

7

8



1	2	3	4	5	6	7	8
PRODUCT NO.	LOCATING PEG	TERMINAL CONTACT AREA FINISH	HOLD DOWN FINISH	SOLDER TAIL FINISH			
10116658-052FSLF	YES	Au FLASH					
10116658-152FSLF	NO						
10116658-052TSLF	YES	Au 0.3µm MIN.	PURE Sn PLATING				
10116658-152TSLF	NO						
10116658-052ASLF	YES	Au 0.76µm MIN.					
10116658-152ASLF	NO						
10116658-052FB	YES	Au FLASH		Au FLASH			
10116658-152FB	NO						
10116658-052TB	YES	Au 0.3µm MIN.	Sn-Pb PLATING				
10116658-152TB	NO						
10116658-052AB	YES	Au 0.76µm MIN.					
10116658-152AB	NO						
10116658-252FSLF	YES	Au FLASH					
10116658-352FSLF	NO						
10116658-252TSLF	YES	Au 0.3µm MIN.	PURE Sn PLATING				
10116658-352TSLF	NO						
10116658-252ASLF	YES	Au 0.76µm MIN.					
10116658-352ASLF	NO						
10116658-252FB	YES	Au FLASH		Pure Sn PLATING			
10116658-352FB	NO						
10116658-252TB	YES	Au 0.3µm MIN.	Sn-Pb PLATING				
10116658-352TB	NO						
10116658-252AB	YES	Au 0.76µm MIN.					
10116658-352AB	NO						
10116658-452FS	YES	Au FLASH					
10116658-552FS	NO						
10116658-452TS	YES	Au 0.3µm MIN.	PURE Sn PLATING				
10116658-552TS	NO						
10116658-452AS	YES	Au 0.76µm MIN.					
10116658-552AS	NO						
10116658-452FB	YES	Au FLASH		Sn-Pb PLATING			
10116658-552FB	NO						
10116658-452TB	YES	Au 0.3µm MIN.	Sn-Pb PLATING				
10116658-552TB	NO						
10116658-452AB	YES	Au 0.76µm MIN.					
10116658-552AB	NO						



For Rohs OPTIONS:
 TAIL PLATING CODE MUST BE 0-3.
 HOLD DOWN PLATING CODE MUST BE "S".
 "LF" CODE IS EXIST IN THE END.
 EX: 10116658-252TSLF

FOR NOT Rohs COMPATIBLE:
 THIS "LF" CODE IS "BLANK".
 EX: 10116658-452TS

<PACKING METHOD>
 R : TAPE REEL
 DEFAULT : TRAY

<HOLD DOWN FINISH>
 S : Pure Sn
 B : Sn-Pb

<CONTACT AREA FINISH>
 F : Au FLASH
 T : Au 0.3µm MIN.
 A : Au 0.76µm MIN.

<TOTAL HEIGHT>
 52 : 5.2mm

<LOCATING PEG, SOLDER TAIL FINISH>
 0 : YES, Au FLASH
 1 : NO, Au FLASH
 2 : YES, Pure Sn PLATING
 3 : NO, Pure Sn PLATING
 4 : YES, Sn-Pb PLATING
 5 : NO, Sn-Pb PLATING

DDR II 0.6mm PITCH 200 POS
 STANDARD TYPE ASS'Y
 Rev. 10116658
 CUSTOMER COPY Sheet 4 of 4