Customer View Model 3D_IGS.ZIP	
English	
Customer View Model	
3D_STP.ZIP	
English	
Product Specifications	
Product Specification	
AMP CONNECTOR ,FH CONNECTOR LEAD FREE PRODUCT SPEC	
PDF English	
Liigiisii	
FEATURES	+
Please review product documents or contact us for the latest agency approval information.	
Please Note: Use the Product Drawing for all design activity.	
Product Type Features	
Connector Style Plug	
Connector & Contact Terminates To Printed Circuit Board	
Sealed Bottom Without Series FH (Free Height), Free Height (FH)	
PCB Mounting Orientation Right Angle	
Boss With	
Product Type Connector	
Configuration Features	
Stackable No	
Number of Positions 100	
Number of Rows 1	
Electrical Characteristics	
Voltage (VAC) 250	
Body Features	
Retention Leg Plating Material Tin	
Color Black Retention Leg Material Brass	
Contact Features	

Solder Tail Contact Plating Material Tin **Contact Shape** Square **Contact Mating Area Plating Material** Gold Contact Mating Area Plating Thickness .3 µm [11.9 µin] Contact Current Rating (Max) (A) 1 **Solder Tail Contact Plating Thickness** 1 µm [39.4 µin] **Contact Layout Inline Contact Base Material** Phosphor Bronze **Contact Type** Pin **Termination Features Termination Method to PC Board** Through Hole **Termination Post Length** 3.1 mm [.122 in] Mechanical Attachment **PCB Mount Retention** With **PCB Mount Retention Type** Boardlocks **PCB Mount Alignment** Without **PCB Mount Alignment Type** Post Polarization **Housing Features** Centerline (Pitch) 1.27 mm [.05 in] Housing Material Nylon - GF **Housing Color** Black **Dimensions** Mating Post Length 3.64 mm [.143 in] **Height** 16.2 mm [.637 in] Tail Length 3.1 mm [.123 in] **Usage Conditions Operating Temperature Range** -55 – 85 °C [-67 – 185 °F] Housing Material Temperature Standard Operation/Application Pick and Place Cover Without For Use With Interconnections Requiring Variable Stacking Heights **Industry Standards UL Flammability Rating** UL 94V-0 Packaging Features **Packaging Method** Tray Packaging Quantity 60 **PRODUCT COMPLIANCE**

Statement of Compliance

Statement of Compliance

PDF