WIRE-TO-BOARD SERIES Langlish S_501-57229_A.tif English **Qualification Test Report** ▲ S_501-57229_A.pdf English Product TE Material Declaration Environmental **LINE STATE STATE** Compliance Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity. Connector System: Wire-to-Board Product Type Features Sealable: No Connector & Contact Terminates To: Wire & Cable Wire/Cable Type: Discrete Wire Product Type: Contact Electrical Insulation Resistance (M Ω): 100 Characteristics Contact Base Material: Phosphor Bronze **Contact Features** Crimp Area Plating Thickness (µm): 2 Wire Contact Termination Area Plating Material: Tin Contact Type: Socket Contact Mating Area Plating Material: Tin Contact Current Rating (Max) (A): .8, 1 Contact Plating Material Finish: Matte Contact Plating Material: Tin over Nickel Termination Crimp Area Plating Material Finish: Matte Features Mechanical Connector Mounting Type: Cable Mount (Free-Hanging) Attachment Centerline (Pitch): 1.25 mm [.049 in] **Housing Features** Wire Size (AWG): 32 - 28 **Dimensions** Wire Size (mm²): .03 - .08 Operating Temperature Range: -40 - 80 °C [-40 - 176 °F] **Usage Conditions** Operation/Application Circuit Application: Signal For Use With: 440146-x

▲ S_108-57225_A.pdf English

Packaging Method: Reel Packaging Packaging Quantity: 20000 Features **EU RoHS** Directive 2011/65/EU This declaration covers EU Directive 2011/65/EU incl. Delegated Directive 2015/863/EU. The restrictions under 2015/863/EU apply as of 22 July 2021 for EEE categories 8 (medical devices) and 9 (monitoring and control equipment). **EU ELV Directive** 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016 **EU REACH** Current ECHA Candidate List: JAN 2019 (197) Regulation (EC) Candidate List Declared Against: JUL 2017 (174) No. 1907/2006 Halogen Content Solder Process Not applicable for solder process capability Capability Statement of Statement of Compliance pdf Compliance Compliance There may be Environmental Compliance related **Documents** documents on the DOCUMENTATION Tab Disclaimer This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead,

hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits and defined in the Annexes of Directive 2000/53/EC

(ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidancedocuments/guidance-on-reach

Products with Similar Specs

View All Similar Products

In-Stock

THIS PRODUCT

TOP RESULTS (2)





From


Contact Type : Socket Connector System: Wire-to-Board Centerline (Pitch): 1.25 mm

Wire Size: 32 - 28 AWG Wire Size : .03 - .08 mm²



Contact Type: Socket Connector System: Wire-to-Board

Centerline (Pitch): 1.25 mm Wire Size: 32 - 28 AWG Wire Size : .03 - .08 mm²





From

Contact Type: Socket Connector System: Wire-to-Board Centerline (Pitch): 1 mm Wire Size: 32 - 28 AWG

Wire Size : .03 - .08 mm²

In-Stock

Contact Type : Socket Connector System: Wire-to-Centerline (Pitch): 1.5 mm Wire Size: 30 - 24 AWG

Wire Size : .05 - .02 mm²

WIRE-TO-BOARD CONNECTOR..

EMIX CONN., 1.5mm PITCH, TERMI

1775442-1

From

Also in the Series | MIS



Wire-to-Board **Connector Contacts** (3)



Wire-to-Board **Connector Housings** (22)



Wire-to-Board Headers & Receptacles (23) ABOUT TE CONNECTIVITY FOR PARTNERS SUPPORT CALL US LIVE CHAT UNITED STATES (EN)