

1N5614/US thru 1N5622/US


STANDARD RECOVERY RECTIFIERS


TECHNICAL DATA DATA SHEET 874, REV. C.3

GRAPHS:










1N5618 Typical Forward Voltage vs Forward Current

SENSITRON SEMICONDUCTOR

1N5614/US thru 1N5622/US STANDARD RECOVERY RECTIFIERS

TECHNICAL DATA
DATA SHEET 874, REV. C.3

PACKAGE DIMENSIONS (inches/mm)



PKG.102

R = 0.020 Max C

Termination Finish: Axial leads and Endcaps are copper with Tin/Lead finish.

PACKAGE	DIMENSIONS - INCHES / MILLIMETERS			
STYLE	Α	В	С	D
MELF-A	.168/.200	0.019/.028	.003 Min	.091/.103
	4.27/5.08	.48/.71	.08 Min	2.31/2.62

PART ORDERING INFORMATION

The following part numbers can be purchased in either axial or surface mount devices and screened and tested to the military screening flow. The parts are marked in accordance with the testing performed, example:

Sensitron Screening Level	*Part Number Leaded Package (example for 1N5614)	*Part Number Surface Mount Package (example for 1N5614US)
1N	1N5614	1N5614US
JAN	JAN1N5614	JAN1N5614US
SJ	SJ5614	SJ5614US
JANTX	JANTX1N5614	JANTX1N5614US
SX	SX5614	SX5614US
JANTXV	JANTXV1N5614	JANTXV1N5614US
SV	SV5614	SV5614US
JANS	JANS1N5614	JANS1N5614US
SS	SS5614	SS5614US

^{*}Parts can also be ordered Tape & Reel

DISCLAIMER:

- 1- The information given herein, including the specifications and dimensions, is subject to change without prior notice to improve product characteristics. Before ordering, purchasers are advised to contact the Sensitron Semiconductor sales department for the latest version of the datasheet(s).
- 2- In cases where extremely high reliability is required (such as use in nuclear power control, aerospace and aviation, traffic equipment, medical equipment, and safety equipment), safety should be ensured by using semiconductor devices that feature assured safety or by means of users' fail-safe precautions or other arrangement.
- 3- In no event shall Sensitron Semiconductor be liable for any damages that may result from an accident or any other cause during operation of the user's units according to the datasheet(s). Sensitron Semiconductor assumes no responsibility for any intellectual property claims or any other problems that may result from applications of information, products or circuits described in the datasheets.
- 4- In no event shall Sensitron Semiconductor be liable for any failure in a semiconductor device or any secondary damage resulting from use at a value exceeding the absolute maximum rating.
- 5- No license is granted by the datasheet(s) under any patents or other rights of any third party or Sensitron Semiconductor.
- 6- The datasheet(s) may not be reproduced or duplicated, in any form, in whole or part, without the expressed written permission of Sensitron Semiconductor.
- 7- The products (technologies) described in the datasheet(s) are not to be provided to any party whose purpose in their application will hinder maintenance of international peace and safety nor are they to be applied to that purpose by their direct purchasers or any third party. When exporting these products (technologies), the necessary procedures are to be taken in accordance with related laws and regulations.