






PRODUCT NO.
10035388-600__
NOTE: 5



SECTION A-A
SCALE 2:1




SECTION B-B
SCALE 2:1

NOTE:
(APPLY TO 10035388-600__ AS ADDITIONAL)
10. THE EMPTY POSITIONS ARE 18, 19, 20, 23.
11. THERE ARE 2 AC TERMINALS.


spec ref		*		dr		De-Ming Lu		2014/08/06		Amphenol Power Solutions			MM		scale		size			
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Ada Ye		2021/07/16					ecn no		ELX-DG-41134-1		1:1		A4	
ISO 406				rvwr		-		-												
ISO 1101				appr		Zheng, Pei-Min		2021/07/16					A Division of Amphenol Corporation		amphenolicc.com		rel level		Released	
surface		linear		projection		title		POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY				dwg no		10035388				rev		
ISO 1302												cat. no.		-				AR		
		angular						product family		-		Product - Customer Drw				sheet 2 of 7				

Creo File: APH-PWR-AAC; REV B; 2021-05-07




RECOMMENDED PCB LAYOUT

DETAIL B
SCALE 5:1




RECOMMENDED DAUGHTER CARD LAYOUT (TOP SIDE)



SEE DETAIL A

DETAIL A
SCALE 5:1

spec ref		*		dr		De-Ming Lu		2014/08/06		Amphenol Power Solutions A Division of Amphenol Corporation amphenol-icc.com				MM		scale		size									
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Ada Ye						2021/07/16		ecn no				ELX-DG-41134-1		A4					
ISO 406						rvwr		-						-		rel level				Released							
ISO 1101						appr		Zheng, Pei-Min						2021/07/16													
surface ISO 1302 ✓		linear		0.X		±0.5		projection 		title POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY						dwg no		10035388						rev			
				0.XX		±0.25										cat. no.						-					
				0.XXX		±0.10																					
angular		0°		±2°		product family				-				Product - Customer Drw				sheet 3 of 7									

Creo File: APH-PWR-AAC; REV B; 2021-05-07

[illegible]

spec ref *				dr De-Ming Lu		2014/08/06		Amphenol Power Solutions		MM		scale 1:1		size A4							
tolerance std				eng Ada Ye		2021/07/16				ecn no ELX-DG-41134-1											
ISO 406 ISO 1101				rvwr -		-				rel level Released											
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr Zheng, Pei-Min		2021/07/16		A Division of Amphenol Corporation		amphenol-icc.com											
surface - ISO 1302				linear		0.X		±0.5		projection		title		POWER EDGE CARD CONNECTOR		dwg no		10035388		rev	
						0.XX		±0.25													
						0.XXX		±0.10													
				angular		0°		±2°				WITHOUT SIGNAL ASSY		cat. no.		-		AR			
product family		-		Product - Customer Drw		sheet 4 of 7															

1			2				3			4		
PRAT NO.	DIM"A"	DIM"B"	DIM"C"	DIM"D"	DIM"E"	DIM"F"	H1	H2	H3	PIN CONFIGURATION	M	N
10035388-400 10035388-400LF	61.42	58.42	53.34	29.21	58.12	29.06	8.50	3.50	4.25	ALL LOADED	22	22
10035388-500 10035388-500LF	76.66	73.66	68.58	N/A	73.36	N/A	8.50	3.50	4.25	ALL LOADED	28	28
10035388-600 10035388-600LF	69.04	66.04	40.64	36.83	65.74	36.68	8.50	3.50	4.25	A1 [P P P P P P P P P P P P P P P P P P P P] A25 B1 [P P P P P P P P P P P P P P P P P P P P] B25	25	25
10035388-700 10035388-700LF	86.82	83.82	78.74	N/A	83.52	N/A	8.50	3.50	4.25	ALL LOADED	32	32
10035388-800 10035388-800LF	48.72	45.72	40.64	N/A	45.42	N/A	8.50	3.50	4.25	ALL LOADED	17	17
10035388-802 10035388-802LF	48.72	45.72	40.64	N/A	45.42	N/A	8.50	3.50	4.25	A1 [P P P P P P P P P P P P P P] A17 B1 [P P P P P P P P P P P P P P] B17	17	17
10035388-900 10035388-900LF	41.10	38.10	33.02	26.67	37.80	26.52	8.50	3.50	4.25	ALL LOADED	14	14
10035388-903 10035388-903LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 [P P P P P P P P P P P P P P P P P P P P] A35 B1 [P P P P P P P P P P P P P P P P P P P P] B35	35	35
10035388-904 10035388-904LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 [P P P P P P P P P P P P P P] A35 B1 [P P P P P P P P P P P P P P] B35	35	35
10035388-905 10035388-905LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	ALL LOADED	35	35
10035388-907 10035388-907LF	53.80	50.80	45.72	26.27	50.50	26.52	8.50	3.50	4.25	ALL LOADED	19	19
10035388-908 10035388-908LF	61.42	58.42	53.34	29.21	58.12	29.06	8.50	3.50	4.25	A1 [P P P P P P P P P P P P P P] A22 B1 [P P P P P P P P P P P P P P] B22	22	22
10035388-909 10035388-909LF	48.72	45.72	40.64	N/A	45.42	N/A	8.50	3.50	4.25	A1 [P P P P P P P P P P P P] A17 B1 [P P P P P P P P P P P P] B17	17	17
10035388-910 10035388-910LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 [P P P P P P P P P P P P P P P P P P P P] A35 B1 [P P P P P P P P P P P P P P P P P P P P] B35	35	35
10035388-911 10035388-911LF	53.80	50.80	45.72	N/A	50.50	N/A	8.50	3.50	4.25	ALL LOADED	19	19
10035388-912 10035388-912LF	41.10	38.10	33.02	N/A	37.80	N/A	8.50	3.50	4.25	A1 [P P P P P P P P P P P] A14 B1 [P P P P P P P P P P P] B14	14	14

spec ref *				dr De-Ming Lu		2014/08/06		Amphenol Power Solutions		MM		scale 1:1		size A4			
tolerance std				eng Ada Ye		2021/07/16				ecn no ELX-DG-41134-1							
ISO 406 ISO 1101				rvwr -		-				rel level Released							
				appr Zheng, Pei-Min		2021/07/16		A Division of Amphenol Corporation		amphenol-icc.com							
surface - ISO 1302		linear		0.X		±0.5		projection 		title POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY		drg no		10035388		rev	
				0.XX		±0.25						cat. no.		-		AR	
				0.XXX		±0.10											
		angular		0°		±2°		product family -		Product - Customer Drw				sheet 5 of 7			

A

B

C

D

PRAT NO.	DIM"A"	DIM"B"	DIM"C"	DIM"D"	DIM"E"	DIM"F"	H1	H2	H3	PIN CONFIGURATION	M	N																																								
10035388-107 10035388-107LF	69.04	66.04	60.96	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B25	P		P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P		P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	25	25
P		P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
P	P		P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
10035388-913 10035388-913LF	25.86	22.86	17.78	N/A	22.56	N/A	8.50	3.50	4.25	ALL LOADED	8	8																																								
10035388-902 10035388-902LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> A35 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> B35	P	P		P	P		P	P	P		P	P		P	P	P	P		P	P	P	P		P	P		P	P	P		P	P		P	P	P	P		P	P	35	35
P	P		P	P		P	P	P		P	P		P	P	P	P		P	P																																	
P	P		P	P		P	P	P		P	P		P	P	P	P		P	P																																	
10035388-108 10035388-108LF	69.04	66.04	60.96	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B25	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	25	25
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
10035388-206 10035388-206LF	84.28	81.28	76.20	N/A	80.98	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A31 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B31	P	P	P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	31	31
P	P	P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
P	P	P	P		P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
10035388-110 10035388-110LF	69.04	66.04	60.96	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td></tr></table> B25	P	P	P	P	P	P	P	P	P	P		P	P		P	P		P	P		P	P	P	P	P	P	P	P	P	P		P	P		P	P		P	P		25	25
P	P	P	P	P	P	P	P	P	P		P	P		P	P		P	P																																		
P	P	P	P	P	P	P	P	P	P		P	P		P	P		P	P																																		
10035388-204 10035388-204LF	81.74	78.74	73.66	N/A	78.44	N/A	8.50	3.50	4.25	ALL LOADED	30	30																																								
10035388-114 10035388-114LF	41.10	38.10	33.02	N/A	37.80	N/A	8.50	3.50	4.25	ALL LOADED	14	14																																								
10035388-119 10035388-119LF	94.44	91.44	86.36	N/A	91.14	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td></tr></table> A35 B1 <table><tr><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td><td>P</td><td></td></tr></table> B35	P		P		P		P		P		P		P		P		P		P		P		P		P		P		P		P		P		P		P		P		35	35
P		P		P		P		P		P		P		P		P		P																																		
P		P		P		P		P		P		P		P		P		P																																		
10035388-120 10035388-120LF	69.04	66.04	60.96	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> B25	P	P		P	P		P	P		P	P		P	P		P	P		P	P	P	P		P	P		P	P		P	P		P	P		P	P		P	P	25	25
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	
10035388-121 10035388-121LF	48.72	45.72	40.64	N/A	45.42	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A17 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B17	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	17	17
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
10035388-122 10035388-122LF	76.66	73.66	68.58	N/A	73.36	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> A28 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> B28	P	P		P	P		P	P		P	P		P	P		P	P		P	P	P	P		P	P		P	P		P	P		P	P		P	P		P	P	28	28
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	
10035388-123 10035388-123LF	69.04	66.04	60.69	N/A	65.74	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A25 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B25	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	25	25
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
10035388-125 10035388-125LF	41.10	38.10	33.02	N/A	37.80	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> A14 B1 <table><tr><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td><td>P</td></tr></table> B14	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	14	14
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P	P																																	
10035388-126 10035388-126LF	41.10	38.10	33.02	N/A	37.80	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> A14 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> B14	P	P		P	P		P	P		P	P		P	P		P	P		P	P	P	P		P	P		P	P		P	P		P	P		P	P		P	P	14	14
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	
10035388-207 10035388-207LF	81.74	78.74	73.66	N/A	78.44	N/A	8.50	3.50	4.25	A1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> A30 B1 <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> B30	P	P		P	P		P	P		P	P		P	P		P	P		P	P	P	P		P	P		P	P		P	P		P	P		P	P		P	P	30	30
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	
P	P		P	P		P	P		P	P		P	P		P	P		P	P																																	

spec ref	*	dr	De-Ming Lu	2014/08/06	Amphenol Power Solutions		MM	scale	size
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Ada Ye	2021/07/16			ecn no	ELX-DG-41134-1	A4
ISO 406 ISO 1101		r vwr	-	-			rel level	Released	
surface	linear	0.X	±0.5	projection	title	POWER EDGE CARD CONNECTOR	cat. no.	10035388	rev
		0.XX	±0.25						
		0.XXX	±0.10	product family	Product - Customer Drw	sheet 6 of 7			
ISO 1302	angular	0°	±2°						

Crea File:APH-PWR-AAC;REV B;2021-05-07

PRAT NO.	DIM"A"	DIM"B"	DIM"C"	DIM"D"	DIM"E"	DIM"F"	H1	H2	H3	PIN CONFIGURATION	M	N																				
10035388-126A 10035388-126ALF	41.10	38.10	33.02	N/A	37.80	N/A	8.50	5.00	4.25	AI <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> AI 4 BI <table><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr><tr><td>P</td><td>P</td><td></td><td>P</td><td>P</td></tr></table> BI 4	P	P		P	P	P	P		P	P	P	P		P	P	P	P		P	P	14	14
P	P		P	P																												
P	P		P	P																												
P	P		P	P																												
P	P		P	P																												
10035388-400A 10035388-400ALF	61.42	58.42	53.34	29.21	58.12	29.06	8.50	5.00	4.25	ALL LOADED	22	22																				

spec ref *		dr De-Ming Lu		2014/08/06		Amphenol Power Solutions		MM		scale 1:1		size A4	
tolerance std		eng Ada Ye		2021/07/16				ecn no ELX-DG-41134-1					
ISO 406 ISO 1101		rvwr -		-				rel level Released					
		appr Zheng, Pei-Min		2021/07/16		A Division of Amphenol Corporation		amphenol-icc.com					
surface - ISO 1302		linear		projection		title POWER EDGE CARD CONNECTOR WITHOUT SIGNAL ASSY		dwg no		10035388		rev	
								cat. no.		-			
		angular		0°		±2°		product family -		Product - Customer Drw		sheet 7 of 7	

Creo File:APH-PWR-ACC;REV B;2021-09-07