Products

Documentation


Resources

My Account

Customer Support

<u>Home</u> > <u>Products</u> > <u>By Type</u> > <u>< 5 amps/Circuit</u> > <u>Product Feature Selector</u> > Product Details

172258 -1 Product Details



172258 -1

✓ Active

DLI Connectors

Always EU RoHS/ELV Compliant (Statement of Compliance

Product Highlights:

- ? Connector
- ? Connector Type = Header (Cap)
- ? Number of Positions = 16
- Phosphor Bronze Contact Material
- ? Selective Tin Contact Mating Area Plating Material

<u>View all Features</u> | <u>Find Similar</u> <u>Products</u>

Live Product Chat US Only 8:30am - 5pm ET, Mon - Fri

Quick Links

Check Pricing &
Availability
Search for Tooling
Product Feature
Selector
Contact Us About
This Product

Documentation & Additional Information

Product Drawings:

? 16P CAP HOUSING ASSY (V -TYPE) DUAL LINE INTERLOCK CO... (TIF, Japanese)

Catalog Pages/Data Sheets:

? None Available

Product Specifications:

2 <u>Dual Line Interlock Connector</u> (TIF, English)

Application Specifications:

? None Available

Instruction Sheets:

? None Available

CAD Files:

? None Available

Additional Information:

Product Line Information

Related Products:

? Tooling

List all Documents

Product Features

(Please use the Product Drawing for all design activity)

Product Type Features:

- ? Product Type = Connector
- ? Connector Type = Header (Cap)
- ? Number of Positions = 16
- ? PCB Mount Angle = Vertical
- ? Post Size (mm [in]) = 0.64 [.025]

Body Related Features:

- ? Lock Plate/Double Lock Plate = Double Lock Plate
- ? Number of Rows = 2
- ? Row Spacing (mm [in]) = 4.60 [0.818]

Contact Related Features:

- ? Contact Material = Phosphor Bronze
- Contact Mating Area Plating Material = Selective Tin
- ? Contact Centerline Spacing (mm [in]) = 3.00[0.118]
- ? Contact Shape = Square

Housing Related Features:

- ? Housing Material = Nylon
- ? Housing Color = Black
- ? Housing Flammability Rating = UL 94V

Industry Standards:

- ? RoHS/ELV Compliance = RoHS compliant, ELV compliant
- ? <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C
- ? RoHS/ELV Compliance History = Always was RoHS compliant

Conditions for Usage:

? Terminate To = Printed Circuit Board

Packaging Related Features:

Packaging Method = Loose Piece

Other:

? Brand = Tyco Electronics

Provide Website Feedback | Contact Customer Support