

Cat. No.	UPC No.	Description	Product Weight
15-000	781412150001	1165 Pc. Ultimate Master Set with Industrial Series Chest and Cabinet	1985.00 lb
15-001*	781412150063	1165 Pc. Ultimate Master Set	1135.00 lb

^{*} Please Note: Most tools Armstrong branded. May include other leading Apex Tool Group brands.

Cat. No.	Description		Cat. No.	Description	
16-790	74" 19 Drawer Triple Bay Roller Cabinet, Industri	15-001	1165 Pc. Ultimate Master Set		
16-888	54" 12 Drawer Top Chest, Industrial Series - Red				
Cat. No.	Description	Cat. No.	Description	Cat.	No. Description
10-931	1/4" Drive Locking Adapter	69-532	Standard Head One-Piece Dead Blow Hamm		-
140D	6 Pc. 3/8" Drive Impact Driver Set	69-534	Standard Head One-Piece Dead Blow Hamm	/0-92	Inspection Mirror with Telescoping Handle Circular,
6-600	16" Plastic Hand Box - Black	69-541	Slimline One-Piece Dead Blow Hammer 14 o.		2-1/4" Dia.
6-657	Steel Case, 27-1/2 in X 11-1/2 in	69-543	Slimline One-Piece Dead Blow Hammer 21 o	10-31	Inspection Mirror with Telescoping Handle Rectangular 2-1/8" x 3-1/2" Dia.
6-831	9" Socket Rail Steel	69-547	Slimline One-Piece Dead Blow Hammer 32 o	z. 70-9 ;	
6-832	11" Socket Rail Steel	69-605	Hand Drilling Hammer, Hickory Handle 3 lb.	70-9	, , ,
6-834	13" Socket Rail Steel	69-625	Cross Pein Hammer, Hickory Handle 3 lb.	70-9	
6-835 6-841	17" Socket Rail Steel 1/4" Drive Socket Clips Steel	70-000 70-042	Punch and Chisel Holder Tool Steel Long Pin Punch 5/32" x 5/16" x 8'	70-99	54 Screw Extractor 15/64"
6-843	3/8" Drive Socket Clips Steel	70-042	Tool Steel Long Pin Punch 3/16" x 3/8" x 8"	70-9	Screw Extractor 5/16"
6-845	1/2" Drive Socket Clips Steel	70-043	Tool Steel Long Pin Punch 7/32" x 3/8" x 8"	70-9	Screw Extractor 3/8"
6-847D	3/4" Drive Socket Clips Steel	70-045	Tool Steel Long Pin Punch 1/4" x 3/8" x 8"	78-40	C-Clamp Deep Throat Pattern, Full Screw, 8"
153D	Ignition File	70-047	Tool Steel Long Pin Punch 5/16" x 7/16" x 8'	8095	2 10" Heavy Duty Hacksaw Frame
310D	Curved Handle Wire Scratch Brush	70-101	Pin Punch 1/16" x 1/4" x 4-1/4"	8408	3 1" Wide Scraper Long
8-406	6" Chrome Finish Adjustable Wrench	70-103	Pin Punch 3/32" x 5/16" x 4-3/4"	A9N	12 1/2" Straight Pattern Snips
8-408	8" Chrome Finish Adjustable Wrench	70-105	Pin Punch 1/8" x 5/16" x 5"	M6R	9 1/4" Metalmaster® Offset Snips, Cuts Straight to Le
8-410	10" Chrome Finish Adjustable Wrench	70-107	Pin Punch 5/32" x 5/16" x 5-1/4"	Mon	Red Grips
8-412	12" Chrome Finish Adjustable Wrench	70-109	Pin Punch 3/16" x 3/8" x 5-1/4"	M7R	9 1/4" Metalmaster® Offset Snips, Cuts Straight to
28-418	18" Chrome Finish Adjustable Wrench	70-110	Tool Steel Pin Punch 1/16" x 1/4" x 4"		Right, Green Grips
7-069	9-1/4" Lineman's Pliers	70-112	Tool Steel Pin Punch 3/32" x 5/16" x 4-1/2"	PS34 WEZS	
7-101	11-1/8" Long Reach High Leverage Diagonal Pliers	70-114	Tool Steel Pin Punch 1/8" x 5/16" x 4-3/4"	WK8\	
7-113	8" Diagonal Pliers, Heavy Duty	70-116	Tool Steel Pin Punch 5/32" x 5/16" x 5"	66-25	
67-161	6" Diagonal Pliers	70-118	Tool Steel Pin Punch 3/16" x 3/8" x 5-1/4"	66-25	
7-183	4-3/16" Diagonal Pliers with Spring	70-120	Tool Steel Pin Punch 7/32" x 3/8" x 5-1/2"	66-25	
7-240	11-9/16" Long Reach Chain Nose Pliers	70-122	Tool Steel Pin Punch 1/4" x 3/8" x 5-3/4"	66-20	
7-241	11-3/8" Long Reach Bent Chain Nose Pliers	70-124	Tool Steel Pin Punch 9/32" x 3/8" x 5-3/4"	66-20	
7-255	5-9/16" Chain Nose Pliers	70-126	Tool Steel Pin Punch 5/16" x 7/16" x 6"	66-94	
67-307	7-1/8" Chain Nose Pliers with Wire Cutters	70-128	Tool Steel Pin Punch 3/8" x 1/2" x 6"	66-15	•
67-331	8-5/16" Chain Nose Pliers with Wire Stripper	70-129	Pin Punch 7/32" x 3/8" x 7"	66-15	•
67-357	5-7/16" Needle Nose Pliers, Long Thin	70-131	Pin Punch 1/4" x 3/8" x 7"	66-15	Acetate Phillips® Screwdriver #1 x 3"
67-401	6-1/4" Chain Nose Pliers, Bent	70-155	Starting Punch 3/32" x 5/16" x 4-1/2"	66-15	Acetate Phillips® Screwdriver #1 x 6"
67-410	10" Quick Release Locking Plier with Curved Jaw	70-157D	Starting Punch 1/8" x 5/16" x 4-1/2"	66-15	Acetate Phillips® Screwdriver #2 x 4"
67-436	6" Quick Release Locking Plier with Long Nose	70-161	Starting Punch 3/16" x 3/8" x 5"	66-15	Acetate Phillips® Screwdriver #2 x 8"
67-460	10" Quick Release Locking Plier with Straight Jaw	70-163	Starting Punch 7/32" x 1/2" x 5-1/2"	66-16	Acetate Phillips® Screwdriver #3 x 6"
67-503	8" Duckbill Pliers	70-165	Starting Punch 1/4" x 1/2" x 6"	66-16	Acetate Phillips® Screwdriver #4 x 8"
67-535 67-667	8-1/2" End Cutting Pliers 6" Slip Joint Pliers	70-189 70-193	Drift Punch 1/8" x 3/8" x 8" Drift Punch 3/16" x 1/2" x 9"	66-52	Cushion Grip, Round Shank Phillips® Screwdriver #1
67-669	8" Slip Joint Pliers	70-195	Drift Punch 7/32" x 1/2" x 9-1/2"	00 0.	х 3"
67-669 67-671	10" Slip Joint Pliers	70-193	Drift Punch 1/4" x 5/8" x 11"	66-52	Cushion Grip, Round Shank Phillips® Screwdriver #2
67-779	10" Tongue and Groove Pliers	70-197	Drift Punch 5/16" x 5/8" x 11"		x 4" Cushian Crin, Bound Chank Bhilling® Saroudriugr #2
67-781	12" Tongue and Groove Pliers	70-135	Center Punch 3/8" x 5"	66-53	Cushion Grip, Round Shank Phillips® Screwdriver #3 x 6"
67-783	16" Tongue and Groove Pliers	70-239	Center Punch 1/2" x 6"	66-93	
7-791	12-3/4" Pipewrench Tonque & Groove Pliers	70-255	Prick Punch 3/8" x 5"	66-20	
7-830	5-1/4" Midget Angle Nose Ignition Pliers	70-260	Roll Pin Punch 1/16" x 1/4" x 2-3/4"	66-20	
67-905	8-5/8" Electrician's Stripper/Cutter/Crimper Pliers	70-262	Roll Pin Punch 3/32" x 1/4" x 3-1/2"	66-20	
8-079	6 Pc. Internal/External Convertible Pliers Set	70-264	Roll Pin Punch 1/8" x 1/4" x 4"	66-21	
9-009	Soft Face Hammer, Fiberglass Handle 12 oz.	70-266	Roll Pin Punch 5/32" x 1/4" x 4-1/2"	66-22	20 Acetate Slotted Screwdriver 3/8 x 8"
9-019	Soft Face Hammer, Fiberglass Handle 2 lb.	70-268	Roll Pin Punch 3/16" x 3/8" x 4-1/2"	66-22	Acetate Slotted Screwdriver 7/16 x 12"
9-155	Soft Face Hammer Tip 1-1/2" Tough Green	70-270	Roll Pin Punch 7/32" x 3/8" x 5"	66-23	Acetate Slotted Screwdriver 1/4 x 1.5"
9-156	Soft Face Hammer Tip 1-1/2" Med. Hard Cream	70-272	Roll Pin Punch 1/4" x 7/16" x 5-1/2"	66-50	Cushion Grip, Round Shank Slotted Screwdriver 1/4 x 4
9-158	Soft Face Hammer Tip 1-1/2" Hard Black	70-301	Cold Chisel 1/4" x 1/4" x 5"	66-50	Cushion Grip, Round Shank Slotted Screwdriver 3/16
9-165	Soft Face Hammer Tip 2" Tough Green	70-303	Cold Chisel 1/4" x 1/4" x 5"	00-00	х 3"
9-166	Soft Face Hammer Tip 2" Med. Hard Cream	70-305	Cold Chisel 3/8" x 5/16" x 5-1/8"	66-50	Cushion Grip, Round Shank Slotted Screwdriver 5/16
9-168	Soft Face Hammer Tip 2" Hard Black	70-309	Cold Chisel 1/2" x 7/16" x 6"		X 0
9-444	Ball Pein Hammer, Hickory Handle 8 oz.	70-311	Cold Chisel 5/8" x 1/2" x 6-1/2"	66-50	
9-448	Ball Pein Hammer, Hickory Handle 1 lb.	70-313	Cold Chisel 3/4" x 5/8" x 7"	66-50	**
9-452	Ball Pein Hammer, Hickory Handle 2 lb.	70-315	Cold Chisel 7/8" x 3/4" x 7-1/2"	66-92	
9-454	Ball Pein Hammer, Hickory Handle 2-1/2 lb.	70-317	Cold Chisel 1" x 7/8" x 8"	66-32	
9-490	Rubber Mallet, Fiberglass Handle 2 lb.	70-319	Cold Chisel 1-1/8" x 7/8" x 8"	66-32 66-32	
9-515	Brass Hammer, Fiberglass Handle 2-1/2 lb.	70-578	4 Pc. Aligning/Rolling Head Set	66-32	
69-530	Standard Head One-Piece Dead Blow Hammer 10 oz.	70-579	4 Pc. Pry Bar Set	00-3/	Acetate Torx® Screwdriver T20 x 3"



Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
66-327	Acetate Torx® Screwdriver T25 x 3"	37-704	1/4" Drive Standard Length Hex Driver Socket 2.5mm Bit	12-759	1/2" Drive Extra Long Hex Driver Socket 5/8" Bit
6-329	Acetate Torx® Screwdriver T27 x 4.5"	37-705	1/4" Drive Standard Length Hex Driver Socket 3mm Bit	39-711	1/2" Drive Standard Length Hex Driver Socket 6mm
6-330	Acetate Torx® Screwdriver T30 x 4.5"	37-707	1/4" Drive Standard Length Hex Driver Socket 4mm Bit	39-713	1/2" Drive Standard Length Hex Driver Socket 8mm
6-332	Acetate Torx® Screwdriver T40 x 6"	37-709	1/4" Drive Standard Length Hex Driver Socket 5mm Bit	39-715	1/2" Drive Standard Length Hex Driver Socket 10mr
6-806	Acetate Hollow Shaft Nutdriver 3/16 x 3"	37-711	1/4" Drive Standard Length Hex Driver Socket 6mm Bit	39-717	1/2" Drive Standard Length Hex Driver Socket 12mr
6-807	Acetate Hollow Shaft Nutdriver 7/32 x 3"	10-821	1/4" Drive Phillips Screwdriver Socket #1	39-719	1/2" Drive Standard Length Hex Driver Socket 14mr
-808	Acetate Hollow Shaft Nutdriver 1/4 x 3"	10-822	1/4" Drive Phillips Screwdriver Socket #2	39-722	1/2" Drive Standard Length Hex Driver Socket 17mr
-809	Acetate Hollow Shaft Nutdriver 9/32 x 3"	10-823	1/4" Drive Phillips Screwdriver Socket #3	39-751	1/2" Drive Extra Long Hex Driver Socket 6mm
-810	Acetate Hollow Shaft Nutdriver 5/16 x 3"	10-801	1/4" Drive Scredriver Socket 3/16" x 1/32" Tip	39-753	1/2" Drive Extra Long Hex Driver Socket 8mm
-811	Acetate Hollow Shaft Nutdriver 11/32 x 3"	10-802	1/4" Drive Scredriver Socket 1/4" x 1/32" Tip	39-755	1/2" Drive Extra Long Hex Driver Socket 10mm
-812	Acetate Hollow Shaft Nutdriver 3/8 x 3"	10-870	1/4" Drive Standard Length Torx Driver Socket T10	39-757	1/2" Drive Extra Long Hex Driver Socket 12mm
-814	Acetate Hollow Shaft Nutdriver 7/16 x 3"	10-872	1/4" Drive Standard Length Torx Driver Socket T15	39-759	1/2" Drive Extra Long Hex Driver Socket 14mm
-816	Acetate Hollow Shaft Nutdriver 1/2 x 3"	10-874	1/4" Drive Standard Length Torx Driver Socket T20	39-762	1/2" Drive Extra Long Hex Driver Socket 17mm
6-818	Acetate Hollow Shaft Nutdriver 9/16 x 3"	10-876	1/4" Drive Standard Length Torx Driver Socket T25	12-821	1/2" Drive Phillips Screwdriver Socket #1
-820	Acetate Hollow Shaft Nutdriver 5/8 x 3"	10-878	1/4" Drive Standard Length Torx Driver Socket T27	12-822	1/2" Drive Phillips Screwdriver Socket #2
			-	12-825	·
-829	Acetate Hollow Shaft Nutdriver 4 mm x 3"	10-880	1/4" Drive Standard Length Torx Driver Socket T30		1/2" Drive Phillips Screwdriver Socket #3
-831	Acetate Hollow Shaft Nutdriver 5 mm x 3"	11-708	3/8" Drive Standard Length Hex Driver Socket 1/8" Bit	12-828	1/2" Drive Phillips Screwdriver Socket #4
-832	Acetate Hollow Shaft Nutdriver 5-1/2 mm x 3"	11-710	3/8" Drive Standard Length Hex Driver Socket 5/32" Bit	12-802	1/2" Drive Screwdriver Socket 1/4" x 1/32" Tip
-833	Acetate Hollow Shaft Nutdriver 6 mm x 3"	11-711	3/8" Drive Standard Length Hex Driver Socket 3/16" Bit	12-803	1/2" Drive Screwdriver Socket 5/16" x 3/64" Tip
-834	Acetate Hollow Shaft Nutdriver 7 mm x 3"	11-712	3/8" Drive Standard Length Hex Driver Socket 7/32" Bit	12-805	1/2" Drive Screwdriver Socket 3/8" x 1/16" Tip
-835	Acetate Hollow Shaft Nutdriver 8 mm x 3"	11-713	3/8" Drive Standard Length Hex Driver Socket 1/4" Bit	12-878	1/2" Drive Standard Length Torx Driver Socket T27
-836	Acetate Hollow Shaft Nutdriver 9 mm x 3"	11-714	3/8" Drive Standard Length Hex Driver Socket 5/16" Bit	12-880	1/2" Drive Standard Length Torx Driver Socket T30
-837	Acetate Hollow Shaft Nutdriver 10 mm x 3"	11-715	3/8" Drive Standard Length Hex Driver Socket 3/8" Bit	12-882	1/2" Drive Standard Length Torx Driver Socket T40
-838	Acetate Hollow Shaft Nutdriver 11 mm x 3"	11-748	3/8" Drive Extra Long Hex Driver Socket 1/8" Bit	12-884	1/2" Drive Standard Length Torx Driver Socket T45
-839	Acetate Hollow Shaft Nutdriver 12 mm x 3"	11-750	3/8" Drive Extra Long Hex Driver Socket 5/32" Bit	12-886	1/2" Drive Standard Length Torx Driver Socket T50
-840	Acetate Hollow Shaft Nutdriver 13 mm x 3"	11-751	3/8" Drive Extra Long Hex Driver Socket 3/16" Bit	12-888	1/2" Drive Standard Length Torx Driver Socket T55
-508	1/4" Full Polish Flex Combination Wrench 12 Point	11-752	3/8" Drive Extra Long Hex Driver Socket 7/32" Bit	27-510	3/8" 12 Point Full Polish Double Box Ratcheting Wr
-510	5/16" Full Polish Flex Combination Wrench 12 Point	11-753	3/8" Drive Extra Long Hex Driver Socket 1/4" Bit	27-510	7/16" 12 Point Full Polish Double Box Ratcheting W
	3/8" Full Polish Flex Combination Wrench 12 Point	11-754	-		-
-512			3/8" Drive Extra Long Hex Driver Socket 5/16" Bit	27-512	1/2" 12 Point Full Polish Double Box Ratcheting Wro
-514	7/16" Full Polish Flex Combination Wrench 12 Point	11-755	3/8" Drive Extra Long Hex Driver Socket 3/8" Bit	27-513	9/16" 12 Point Full Polish Double Box Ratcheting W
-516	1/2" Full Polish Flex Combination Wrench 12 Point	38-707	3/8" Drive Standard Length Hex Driver Socket 4mm Bit	27-514	5/8" 12 Point Full Polish Double Box Ratcheting Wr
-518	9/16" Full Polish Flex Combination Wrench 12 Point	38-709	3/8" Drive Standard Length Hex Driver Socket 5mm Bit	27-515	11/16" 12 Point Full Polish Double Box Ratcheting
-520	5/8" Full Polish Flex Combination Wrench 12 Point	38-711	3/8" Drive Standard Length Hex Driver Socket 6mm Bit		Wrench
-522	11/16" Full Polish Flex Combination Wrench 12 Point	38-712	3/8" Drive Standard Length Hex Driver Socket 7mm Bit	27-516	3/4" 12 Point Full Polish Double Box Ratcheting Wr
-524	3/4" Full Polish Flex Combination Wrench 12 Point	38-713	3/8" Drive Standard Length Hex Driver Socket 8mm Bit	54-510	10mm 12 Point Full Polish Double Box Ratcheting V
-526	13/16" Full Polish Flex Combination Wrench 12 Point	38-714	3/8" Drive Standard Length Hex Driver Socket 9mm Bit	54-511	11mm 12 Point Full Polish Double Box Ratcheting V
-528	7/8" Full Polish Flex Combination Wrench 12 Point	38-715	3/8" Drive Standard Length Hex Driver Socket 10mm Bit	54-512	12mm 12 Point Full Polish Double Box Ratcheting V
5-600	10 Pc. Midget Combination Wrench Set	38-747	3/8" Drive Extra Long Hex Driver Socket 4mm Bit	54-513	13mm 12 Point Full Polish Double Box Ratcheting V
6134	11 Pc. SAE/Metric Ball Plus Cushion Grip T Handle Set	38-749	3/8" Drive Extra Long Hex Driver Socket 5mm Bit	54-514	14mm 12 Point Full Polish Double Box Ratcheting W
192	22 Piece Long Arm SAE/Metric Hex Key Set	38-751	3/8" Drive Extra Long Hex Driver Socket 6mm Bit	54-515	15mm 12 Point Full Polish Double Box Ratcheting W
)-938	1/4" Drive T-Handle 5"	38-752	3/8" Drive Extra Long Hex Driver Socket 7mm Bit	54-516	16mm 12 Point Full Polish Double Box Ratcheting W
-943	1/4" Drive Plastic Handle Driver 6"	38-753	3/8" Drive Extra Long Hex Driver Socket 8mm Bit	54-517	17mm 12 Point Full Polish Double Box Ratcheting W
-935	3/8" Drive Speeder Handle with Polished Handle	38-755	3/8" Drive Extra Long Hex Driver Socket 10mm Bit	54-518	18mm 12 Point Full Polish Double Box Ratcheting V
	·			54-519	19mm 12 Point Full Polish Double Box Ratcheting V
-938	3/8" Drive T-Handle 7"	11-821	3/8" Drive Phillips Screwdriver Socket #1	10-918	1/4" Drive Breaker Bar 5-3/4"
-943	3/8" Drive (Male/Female) Plastic Handle Driver 6"	11-822	3/8" Drive Phillips Screwdriver Socket #2		
-042	3/8" Drive Micrometer Torque Wrench (100 in/lb - 1000	11-825	3/8" Drive Phillips Screwdriver Socket #3	11-918	3/8" Drive Breaker Bar 8-1/2"
	in/lb)	11-828	3/8" Drive Phillips Screwdriver Socket #4	12-917	1/2" Drive Breaker Bar 12"
-935	1/2" Drive Speeder 19"	11-802	3/8" Drive Screwdriver Socket 1/4" x 1/32" Tip	12-918	1/2" Drive Breaker Bar 17"
-938	1/2" Drive T-Handle	11-803	3/8" Drive Screwdriver Socket 5/16" x 3/64" Tip	13-918	3/4" Drive Breaker Bar 22"
-948	1/2" Drive Stud Remover, 1/2 - 3/4" Stud Capacity	11-805	3/8" Drive Screwdriver Socket 3/8" x 1/16" Tip	CW12H	12" Chain Wrench
-086	1/2" Drive Micrometer Torque Wrench (25 ft/lb - 250	11-872	3/8" Drive Standard Length Torx Driver Socket T15	11-850	3/8" Drive Crowfoot Wrench 3/8"
	ft/lb)	11-874	3/8" Drive Standard Length Torx Driver Socket T20	11-851	3/8" Drive Crowfoot Wrench 7/16"
-407	1/2" Drive Dial Torque Wrench, Ratchet Head	11-876	3/8" Drive Standard Length Torx Driver Socket T25	11-852	3/8" Drive Crowfoot Wrench 1/2"
-892	1/2" Drive Screwdriver Drag Link Socket 7/64" x 15/16"	11-878D	3/8" Drive Standard Length Torx Driver Socket T27	11-853	3/8" Drive Crowfoot Wrench 9/16"
-893	1/2" Drive Screwdriver Drag Link Socket 3/32" x 1-1/4"	11-880	3/8" Drive Standard Length Torx Driver Socket T30	11-854	3/8" Drive Crowfoot Wrench 5/8"
-938	3/4" Drive T-Handle 20"	11-882	3/8" Drive Standard Length Torx Driver Socket T40	11-855	3/8" Drive Crowfoot Wrench 11/16"
-951	3/8" Drive Adapter 3/8" F x 1/4" M	11-884	ů	11-856	3/8" Drive Crowfoot Wrench 3/4"
-951	1/2" Drive Adapter 1/2" F x 3/8" M		3/8" Drive Standard Length Torx Driver Socket T45	11-857	3/8" Drive Crowfoot Wrench 13/16"
-951	3/4" Drive Adapter 3/4" F x 1/2" M	11-886	3/8" Drive Standard Length Torx Driver Socket T50	11-858	3/8" Drive Crowfoot Wrench 7/8"
745	1/4" Drive Extra Long Hex Driver Socket 5/64" Bit	12-713	1/2" Drive Standard Length Hex Driver Socket 1/4" Bit		
	•	12-714	1/2" Drive Standard Length Hex Driver Socket 5/16" Bit	38-850	3/8" Drive Crowfoot Wrench 10mm
-746 -747	1/4" Drive Extra Long Hex Driver Socket 3/32" Bit	12-715	1/2" Drive Standard Length Hex Driver Socket 3/8" Bit	38-851	3/8" Drive Crowfoot Wrench 11mm
-747	1/4" Drive Extra Long Hex Driver Socket 7/64" Bit	12-716	1/2" Drive Standard Length Hex Driver Socket 7/16" Bit	38-852	3/8" Drive Crowfoot Wrench 12mm
-748	1/4" Drive Extra Long Hex Driver Socket 1/8" Bit	12-717	1/2" Drive Standard Length Hex Driver Socket 1/2" Bit	38-853	3/8" Drive Crowfoot Wrench 13mm
-749	1/4" Drive Extra Long Hex Driver Socket 9/64" Bit	12-718	1/2" Drive Standard Length Hex Driver Socket 9/16" Bit	38-854	3/8" Drive Crowfoot Wrench 14mm
-750	1/4" Drive Extra Long Hex Driver Socket 5/32" Bit	12-719	1/2" Drive Standard Length Hex Driver Socket 5/8" Bit	38-855	3/8" Drive Crowfoot Wrench 15mm
-751	1/4" Drive Extra Long Hex Driver Socket 3/16" Bit	12-753	1/2" Drive Extra Long Hex Driver Socket 1/4" Bit	38-856	3/8" Drive Crowfoot Wrench 16mm
-752	1/4" Drive Extra Long Hex Driver Socket 7/32" Bit	12-754D	1/2" Drive Extra Long Hex Driver Socket 5/16" Bit	38-857	3/8" Drive Crowfoot Wrench 17mm
-753	1/4" Drive Extra Long Hex Driver Socket 1/4" Bit	12-755	1/2" Drive Extra Long Hex Driver Socket 3/8" Bit	38-858	3/8" Drive Crowfoot Wrench 18mm
-754	1/4" Drive Extra Long Hex Driver Socket 5/16" Bit	12-755	1/2" Drive Extra Long Hex Driver Socket 3/8" Bit 1/2" Drive Extra Long Hex Driver Socket 1/2" Bit	38-859	3/8" Drive Crowfoot Wrench 19mm
	1/4" Drive Standard Length Hex Driver Socket 2mm Bit	12-131	1/2 DINE LALIA LUNG HEA DINEN SUCKEL 1/2 DIL		

27-367
27-394
27-424
27-451
27-466
54-322
54-334
54-352
54-367
54-385
54-391
54-415
54-419 54-445
10-921
10-921
10-923
10-925
10-929
11-922
11-923
11-925
11-927
11-928
11-929
12-921
12-923
12-924
12-927 13-922
13-922
13-925
25-412
25-414
25-416
25-418
25-420
25-422
25-424
25-426
25-428
25-430

at. No.	Description	Cat. No.	Description	Cat. No.	Description
-862	3/8" Drive Crowfoot Wrench 22mm	25-170	5/8" Full Polish Stubby Combination Wrench 12 Point	46-618	3/8" Drive 6 Point Impact Socket 18mm
859	1/2" Drive Crowfoot Wrench 15/16"	25-172	11/16" Full Polish Stubby Combination Wrench 12 Point	46-619	3/8" Drive 6 Point Impact Socket 19mm
360	1/2" Drive Crowfoot Wrench 1"	25-174	3/4" Full Polish Stubby Combination Wrench 12 Point	46-620	3/8" Drive 6 Point Impact Socket 20mm
61	1/2" Drive Crowfoot Wrench 1-1/16"	52-160	10mm Full Polish Stubby Combination Wrench 12 Point	46-621	3/8" Drive 6 Point Impact Socket 21mm
62	1/2" Drive Crowfoot Wrench 1-1/8"	52-161	11mm Full Polish Stubby Combination Wrench 12 Point	46-622	3/8" Drive 6 Point Impact Socket 22mm
63	1/2" Drive Crowfoot Wrench 1-1/4"	52-162	12mm Full Polish Stubby Combination Wrench 12 Point	46-707	3/8" Drive 6 Point Deep Impact Socket 7mm
66	1/2" Drive Crowfoot Wrench 1-7/16"	52-163	13mm Full Polish Stubby Combination Wrench 12 Point	46-708	3/8" Drive 6 Point Deep Impact Socket 8mm
67	1/2" Drive Crowfoot Wrench 1-1/2"	52-164	14mm Full Polish Stubby Combination Wrench 12 Point	46-709	3/8" Drive 6 Point Deep Impact Socket 9mm
43	12 Point Full Polish 45° Offset Long Box Wrench 3/8	52-165	15mm Full Polish Stubby Combination Wrench 12 Point	46-710	3/8" Drive 6 Point Deep Impact Socket 10mm
	x 7/16"	52-166	16mm Full Polish Stubby Combination Wrench 12 Point	46-711	3/8" Drive 6 Point Deep Impact Socket 11mm
67	12 Point Full Polish 45° Offset Long Box Wrench 1/2	52-167	17mm Full Polish Stubby Combination Wrench 12 Point	46-712	3/8" Drive 6 Point Deep Impact Socket 12mm
	x 9/16"	52-168	18mm Full Polish Stubby Combination Wrench 12 Point	46-713	3/8" Drive 6 Point Deep Impact Socket 13mm
94	12 Point Full Polish 45° Offset Long Box Wrench 5/8 x 11/16"	52-169	19mm Full Polish Stubby Combination Wrench 12 Point	46-714	3/8" Drive 6 Point Deep Impact Socket 14mm
		11-842	3/8" Drive Flare Nut Crowfoot Wrench 5/8"	46-715	3/8" Drive 6 Point Deep Impact Socket 15mm
24	12 Point Full Polish 45° Offset Long Box Wrench 3/4 x 7/8"	11-843	3/8" Drive Flare Nut Crowfoot Wrench 11/16"	46-716	3/8" Drive 6 Point Deep Impact Socket 16mm
		11-844	3/8" Drive Flare Nut Crowfoot Wrench 3/4"	46-717	3/8" Drive 6 Point Deep Impact Socket 17mm
51	12 Point Full Polish 45° Offset Long Box Wrench 15/16 x 1"	11-845	3/8" Drive Flare Nut Crowfoot Wrench 13/16"	20-016	1/2" Drive 6 Point Impact Socket 1/2"
		11-846	3/8" Drive Flare Nut Crowfoot Wrench 7/8"	20-018	1/2" Drive 6 Point Impact Socket 9/16"
66	12 Point Full Polish 45° Offset Long Box Wrench 1-1/16 x 1-1/8"	11-847	3/8" Drive Flare Nut Crowfoot Wrench 15/16"	20-020	1/2" Drive 6 Point Impact Socket 5/8"
22		11-848	3/8" Drive Flare Nut Crowfoot Wrench 1"	20-020	1/2" Drive 6 Point Impact Socket 1/16"
22 24	12 Point Full Polish 45° Offset Box Wrench 8 x 9mm	11-849	3/8" Drive Flare Nut Crowfoot Wrench 1-1/16"	20-022	1/2" Drive 6 Point Impact Socket 11/16
34	12 Point Full Polish 45° Offset Box Wrench 10 x 11mm			20-024	·
52	12 Point Full Polish 45° Offset Box Wrench 12 x 13mm	12-840	1/2" Drive Flare Nut Crowfoot Wrench 1-1/8"		1/2" Drive 6 Point Impact Socket 13/16"
67	12 Point Full Polish 45° Offset Box Wrench 14 x 15mm	12-841	1/2" Drive Flare Nut Crowfoot Wrench 1-3/16"	20-028D	1/2" Drive 6 Point Impact Socket 7/8"
85	12 Point Full Polish 45° Offset Box Wrench 16 x 18mm	12-842	1/2" Drive Flare Nut Crowfoot Wrench 1-1/4"	20-030	1/2" Drive 6 Point Impact Socket 15/16"
91	12 Point Full Polish 45° Offset Box Wrench 17 x 19mm	12-843	1/2" Drive Flare Nut Crowfoot Wrench 1-5/16"	20-032	1/2" Drive 6 Point Impact Socket 1"
15	12 Point Full Polish 45° Offset Box Wrench 20 x 22mm	12-844	1/2" Drive Flare Nut Crowfoot Wrench 1-3/8"	20-034D	1/2" Drive 6 Point Impact Socket 1-1/16"
19	12 Point Full Polish 45° Offset Box Wrench 21 x 23mm	12-845	1/2" Drive Flare Nut Crowfoot Wrench 1-7/16"	20-036D	1/2" Drive 6 Point Impact Socket 1-1/8"
45	12 Point Full Polish 45° Offset Box Wrench 24 x 27mm	12-846	1/2" Drive Flare Nut Crowfoot Wrench 1-1/2"	20-216	1/2" Drive 6 Point Deep Impact Socket 1/2"
21	1/4" Drive Extension 2"	12-847	1/2" Drive Flare Nut Crowfoot Wrench 1-9/16"	20-218	1/2" Drive 6 Point Deep Impact Socket 9/16"
22	1/4" Drive Extension 4"	12-848	1/2" Drive Flare Nut Crowfoot Wrench 1-5/8"	20-220	1/2" Drive 6 Point Deep Impact Socket 5/8"
23	1/4" Drive Extension 6"	12-849	1/2" Drive Flare Nut Crowfoot Wrench 1-11/16"	20-222	1/2" Drive 6 Point Deep Impact Socket 11/16"
25	1/4" Drive Extension 14"	12-850	1/2" Drive Flare Nut Crowfoot Wrench 1-3/4"	20-224	1/2" Drive 6 Point Deep Impact Socket 3/4"
29	1/4" Drive Flex Extension 6"	12-851	1/2" Drive Flare Nut Crowfoot Wrench 1-13/16"	20-226	1/2" Drive 6 Point Deep Impact Socket 13/16"
22	3/8" Drive Extension 3"	12-852	1/2" Drive Flare Nut Crowfoot Wrench 1-7/8"	20-228	1/2" Drive 6 Point Deep Impact Socket 7/8"
	3/8" Drive Extension 6"	12-853	1/2" Drive Flare Nut Crowfoot Wrench 1-15/16"	20-230	1/2" Drive 6 Point Deep Impact Socket 15/16"
23		12-854	1/2" Drive Flare Nut Crowfoot Wrench 2"	47-010	1/2" Drive 6 Point Impact Socket 10mm
25	3/8" Drive Extension 8"	28-130	Full Polish Double Head Flare Nut Wrench 3/8 x 7/16"	47-010	·
27	3/8" Drive Extension 12"				1/2" Drive 6 Point Impact Socket 11mm
28	3/8" Drive Extension 20"	28-135	Full Polish Double Head Flare Nut Wrench 1/2 x 9/16"	47-012	1/2" Drive 6 Point Impact Socket 12mm
29	3/8" Drive Flex Extension 7-1/4"	28-140	Full Polish Double Head Flare Nut Wrench 5/8 x 11/16"	47-013	1/2" Drive 6 Point Impact Socket 13mm
21	1/2" Drive Extension 2"	28-145	Full Polish Double Head Flare Nut Wrench 3/4 x 1"	47-014	1/2" Drive 6 Point Impact Socket 14mm
23	1/2" Drive Extension 5"	28-150	Full Polish Double Head Flare Nut Wrench 7/8 x 1-1/8"	47-015	1/2" Drive 6 Point Impact Socket 15mm
24	1/2" Drive Extension 10"	19-608	3/8" Drive 6 Point Impact Socket 1/4"	47-016	1/2" Drive 6 Point Impact Socket 16mm
27	1/2" Drive Extension 20"	19-610	3/8" Drive 6 Point Impact Socket 5/16"	47-017	1/2" Drive 6 Point Impact Socket 17mm
22	3/4" Drive Extension 5"	19-612	3/8" Drive 6 Point Impact Socket 3/8"	47-018	1/2" Drive 6 Point Impact Socket 18mm
23	3/4" Drive Extension 8"	19-614	3/8" Drive 6 Point Impact Socket 7/16"	47-019	1/2" Drive 6 Point Impact Socket 19mm
25	3/4" Drive Extension 16"	19-616	3/8" Drive 6 Point Impact Socket 1/2"	47-020	1/2" Drive 6 Point Impact Socket 20mm
	3/8" Full Polish Extra Long Pattern Combination Wrench	19-618	3/8" Drive 6 Point Impact Socket 9/16"	47-021	1/2" Drive 6 Point Impact Socket 21mm
12	12 Point	19-620	3/8" Drive 6 Point Impact Socket 5/8"	47-022	1/2" Drive 6 Point Impact Socket 22mm
	7/16" Full Polish Extra Long Pattern Combination Wrench	19-622	3/8" Drive 6 Point Impact Socket 11/16"	47-024	1/2" Drive 6 Point Impact Socket 24mm
14	12 Point	19-624	3/8" Drive 6 Point Impact Socket 3/4"	47-210D	1/2" Drive 6 Point Deep Impact Socket 10mm
40	1/2" Full Polish Extra Long Pattern Combination Wrench	19-708	3/8" Drive 6 Point Deep Impact Socket 1/4"	47-2100	1/2" Drive 6 Point Deep Impact Socket 10mm
16	12 Point				
	9/16" Full Polish Extra Long Pattern Combination Wrench	19-710	3/8" Drive 6 Point Deep Impact Socket 5/16"	47-212	1/2" Drive 6 Point Deep Impact Socket 12mm
118	12 Point	19-712	3/8" Drive 6 Point Deep Impact Socket 3/8"	47-213	1/2" Drive 6 Point Deep Impact Socket 13mm
inc	5/8" Full Polish Extra Long Pattern Combination Wrench	19-714	3/8" Drive 6 Point Deep Impact Socket 7/16"	47-214	1/2" Drive 6 Point Deep Impact Socket 14mm
120	12 Point	19-716	3/8" Drive 6 Point Deep Impact Socket 1/2"	47-215D	1/2" Drive 6 Point Deep Impact Socket 15mm
122	11/16" Full Polish Extra Long Pattern Combination	19-718	3/8" Drive 6 Point Deep Impact Socket 9/16"	47-216	1/2" Drive 6 Point Deep Impact Socket 16mm
122	Wrench 12 Point	19-720	3/8" Drive 6 Point Deep Impact Socket 5/8"	47-217	1/2" Drive 6 Point Deep Impact Socket 17mm
10.4	3/4" Full Polish Extra Long Pattern Combination Wrench	19-722	3/8" Drive 6 Point Deep Impact Socket 11/16"	47-218	1/2" Drive 6 Point Deep Impact Socket 18mm
24	12 Point	19-724	3/8" Drive 6 Point Deep Impact Socket 3/4"	47-219	1/2" Drive 6 Point Deep Impact Socket 19mm
26	13/16" Full Polish Extra Long Pattern Combination	46-607	3/8" Drive 6 Point Impact Socket 7mm	47-220	1/2" Drive 6 Point Deep Impact Socket 20mm
26	Wrench 12 Point	46-608	3/8" Drive 6 Point Impact Socket 8mm	47-221	1/2" Drive 6 Point Deep Impact Socket 21mm
20	7/8" Full Polish Extra Long Pattern Combination Wrench	46-609	3/8" Drive 6 Point Impact Socket 9mm	47-222	1/2" Drive 6 Point Deep Impact Socket 22mm
28	12 Point	46-610	3/8" Drive 6 Point Impact Socket 10mm	47-224	1/2" Drive 6 Point Deep Impact Socket 24mm
120	15/16" Full Polish Extra Long Pattern Combination	46-611	3/8" Drive 6 Point Impact Socket 10mm	19-947	3/8" Drive Impact Armstrong MAXX Universal Joint
30	Wrench 12 Point		•	13-341	* *
100	1" Full Polish Extra Long Pattern Combination Wrench	46-612	3/8" Drive 6 Point Impact Socket 12mm	19-562	3/8" Drive 6 Point Armstrong MAXX Universal Impa Socket 3/8"
32	12 Point	46-613	3/8" Drive 6 Point Impact Socket 13mm		
62	3/8" Full Polish Stubby Combination Wrench 12 Point	46-614	3/8" Drive 6 Point Impact Socket 14mm	19-564	3/8" Drive 6 Point Armstrong MAXX Universal Impa Socket 7/16"
64	7/16" Full Polish Stubby Combination Wrench 12 Point	46-615	3/8" Drive 6 Point Impact Socket 15mm		
66	1/2" Full Polish Stubby Combination Wrench 12 Point	46-616	3/8" Drive 6 Point Impact Socket 16mm	19-566	3/8" Drive 6 Point Armstrong MAXX Universal Impa
	9/16" Full Polish Stubby Combination Wrench 12 Point	46-617	3/8" Drive 6 Point Impact Socket 17mm		Socket 1/2"

SETS



Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
19-568	3/8" Drive 6 Point Armstrong MAXX Universal Impact Socket 9/16"	25-264	2" Satin Chrome Long Pattern Combination Wrench 12 Point	27-834	1-1/16" Open End Full Polish 15 and 60° Full Polish Angle Wrench
9-570	3/8" Drive 6 Point Armstrong MAXX Universal Impact Socket 5/8"	52-207	7mm Full Polish Long Pattern Combination Wrench 12 Point	27-836	1-1/8" Open End Full Polish 15 and 60° Full Polish Angl Wrench
9-572	3/8" Drive 6 Point Armstrong MAXX Universal Impact Socket 11/16"	52-208	8mm Full Polish Long Pattern Combination Wrench 12 Point	27-840	1-1/4" Open End Full Polish 15 and 60° Full Polish Angle Wrench
9-574	3/8" Drive 6 Point Armstrong MAXX Universal Impact	52-209	9mm Full Polish Long Pattern Combination Wrench 12	26-022D	Full Polish Open End Wrench 1/4 x 5/16"
	Socket 3/4" 1/2" Drive 6 Point Armstrong MAXX Universal Impact		Point 10mm Full Polish Long Pattern Combination Wrench	26-043	Full Polish Open End Wrench 3/8 x 7/16"
0-566	Socket 1/2"	52-210	12 Point	26-067 26-094	Full Polish Open End Wrench 1/2 x 9/16" Full Polish Open End Wrench 5/8 x 11/16"
0-568	1/2" Drive 6 Point Armstrong MAXX Universal Impact	52-211	11mm Full Polish Long Pattern Combination Wrench	26-121	Full Polish Open End Wrench 3/4 x 13/16"
0 000	Socket 9/16"	OL LII	12 Point	26-139	Full Polish Open End Wrench 7/8 x 15/16"
0-570	1/2" Drive 6 Point Armstrong MAXX Universal Impact Socket 5/8"	52-212	12mm Full Polish Long Pattern Combination Wrench 12 Point	26-163	Full Polish Open End Wrench 1 x 1-1/8"
0-572	1/2" Drive 6 Point Armstrong MAXX Universal Impact	52-213	13mm Full Polish Long Pattern Combination Wrench	26-169	Full Polish Open End Wrench 1-1/16 x 1-1/4"
0-312	Socket 11/16"	32-213	12 Point	26-187D 26-190D	Full Polish Open End Wrench 1-5/16 x 1-1/2" Full Polish Open End Wrench 1-3/8 x 1-7/16"
0-574	1/2" Drive 6 Point Armstrong MAXX Universal Impact Socket 3/4"	52-214	14mm Full Polish Long Pattern Combination Wrench 12 Point	53-016	Full Polish Open End Wrench 6 x 7mm
	1/2" Drive 6 Point Armstrong MAXX Universal Impact		15mm Full Polish Long Pattern Combination Wrench	53-022	Full Polish Open End Wrench 8 x 9mm
0-576	Socket 13/16"	52-215	12 Point	53-034	Full Polish Open End Wrench 10 x 11mm
0-578	1/2" Drive 6 Point Armstrong MAXX Universal Impact Socket 7/8"	52-216	16mm Full Polish Long Pattern Combination Wrench 12 Point	53-052	Full Polish Open End Wrench 12 x 13mm
	1/2" Drive 6 Point Armstrong MAXX Universal Impact		17mm Full Polish Long Pattern Combination Wrench	53-067 53-082	Full Polish Open End Wrench 14 x 15mm Full Polish Open End Wrench 16 x 17mm
0-580	Socket 15/16"	52-217	12 Point	53-002	Full Polish Open End Wrench 18 x 19mm
0-582	1/2" Drive 6 Point Armstrong MAXX Universal Impact Socket 1"	52-218	18mm Full Polish Long Pattern Combination Wrench 12 Point	53-115	Full Polish Open End Wrench 20 x 22mm
	1/4" Full Polish Long Pattern Combination Wrench 12		19mm Full Polish Long Pattern Combination Wrench	53-119	Full Polish Open End Wrench 21 x 23mm
5-208	Point Point	52-219	12 Point	53-142	Full Polish Open End Wrench 24 x 26mm
5-210	5/16" Full Polish Long Pattern Combination Wrench	52-220	20mm Full Polish Long Pattern Combination Wrench	73-010 73-014	Pipe Wrench 10" Pipe Wrench 14"
	12 Point 3/8" Full Polish Long Pattern Combination Wrench 12		12 Point 21mm Full Polish Long Pattern Combination Wrench	73-014	Pipe Wrench 18"
5-212	Point	52-221	12 Point	10-945	1/4" Drive Ratchet Spinner
5-214	7/16" Full Polish Long Pattern Combination Wrench	52-222	22mm Full Polish Long Pattern Combination Wrench	10-972	1/4" Drive Teardrop Ratchet
	12 Point		12 Point	11-915	3/8" Drive Round Head Ratchet Polished Handle
5-216	1/2" Full Polish Long Pattern Combination Wrench 12 Point	52-223	23mm Full Polish Long Pattern Combination Wrench 12 Point	11-945 11-972	3/8" Drive Ratchet Spinner 3/8" Drive Teardrop Ratchet Polished Handle 7-3/8"
5-218	9/16" Full Polish Long Pattern Combination Wrench	52-224	24mm Full Polish Long Pattern Combination Wrench	11-973	3/8" Drive Long Handle Teardrop Ratchet
J-210	12 Point	32-22 4	12 Point	11-974	3/8" Drive Flex Head Teardrop Ratchet
5-220	5/8" Full Polish Long Pattern Combination Wrench 12 Point	27-903	13/64" Open End Full Polish 15 and 80° Miniature Angle Wrench	11-978	3/8" Drive Plastic Handle Teardrop Ratchet
5-222	11/16" Full Polish Long Pattern Combination Wrench	27-907	7/32" Open End Full Polish 15 and 80° Miniature Angle	11-979	3/8" Drive Plastic Handle Teardrop Ratchet
J-222	12 Point	21-301	Wrench	12-915 12-945	1/2" Drive Roundhead Ratchet 10-1/2" 1/2" Drive Ratchet Spinner
5-224	3/4" Full Polish Long Pattern Combination Wrench 12 Point	27-904	15/64" Open End Full Polish 15 and 80° Miniature Angle Wrench	12-972	1/2" Drive Teardrop Ratchet
E 226	13/16" Full Polish Long Pattern Combination Wrench	27 000	1/4" Open End Full Polish 15 and 80° Miniature Angle	12-973	1/2" Drive Long Handle Teardrop Ratchet
5-226	12 Point	27-908	Wrench	12-974	1/2" Drive Flex Head Teardrop Ratchet
5-228	7/8" Full Polish Long Pattern Combination Wrench 12 Point	27-909	9/32" Open End Full Polish 15 and 80° Miniature Angle Wrench	13-972 55-310	3/4" Drive Ratchet
F 000	15/16" Full Polish Long Pattern Combination Wrench	07.040	5/16" Open End Full Polish 15 and 80° Miniature Angle	55-311	10mm Black Oxide Flare Nut Ratcheting Wrench 11mm Black Oxide Flare Nut Ratcheting Wrench
5-230	12 Point	27-910	Wrench	55-312	12mm Black Oxide Flare Nut Ratcheting Wrench
5-232	1" Full Polish Long Pattern Combination Wrench 12 Point	27-911	11/32" Open End Full Polish 15 and 80° Miniature Angle Wrench	55-313	13mm Black Oxide Flare Nut Ratcheting Wrench
5-234	1-1/16" Full Polish Long Pattern Combination Wrench 12 Point	0= 040	3/8" Open End Full Polish 15 and 60° Full Polish Angle	55-314	14mm Black Oxide Flare Nut Ratcheting Wrench
5-236	1-1/8" Full Polish Long Pattern Combination Wrench	27-812	Wrench	55-315 55-316	15mm Black Oxide Flare Nut Ratcheting Wrench 16mm Black Oxide Flare Nut Ratcheting Wrench
J-250	12 Point	27-912	3/8" Open End Full Polish 15 and 80° Miniature Angle Wrench	55-317	17mm Black Oxide Flare Nut Ratcheting Wrench
5-240	1-1/4" Full Polish Long Pattern Combination Wrench 12 Point	07.044	7/16" Open End Full Polish 15 and 60° Full Polish Angle	55-318	18mm Black Oxide Flare Nut Ratcheting Wrench
5-242	1-5/16" Satin Chrome Long Pattern Combination Wrench	27-814	Wrench	55-319	19mm Black Oxide Flare Nut Ratcheting Wrench
:3-242	12 Point	27-816	1/2" Open End Full Polish 15 and 60° Full Polish Angle	25-808	1/4" 12 Point Full Polish Combination Ratcheting Wrence
5-244	1-3/8" Satin Chrome Long Pattern Combination Wrench 12 Point		Wrench 9/16" Open End Full Polish 15 and 60° Full Polish Angle	25-810	5/16" 12 Point Full Polish Combination Ratcheting Wrench
E 246	1-7/16" Satin Chrome Long Pattern Combination Wrench	27-818	Wrench	25-811	11/32" 12 Point Full Polish Combination Ratcheting
5-246	12 Point	27-820	5/8" Open End Full Polish 15 and 60° Full Polish Angle		Wrench
5-248	1-1/2" Satin Chrome Long Pattern Combination Wrench 12 Point		Wrench 11/16" Open End Full Polish 15 and 60° Full Polish Angle	25-812	3/8" 12 Point Full Polish Combination Ratcheting Wrend 7/16" 12 Point Full Polish Combination Ratcheting
5-252	1-5/8" Satin Chrome Long Pattern Combination Wrench 12 Point	27-822	Wrench 3/4" Open End Full Polish 15 and 60° Full Polish Angle	25-814	Wrench
	1-11/16" Satin Chrome Long Pattern Combination	27-824	Wrench	25-816	1/2" 12 Point Full Polish Combination Ratcheting Wrend 9/16" 12 Point Full Polish Combination Ratcheting
25-254	Wrench 12 Point	27-826	13/16" Open End Full Polish 15 and 60° Full Polish Angle	25-818	Wrench
25-256	1-3/4" Satin Chrome Long Pattern Combination Wrench	21.020	Wrench	25-820	5/8" 12 Point Full Polish Combination Ratcheting Wrene
	12 Point 1-13/16" Satin Chrome Long Pattern Combination	27-828	7/8" Open End Full Polish 15 and 60° Full Polish Angle Wrench	25-822	11/16" 12 Point Full Polish Combination Ratcheting Wrench
5-258	Wrench 12 Point	27-830	15/16" Open End Full Polish 15 and 60° Full Polish Angle	25-824	3/4" 12 Point Full Polish Combination Ratcheting Wrend
25-260	1-7/8" Satin Chrome Long Pattern Combination Wrench	217000	Wrench	25-004	1/8" Full Polish Regular Combination Wrench 6 Point
	12 Point	27-832	1" Open End Full Polish 15 and 60° Full Polish Angle Wrench	25-005	5/32" Full Polish Regular Combination Wrench 6 Point

E T

STER

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
25-006	3/16" Full Polish Regular Combination Wrench 6 Point	10-412	1/4" Drive 8 Point Standard Socket 3/8"	11-116D	3/8" Drive 12 Point Standard Socket 1/2"
25-008	1/4" Full Polish Regular Combination Wrench 6 Point	11-008D	3/8" Drive 6 Point Standard Socket 1/4"	11-118D	3/8" Drive 12 Point Standard Socket 9/16"
52-004	4mm Full Polish Regular Combination Wrench 6 Point	11-010D	3/8" Drive 6 Point Standard Socket 5/16"	11-120	3/8" Drive 12 Point Standard Socket 5/8"
52-005	5mm Full Polish Regular Combination Wrench 6 Point	11-011D	3/8" Drive 6 Point Standard Socket 11/32"	11-122	3/8" Drive 12 Point Standard Socket 11/16"
52-083	5.5mm Full Polish Regular Combination Wrench 6 Point	11-012D	3/8" Drive 6 Point Standard Socket 3/8"	11-124	3/8" Drive 12 Point Standard Socket 3/4"
52-006	6mm Full Polish Regular Combination Wrench 6 Point	11-014D	3/8" Drive 6 Point Standard Socket 7/16"	11-126	3/8" Drive 12 Point Standard Socket 13/16"
52-007	7mm Full Polish Regular Combination Wrench 6 Point	11-016D	3/8" Drive 6 Point Standard Socket 1/2"	11-128	3/8" Drive 12 Point Standard Socket 7/8"
52-008	8mm Full Polish Regular Combination Wrench 6 Point	11-018D	3/8" Drive 6 Point Standard Socket 9/16"	11-130	3/8" Drive 12 Point Standard Socket 15/16"
52-009	9mm Full Polish Regular Combination Wrench 6 Point	11-020D	3/8" Drive 6 Point Standard Socket 5/8"	11-132	3/8" Drive 12 Point Standard Socket 1"
25-108	1/4" Full Polish Regular Combination Wrench 12 Point	11-022	3/8" Drive 6 Point Standard Socket 11/16"	11-308	3/8" Drive 12 Point Deep Socket 1/4"
25-109	9/32" Full Polish Regular Combination Wrench 12 Point	11-024	3/8" Drive 6 Point Standard Socket 3/4"	11-310	3/8" Drive 12 Point Deep Socket 5/16"
25-110	5/16" Full Polish Regular Combination Wrench 12 Point	11-026D	3/8" Drive 6 Point Standard Socket 13/16"	11-312	3/8" Drive 12 Point Deep Socket 3/8"
25-111	11/32" Full Polish Regular Combination Wrench 12 Point	11-028D	3/8" Drive 6 Point Standard Socket 7/8"	11-314	3/8" Drive 12 Point Deep Socket 7/16"
25-112	3/8" Full Polish Regular Combination Wrench 12 Point	11-208D	3/8" Drive 6 Point Deep Socket 1/4"	11-316	3/8" Drive 12 Point Deep Socket 1/2"
25-114	7/16" Full Polish Regular Combination Wrench 12 Point	11-210D	3/8" Drive 6 Point Deep Socket 5/16"	11-318	3/8" Drive 12 Point Deep Socket 9/16"
25-116	1/2" Full Polish Regular Combination Wrench 12 Point	11-211	3/8" Drive 6 Point Deep Socket 11/32"	11-320	3/8" Drive 12 Point Deep Socket 5/8"
25-118	9/16" Full Polish Regular Combination Wrench 12 Point	11-212	3/8" Drive 6 Point Deep Socket 3/8"	11-322	3/8" Drive 12 Point Deep Socket 11/16"
25-120	5/8" Full Polish Regular Combination Wrench 12 Point	11-214D	3/8" Drive 6 Point Deep Socket 7/16"	11-324	3/8" Drive 12 Point Deep Socket 3/4"
25-122	11/16" Full Polish Regular Combination Wrench 12 Point	11-216	3/8" Drive 6 Point Deep Socket 1/2"	11-326D	3/8" Drive 12 Point Deep Socket 13/16"
25-124	3/4" Full Polish Regular Combination Wrench 12 Point	11-218	3/8" Drive 6 Point Deep Socket 9/16"	11-328	3/8" Drive 12 Point Deep Socket 7/8"
25-126	13/16" Full Polish Regular Combination Wrench 12 Point	11-220	3/8" Drive 6 Point Deep Socket 5/8"	11-330	3/8" Drive 12 Point Deep Socket 15/16"
25-128	7/8" Full Polish Regular Combination Wrench 12 Point	11-222D	3/8" Drive 6 Point Deep Socket 11/16"	11-332	3/8" Drive 12 Point Deep Socket 1"
25-120	15/16" Full Polish Regular Combination Wrench 12 Point	11-224	3/8" Drive 6 Point Deep Socket 11/10	38-106	3/8" Drive 12 Point Standard Socket 6mm
25-130	1" Full Polish Regular Combination Wrench 12 Point	11-226	3/8" Drive 6 Point Deep Socket 13/16"	38-107	3/8" Drive 12 Point Standard Socket Onini 3/8" Drive 12 Point Standard Socket 7mm
	1/4" Drive 6 Point Standard Socket 3/16"		•		
10-006D 10-007D	1/4" Drive 6 Point Standard Socket 3/16" 1/4" Drive 6 Point Standard Socket 7/32"	11-228 38-006	3/8" Drive 6 Point Deep Socket 7/8" 3/8" Drive 6 Point Standard Socket 6mm	38-108 38-109	3/8" Drive 12 Point Standard Socket 8mm 3/8" Drive 12 Point Standard Socket 9mm
10-008D	1/4" Drive 6 Point Standard Socket 1/4"	38-007D	3/8" Drive 6 Point Standard Socket 7mm	38-110	3/8" Drive 12 Point Standard Socket 10mm
10-009D	1/4" Drive 6 Point Standard Socket 9/32"	38-008D	3/8" Drive 6 Point Standard Socket 8mm	38-111	3/8" Drive 12 Point Standard Socket 11mm
10-010	1/4" Drive 6 Point Standard Socket 5/16"	38-009	3/8" Drive 6 Point Standard Socket 9mm	38-112	3/8" Drive 12 Point Standard Socket 12mm
10-011	1/4" Drive 6 Point Standard Socket 11/32"	38-010D	3/8" Drive 6 Point Standard Socket 10mm	38-113	3/8" Drive 12 Point Standard Socket 13mm
10-012	1/4" Drive 6 Point Standard Socket 3/8"	38-011	3/8" Drive 6 Point Standard Socket 11mm	38-114	3/8" Drive 12 Point Standard Socket 14mm
10-014	1/4" Drive 6 Point Standard Socket 7/16"	38-012D	3/8" Drive 6 Point Standard Socket 12mm	38-115	3/8" Drive 12 Point Standard Socket 15mm
10-016D	1/4" Drive 6 Point Standard Socket 1/2"	38-013	3/8" Drive 6 Point Standard Socket 13mm	38-116	3/8" Drive 12 Point Standard Socket 16mm
10-018D	1/4" Drive 6 Point Standard Socket 9/16"	38-014	3/8" Drive 6 Point Standard Socket 14mm	38-117	3/8" Drive 12 Point Standard Socket 17mm
10-206	1/4" Drive 6 Point Deep Socket 3/16"	38-015	3/8" Drive 6 Point Standard Socket 15mm	38-118	3/8" Drive 12 Point Standard Socket 18mm
10-207	1/4" Drive 6 Point Deep Socket 7/32"	38-016	3/8" Drive 6 Point Standard Socket 16mm	38-119	3/8" Drive 12 Point Standard Socket 19mm
10-208	1/4" Drive 6 Point Deep Socket 1/4"	38-017	3/8" Drive 6 Point Standard Socket 17mm	38-120	3/8" Drive 12 Point Standard Socket 20mm
10-209	1/4" Drive 6 Point Deep Socket 9/32"	38-018	3/8" Drive 6 Point Standard Socket 18mm	38-121	3/8" Drive 12 Point Standard Socket 21mm
10-210	1/4" Drive 6 Point Deep Socket 5/16"	38-019	3/8" Drive 6 Point Standard Socket 19mm	38-122	3/8" Drive 12 Point Standard Socket 22mm
10-211	1/4" Drive 6 Point Deep Socket 11/32"	38-021	3/8" Drive 6 Point Standard Socket 21mm	38-123	3/8" Drive 12 Point Standard Socket 23mm
10-212	1/4" Drive 6 Point Deep Socket 3/8"	38-022	3/8" Drive 6 Point Standard Socket 22mm	38-126	3/8" Drive 12 Point Standard Socket 26mm
10-214	1/4" Drive 6 Point Deep Socket 7/16"	38-023D	3/8" Drive 6 Point Standard Socket 23mm	38-306	3/8" Drive 12 Point Deep Socket 6mm
10-216	1/4" Drive 6 Point Deep Socket 1/2"	38-026	3/8" Drive 6 Point Standard Socket 26mm	38-307	3/8" Drive 12 Point Deep Socket 7mm
10-218	1/4" Drive 6 Point Deep Socket 9/16"	38-206	3/8" Drive 6 Point Deep Socket 6mm	38-308	3/8" Drive 12 Point Deep Socket 8mm
37-004	1/4" Drive 6 Point Standard Socket 4mm	38-207	3/8" Drive 6 Point Deep Socket 7mm	38-309	3/8" Drive 12 Point Deep Socket 9mm
37-005	1/4" Drive 6 Point Standard Socket 5mm	38-208	3/8" Drive 6 Point Deep Socket 8mm	38-310	3/8" Drive 12 Point Deep Socket 10mm
37-083	1/4" Drive 6 Point Standard Socket 5.5mm	38-209	3/8" Drive 6 Point Deep Socket 9mm	38-311	3/8" Drive 12 Point Deep Socket 11mm
37-006	1/4" Drive 6 Point Standard Socket 6mm	38-210	3/8" Drive 6 Point Deep Socket 10mm	38-312	3/8" Drive 12 Point Deep Socket 12mm
37-007	1/4" Drive 6 Point Standard Socket 7mm	38-211	3/8" Drive 6 Point Deep Socket 11mm	38-313	3/8" Drive 12 Point Deep Socket 13mm
37-008	1/4" Drive 6 Point Standard Socket 8mm	38-212	3/8" Drive 6 Point Deep Socket 12mm	38-314	3/8" Drive 12 Point Deep Socket 14mm
37-009D	1/4" Drive 6 Point Standard Socket 9mm	38-213	3/8" Drive 6 Point Deep Socket 13mm	38-315	3/8" Drive 12 Point Deep Socket 15mm
37-010	1/4" Drive 6 Point Standard Socket 10mm	38-214	3/8" Drive 6 Point Deep Socket 14mm	38-316	3/8" Drive 12 Point Deep Socket 16mm
37-011	1/4" Drive 6 Point Standard Socket 11mm	38-215	3/8" Drive 6 Point Deep Socket 15mm	38-317	3/8" Drive 12 Point Deep Socket 17mm
37-012D	1/4" Drive 6 Point Standard Socket 12mm	38-216	3/8" Drive 6 Point Deep Socket 16mm	38-318	3/8" Drive 12 Point Deep Socket 18mm
37-013	1/4" Drive 6 Point Standard Socket 13mm	38-217	3/8" Drive 6 Point Deep Socket 17mm	38-319	3/8" Drive 12 Point Deep Socket 19mm
37-014D	1/4" Drive 6 Point Standard Socket 14mm	38-218	3/8" Drive 6 Point Deep Socket 18mm	38-320	3/8" Drive 12 Point Deep Socket 20mm
37-204	1/4" Drive 6 Point Deep Socket 4mm	38-219	3/8" Drive 6 Point Deep Socket 19mm	38-321	3/8" Drive 12 Point Deep Socket 21mm
37-205	1/4" Drive 6 Point Deep Socket 5mm	38-220	3/8" Drive 6 Point Deep Socket 20mm	38-322	3/8" Drive 12 Point Deep Socket 22mm
37-283	1/4" Drive 6 Point Deep Socket 5.5mm	38-221	3/8" Drive 6 Point Deep Socket 21mm	38-323	3/8" Drive 12 Point Deep Socket 23mm
37-206	1/4" Drive 6 Point Deep Socket 6.5mm	38-222	3/8" Drive 6 Point Deep Socket 22mm	12-012	1/2" Drive 6 Point Standard Socket 3/8"
37-200	1/4" Drive 6 Point Deep Socket 7mm	38-223	3/8" Drive 6 Point Deep Socket 23mm	12-012	1/2" Drive 6 Point Standard Socket 7/16"
			3/8" Drive 8 Point Standard Socket 1/4"		1/2" Drive 6 Point Standard Socket 1/16 1/2" Drive 6 Point Standard Socket 1/2"
37-208	1/4" Drive 6 Point Deep Socket 8mm	11-408		12-016	
37-209	1/4" Drive 6 Point Deep Socket 9mm	11-410	3/8" Drive 8 Point Standard Socket 5/16"	12-018	1/2" Drive 6 Point Standard Socket 9/16"
37-210	1/4" Drive 6 Point Deep Socket 10mm	11-412	3/8" Drive 8 Point Standard Socket 3/8"	12-020	1/2" Drive 6 Point Standard Socket 5/8"
37-211	1/4" Drive 6 Point Deep Socket 11mm	11-414	3/8" Drive 8 Point Standard Socket 7/16"	12-022D	1/2" Drive 6 Point Standard Socket 11/16"
37-212	1/4" Drive 6 Point Deep Socket 12mm	11-416	3/8" Drive 8 Point Standard Socket 1/2"	12-024	1/2" Drive 6 Point Standard Socket 3/4"
37-213	1/4" Drive 6 Point Deep Socket 13mm	11-108	3/8" Drive 12 Point Standard Socket 1/4"	12-026	1/2" Drive 6 Point Standard Socket 13/16"
	1/4" Drive C Doint Doop Cooket 14mm	11-110	3/8" Drive 12 Point Standard Socket 5/16"	12-028D	1/2" Drive 6 Point Standard Socket 7/8"
37-214	1/4" Drive 6 Point Deep Socket 14mm				
37-214 10-408 10-410	1/4" Drive 8 Point Standard Socket 1/4" 1/4" Drive 8 Point Standard Socket 1/4" 1/4" Drive 8 Point Standard Socket 5/16"	11-112D 11-114D	3/8" Drive 12 Point Standard Socket 3/8" 3/8" Drive 12 Point Standard Socket 7/16"	12-030D 12-032D	1/2" Drive 6 Point Standard Socket 15/16" 1/2" Drive 6 Point Standard Socket 1"



Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
2-034	1/2" Drive 6 Point Standard Socket 1-1/16"	39-110D	1/2" Drive 12 Point Standard Socket 10mm	13-170	3/4" Drive 12 Point Standard Socket 2-3/16"
-036D	1/2" Drive 6 Point Standard Socket 1-1/8"	39-111	1/2" Drive 12 Point Standard Socket 11mm	13-172	3/4" Drive 12 Point Standard Socket 2-1/4"
-038	1/2" Drive 6 Point Standard Socket 1-3/16"	39-112	1/2" Drive 12 Point Standard Socket 12mm	13-176D	3/4" Drive 12 Point Standard Socket 2-3/8"
-040D	1/2" Drive 6 Point Standard Socket 1-1/4"	39-113	1/2" Drive 12 Point Standard Socket 13mm	13-328	3/4" Drive 12 Point Deep Socket 7/8"
-042D	1/2" Drive 6 Point Standard Socket 1-5/16"	39-114	1/2" Drive 12 Point Standard Socket 14mm	13-330	3/4" Drive 12 Point Deep Socket 15/16"
-044	1/2" Drive 6 Point Standard Socket 1-3/8"	39-115	1/2" Drive 12 Point Standard Socket 15mm	13-332	3/4" Drive 12 Point Deep Socket 1"
046D	1/2" Drive 6 Point Standard Socket 1-7/16"	39-116	1/2" Drive 12 Point Standard Socket 16mm	13-334	3/4" Drive 12 Point Deep Socket 1-1/16"
048	1/2" Drive 6 Point Standard Socket 1-1/2"	39-117	1/2" Drive 12 Point Standard Socket 17mm	13-336	3/4" Drive 12 Point Deep Socket 1-1/8"
212	1/2" Drive 6 Point Deep Socket 3/8"	39-118D	1/2" Drive 12 Point Standard Socket 18mm	13-340	3/4" Drive 12 Point Deep Socket 1-1/4"
214	1/2" Drive 6 Point Deep Socket 7/16"	39-119D	1/2" Drive 12 Point Standard Socket 19mm	13-342	3/4" Drive 12 Point Deep Socket 1-5/16"
216	1/2" Drive 6 Point Deep Socket 1/2"	39-120D	1/2" Drive 12 Point Standard Socket 20mm	13-344	3/4" Drive 12 Point Deep Socket 1-3/8"
218	1/2" Drive 6 Point Deep Socket 9/16"	39-121D	1/2" Drive 12 Point Standard Socket 21mm	13-346	3/4" Drive 12 Point Deep Socket 1-7/16"
220	1/2" Drive 6 Point Deep Socket 5/8"	39-122D	1/2" Drive 12 Point Standard Socket 22mm	13-348	3/4" Drive 12 Point Deep Socket 1-1/2"
222	1/2" Drive 6 Point Deep Socket 11/16"	39-123	1/2" Drive 12 Point Standard Socket 23mm	13-352	3/4" Drive 12 Point Deep Socket 1-5/8"
224	1/2" Drive 6 Point Deep Socket 3/4"	39-124	1/2" Drive 12 Point Standard Socket 24mm	40-122	3/4" Drive 12 Point Standard Socket 22mm
226	1/2" Drive 6 Point Deep Socket 13/16"	39-125D	1/2" Drive 12 Point Standard Socket 25mm	40-123	3/4" Drive 12 Point Standard Socket 23mm
228D	1/2" Drive 6 Point Deep Socket 13/16	39-1250	1/2" Drive 12 Point Standard Socket 25mm	40-123	3/4" Drive 12 Point Standard Socket 24mm
		39-120		40-124	3/4" Drive 12 Point Standard Socket 24mm
230D	1/2" Drive 6 Point Deep Socket 15/16"		1/2" Drive 12 Point Standard Socket 27mm 1/2" Drive 12 Point Standard Socket 28mm		3/4" Drive 12 Point Standard Socket 25mm
232 234D	1/2" Drive 6 Point Deep Socket 1"	39-128		40-126 40-127	
234D 236D	1/2" Drive 6 Point Deep Socket 1-1/16" 1/2" Drive 6 Point Deep Socket 1-1/8"	39-129	1/2" Drive 12 Point Standard Socket 29mm	40-127	3/4" Drive 12 Point Standard Socket 27mm
		39-130	1/2" Drive 12 Point Standard Socket 30mm		3/4" Drive 12 Point Standard Socket 28mm
238D	1/2" Drive 6 Point Deep Socket 1-3/16"	39-132	1/2" Drive 12 Point Standard Socket 32mm	40-129	3/4" Drive 12 Point Standard Socket 29mm
240	1/2" Drive 6 Point Deep Socket 1-1/4"	39-136	1/2" Drive 12 Point Standard Socket 36mm	40-130	3/4" Drive 12 Point Standard Socket 30mm
412	1/2" Drive 8 Point Standard Socket 3/8"	39-310	1/2" Drive 12 Point Deep Socket 10mm	40-132	3/4" Drive 12 Point Standard Socket 32mm
414	1/2" Drive 8 Point Standard Socket 7/16"	39-311	1/2" Drive 12 Point Deep Socket 11mm	40-135	3/4" Drive 12 Point Standard Socket 35mm
416	1/2" Drive 8 Point Standard Socket 1/2"	39-312	1/2" Drive 12 Point Deep Socket 12mm	40-136	3/4" Drive 12 Point Standard Socket 36mm
418	1/2" Drive 8 Point Standard Socket 9/16"	39-313	1/2" Drive 12 Point Deep Socket 13mm	40-138	3/4" Drive 12 Point Standard Socket 38mm
420	1/2" Drive 8 Point Standard Socket 5/8"	39-314	1/2" Drive 12 Point Deep Socket 14mm	40-141	3/4" Drive 12 Point Standard Socket 41mm
422	1/2" Drive 8 Point Standard Socket 11/16"	39-315	1/2" Drive 12 Point Deep Socket 15mm	40-142	3/4" Drive 12 Point Standard Socket 42mm
424	1/2" Drive 8 Point Standard Socket 3/4"	39-316	1/2" Drive 12 Point Deep Socket 16mm	40-146	3/4" Drive 12 Point Standard Socket 46mm
426D	1/2" Drive 8 Point Standard Socket 13/16"	39-317	1/2" Drive 12 Point Deep Socket 17mm	40-150	3/4" Drive 12 Point Standard Socket 50mm
428	1/2" Drive 8 Point Standard Socket 7/8"	39-318	1/2" Drive 12 Point Deep Socket 18mm	40-322	3/4" Drive 12 Point Deep Socket 22mm
432	1/2" Drive 8 Point Standard Socket 1"	39-319	1/2" Drive 12 Point Deep Socket 19mm	40-323	3/4" Drive 12 Point Deep Socket 23mm
112D	1/2" Drive 12 Point Standard Socket 3/8"	39-320	1/2" Drive 12 Point Deep Socket 20mm	40-324	3/4" Drive 12 Point Deep Socket 24mm
114	1/2" Drive 12 Point Standard Socket 7/16"	39-321	1/2" Drive 12 Point Deep Socket 21mm	40-327	3/4" Drive 12 Point Deep Socket 27mm
116D	1/2" Drive 12 Point Standard Socket 1/2"	39-322	1/2" Drive 12 Point Deep Socket 22mm	40-330	3/4" Drive 12 Point Deep Socket 30mm
118D	1/2" Drive 12 Point Standard Socket 9/16"	39-323	1/2" Drive 12 Point Deep Socket 23mm	40-332	3/4" Drive 12 Point Deep Socket 32mm
119	1/2" Drive 12 Point Standard Socket 19/32"	39-324	1/2" Drive 12 Point Deep Socket 24mm	40-335	3/4" Drive 12 Point Deep Socket 35mm
120	1/2" Drive 12 Point Standard Socket 5/8"	39-325	1/2" Drive 12 Point Deep Socket 25mm	40-336	3/4" Drive 12 Point Deep Socket 36mm
122	1/2" Drive 12 Point Standard Socket 11/16"	39-326	1/2" Drive 12 Point Deep Socket 26mm	40-338D	3/4" Drive 12 Point Deep Socket 38mm
124	1/2" Drive 12 Point Standard Socket 3/4"	39-327	1/2" Drive 12 Point Deep Socket 27mm	40-341	3/4" Drive 12 Point Deep Socket 41mm
125	1/2" Drive 12 Point Standard Socket 25/32"	39-328	1/2" Drive 12 Point Deep Socket 28mm	40-346	3/4" Drive 12 Point Deep Socket 46mm
126	1/2" Drive 12 Point Standard Socket 13/16"	39-329	1/2" Drive 12 Point Deep Socket 29mm	40-350	3/4" Drive 12 Point Deep Socket 50mm
128	1/2" Drive 12 Point Standard Socket 7/8"	39-330	1/2" Drive 12 Point Deep Socket 30mm	12-504	1/2" Drive Spark Plug Socket with Rubber Insert 13/
130	1/2" Drive 12 Point Standard Socket 15/16"	39-332	1/2" Drive 12 Point Deep Socket 32mm	10-947	1/4" Drive Universal Joint
132	1/2" Drive 12 Point Standard Socket 1"	13-124	3/4" Drive 12 Point Standard Socket 3/4"	11-947	3/8" Drive Universal Joint
134	1/2" Drive 12 Point Standard Socket 1-1/16"	13-126	3/4" Drive 12 Point Standard Socket 13/16"	11-512D	3/8" Drive 12-Point Universal Joint 3/8"
136D	1/2" Drive 12 Point Standard Socket 1-1/8"	13-128	3/4" Drive 12 Point Standard Socket 7/8"	11-514	3/8" Drive 12-Point Universal Joint 7/16"
138D	1/2" Drive 12 Point Standard Socket 1-3/16"	13-130	3/4" Drive 12 Point Standard Socket 15/16"	11-516	3/8" Drive 12-Point Universal Joint 1/2"
140	1/2" Drive 12 Point Standard Socket 1-1/4"	13-132	3/4" Drive 12 Point Standard Socket 1"	11-518	3/8" Drive 12-Point Universal Joint 9/16"
142D	1/2" Drive 12 Point Standard Socket 1-5/16"	13-134	3/4" Drive 12 Point Standard Socket 1-1/16"	11-520	3/8" Drive 12-Point Universal Joint 5/8"
144D	1/2" Drive 12 Point Standard Socket 1-3/10	13-136	3/4" Drive 12 Point Standard Socket 1-1/8"	11-522	3/8" Drive 12-Point Universal Joint 11/16"
146D	1/2" Drive 12 Point Standard Socket 1-3/8"	13-138	3/4" Drive 12 Point Standard Socket 1-1/6"	11-524	3/8" Drive 12-Point Universal Joint 3/4"
148D	1/2" Drive 12 Point Standard Socket 1-7/10	13-140	3/4" Drive 12 Point Standard Socket 1-3/10	12-947	1/2" Drive Universal Joint
316	1/2" Drive 12 Point Deep Socket 1-1/2"	13-140	3/4" Drive 12 Point Standard Socket 1-1/4 3/4" Drive 12 Point Standard Socket 1-5/16"	13-947	3/4" Drive Universal Joint
	1/2" Drive 12 Point Deep Socket 1/2 1/2" Drive 12 Point Deep Socket 9/16"		3/4" Drive 12 Point Standard Socket 1-3/16 3/4" Drive 12 Point Standard Socket 1-3/8"		
318 220	•	13-144		12-516	1/2" Drive 12 Point Universal Socket 1/2"
320	1/2" Drive 12 Point Deep Socket 5/8"	13-146	3/4" Drive 12 Point Standard Socket 1-7/16"	12-518 12-520D	1/2" Drive 12 Point Universal Socket 9/16"
322	1/2" Drive 12 Point Deep Socket 11/16"	13-148D	3/4" Drive 12 Point Standard Socket 1-1/2"	12-520D	1/2" Drive 12 Point Universal Socket 5/8"
324	1/2" Drive 12 Point Deep Socket 3/4"	13-150	3/4" Drive 12 Point Standard Socket 1-9/16"	12-522	1/2" Drive 12 Point Universal Socket 11/16"
326	1/2" Drive 12 Point Deep Socket 13/16"	13-152	3/4" Drive 12 Point Standard Socket 1-5/8"	12-524	1/2" Drive 12 Point Universal Socket 3/4"
328	1/2" Drive 12 Point Deep Socket 7/8"	13-154D	3/4" Drive 12 Point Standard Socket 1-11/16"		
330	1/2" Drive 12 Point Deep Socket 15/16"	13-156D	3/4" Drive 12 Point Standard Socket 1-3/4"		
332	1/2" Drive 12 Point Deep Socket 1"	13-158	3/4" Drive 12 Point Standard Socket 1-13/16"		
334	1/2" Drive 12 Point Deep Socket 1-1/16"	13-160	3/4" Drive 12 Point Standard Socket 1-7/8"		
-336	1/2" Drive 12 Point Deen Socket 1-1/8"	13-164	3/4" Drive 12 Point Standard Socket 2"		

3/4" Drive 12 Point Standard Socket 2"

3/4" Drive 12 Point Standard Socket 2-1/8"

12-336

1/2" Drive 12 Point Deep Socket 1-1/8"

12-340 1/2" Drive 12 Point Deep Socket 1-1/4"

13-164

13-168

ARMSTRONG Tool Storage

Armstrong® tool storage products offer a wide variety of roller cabinets, top chests, and storage options for just about any application. Armstrong top chests and roller cabinets are available in three distinct series: the Industrial Series, designed for extreme industrial use with the largest capacities; the Professional Series, designed for heavy industrial use; and the Standard Series, designed for regular industrial use. All Armstrong tool storage units are made to exacting standards and feature perfectly matched components including gauge of steel, heavy-duty casters, ball bearing drawer slides, finish, and lock and latching mechanisms.



Interior walls provide rigidity for slides, drawers and weight distribution from top to bottom

Double wall construction increases the rigidity — of the exterior walls as it interlocks corner posts and eliminates corner cracking and racking

Fully-recessed drawers prevent inadvertent collisions

Full drawer extension allows complete access to drawer contents



L-channels reinforce sides for stable drawer support

Floor panel with U-beam construction completes the unibody case. This is the foundation of the toolbox.

-16 gauge corner posts provide weight bearing support structure for the case

Heavy-duty ballbearing slides offer smooth operation even under extreme weight loads

Industrial scratch-resistant finish resists scratches and wear, even in the most severe industrial environments

Unibody design - minimum 18 gauge steel -maintains squareness and allows for extra load strength and mobility

Heavy duty 6" x 2" — casters maximize mobility and durability