| Tyco Electronics | Our commitment. Your advantage. | | Search |
|--|---|---|---|
| Products Documentation | Resources My Account Customer Support | | |
| <u>Home > Products > By Type > CHA</u> 5-5175473 -6 Product | <u>MP Connectors</u> > <u>Product Feature Selector</u> > Product Details Details | | |
| | | C | Live Product Chat US Only 8:30am - 5pm ET, Mon - Fri |
| | 1.27 [.050] Series I, HD, FH and J Connectors | Openation openation | Quick Links |
| | Always EU RoHS/ELV Compliant (Statement of Product Highlights: | <u>Compliance</u>) | Search for Tooling Product Feature Selector |
| 5-5175473 -6 | Connector Plug Number of Positions = 50 1.27 mm Centerline | | <u>Contact Us About</u> <u>This Product</u> |
| | Standard Profile <u>View all Features</u> <u>Find Similar</u> <u>Products</u> | | |
| Documentation & Addition | al Information | | |
| Product Drawings: AMP CHAMP .050 CONNECTOR (B -T-B) PLUG CONNECTOR (VER (PDF, English) | | Additional Information: ? Product Line Information Additional Product Images: ? Side View | |
| Catalog Pages/Data Sheets: ? None Available | | | |
| Product Specifications: ? None Available | | Related Prod | |
| Application Specifications | : | | |
| Instruction Sheets: ? None Available | | | |
| CAD Files: (CAD Format & | Compression Information | | |

- <u>2D Drawing</u> (DXF, Version O)
- ? <u>3D Model</u> (IGES, Version O)
- ? <u>3D Model</u> (STEP, Version O)

List all Documents

| Product Type Featu | res: | Contact Related Features: |
|--------------------|--|---------------------------|
| Product Features | (Please use the Product Drawing for all design activity) | |

| Froduct Type reatures. | Contact Related Features. |
|---|---|
| ? <u>Product Type</u> = Connector | ? Contact Mating Area Plating Material = Gold |
| ? <u>Gender</u> = Plug | (30) |
| ? Number of Positions = 50 | ? Contact Material = Phosphor Bronze |
| Profile = Standard PCB Mount Style = Thru Hole | Housing Related Features: |
| PCB Retention Feature = Yes <u>PCB Mount Angle</u> = Vertical | Housing Temperature Rating = Standard Housing Material = Nylon Housing Flammability Rating = UL 94V -0 |
| <u>Connector Type</u> = High Density (HD) <u>PCB Polarization</u> = Without Retention Leg Material = Brass Color = Black Used For = Board To Board Applications Sealed Bottom = Without Mechanical Attachment: | Industry Standards: ? <u>RoHS/ELV Compliance</u> = RoHS compliant, ELV compliant ? <u>Lead Free Solder Processes</u> = Wave solder capable to 240°C, Wave solder capable to 260° C, Wave solder capable to 265°C |
| Retention Leg Plating = Tin over Nickel | RoHS/ELV Compliance History = Always was RoHS compliant |
| Termination Related Features: ? Termination (Solder) Post Length (mm [in]) 3.10 [0.122] | Operation/Application: ? <u>Application</u> = Standard |
| Body Related Features: ? <u>Centerline (mm [in])</u> = 1.27 [0.050] ? <u>PCB Retention Method</u> = Boardlock(s) | Other: P Brand = AMP |

Provide Website Feedback Contact Customer Support

Home | Customer Support | Suppliers | Site Map | Privacy Policy | Browser Support © 2008 Tyco Electronics Corporation All Rights Reserved

Downloaded from Arrow.com.