


# **Ordering Information**


Part Number	Ambient Temperature Range	Package	Environmental
AOZ8000HI	-40°C to +85°C	SC-70-6	RoHS Compliant
AOZ8000DI		DFN-6	
AOZ8000CIL		SOT23-6	RoHS Compliant
AOZ8000HIL		SC-70-6	Green Product



All AOS products are offered in packages with Pb-free plating and compliant to RoHS standards. Parts marked as Green Products (with "L" suffix) use reduced levels of Halogens, and are also RoHS compliant. Please visit www.aosmd.com/web/quality/rohs\_compliant.jsp for additional information.

# **Pin Configuration**





# **Absolute Maximum Ratings**

Exceeding the Absolute Maximum ratings may damage the device.

Parameter	Rating
VP – VN	6V
Peak Pulse Current (I <sub>PP</sub> ), t <sub>P</sub> = 8/20µs	5A
Peak Power Dissipation (8 x 20µs@ 25°C)	
SC-70	50W
DFN	70W
SOT-23	50W
Storage Temperature (T <sub>S</sub> )	-65°C to +150°C
ESD Rating per IEC61000-4-2, Contact <sup>(1)</sup>	±8kV
ESD Rating per IEC61000-4-2, Air <sup>(1)</sup>	±15kV
ESD Rating per Human Body Model <sup>(2)</sup>	±15kV

- 1. IEC 61000-4-2 discharge with  $C_{Discharge}$  = 150pF,  $R_{Discharge}$  = 330 $\Omega$ .
- 2. Human Body Discharge per MIL-STD-883, Method 3015  $C_{Discharge}$  = 100pF,  $R_{Discharge}$  = 1.5k $\Omega$ .

www.aosmd.com Page 2 of 15 Rev. 2.0 February 2009



# **Maximum Operating Ratings**

Parameter	Rating
Junction Temperature (T <sub>J</sub> )	-55°C to +125°C

#### **Electrical Characteristics**


Symbol	Parameter	Conditions	Min.	Тур.	Max.	Units
V <sub>RWM</sub>	Reverse Working Voltage	Between pin 5 and 2 <sup>(4)</sup>			5.5	V
V <sub>BR</sub>	Reverse Breakdown Voltage	I <sub>T</sub> = 1mA, between pins 5 and 2 <sup>(5)</sup>	6.6			V
I <sub>R</sub>	Reverse Leakage Current	V <sub>RWM</sub> = 5V, between pins 5 and 2			0.1	μΑ
V <sub>F</sub>	Diode Forward Voltage	I <sub>F</sub> = 15mA	0.70	0.85	1	V
V <sub>CL</sub>	Channel Clamp Voltage Positive Transients Negative Transient	$I_{PP} = 1A$ , tp = 100ns, any I/O pin to Ground <sup>(3)(6)(8)</sup>			10.50 -2.00	V V
	Channel Clamp Voltage Positive Transients Negative Transient	$I_{PP} = 5A$ , tp = 100ns, any I/O pin to Ground <sup>(3)(6)(8)</sup>			12.50 -3.50	V V
	Channel Clamp Voltage Positive Transients Negative Transient	$I_{PP} = 12A$ , tp = 100ns, any I/O pin to Ground <sup>(3)(6)(8)</sup>			15.00 -5.00	V V
C <sub>j</sub>	Junction Capacitance	$V_R = 0V$ , $f = 1MHz$ , any I/O pin to Ground <sup>(3)(7)</sup>		1.0	1.17	pF
ΔC <sub>j</sub>	Channel Input Capacitance Matching	V <sub>R</sub> = 0V, f = 1MHz, between I/O pins <sup>(3)</sup>			0.03	pF


#### Notes:


- 3. These specifications are guaranteed by design.
- 4. The working peak reverse voltage, V<sub>RWM</sub>, should be equal to or greater than the DC or continuous peak operating voltage level.
- 5.  $V_{BR}$  is measured at the pulse test current  $I_{T}$ .
- 6. Measurements performed with no external capacitor on  $\ensuremath{V_{P}}.$
- 7. Measurements performed with  $V_P$  biased to 3.3 Volts (pin 5 @ 3.3V).
- 8. Measurements performed using a 100ns Transmission Line Pulse (TLP) system.





# **Typical Performance Characteristics**





















### **Application Information**

The AOZ8000 TVS is design to protect four data lines from fast damaging transient over-voltage by clamping it to a reference. When the transient on a protected data line exceed the reference voltage the steering diode is forward bias thus, conducting the harmful ESD transient away from the sensitive circuitry under protection.

#### **PCB Layout Guidelines**


Printed circuit board layout is the key to achieving the highest level of surge immunity on power and data lines. The location of the protection devices on the PCB is the simplest and most important design rule to follow. The AOZ8000 devices should be located as close as possible to the noise source. The placement of the AOZ8000 devices should be used on all data and power lines that enter or exit the PCB at the I/O connector. In most systems, surge pulses occur on data and power lines that enter the PCB through the I/O connector. Placing the AOZ8000 devices as close as possible to the noise source ensures that a surge voltage will be clamped before the pulse can be coupled into adjacent PCB traces. In addition, the PCB should use the shortest possible traces. A short trace length equates to low impedance, which ensures that the surge energy will be dissipated by the AOZ8000 device. Long signal traces will act as antennas to receive energy from fields that are produced by the ESD pulse. By keeping line lengths as short as possible, the efficiency of the line to act as an antenna for ESD related fields is reduced. Minimize interconnecting line lengths by placing devices with the most interconnect as close together as possible. The protection circuits should shunt the surge voltage to either the reference or chassis ground. Shunting the surge voltage directly to the IC's signal ground can cause ground bounce. The clamping performance of TVS diodes on a single ground PCB can be improved by minimizing the impedance with relatively short and wide ground traces. The PCB layout and IC package parasitic inductances can cause significant overshoot to the TVS's clamping voltage. The inductance of the PCB can be

reduced by using short trace lengths and multiple layers with separate ground and power planes. One effective method to minimize loop problems is to incorporate a ground plane in the PCB design. The AOZ8000 ultra-low capacitance TVS is designed to protect four high speed data transmission lines from transient over-voltages by clamping them to a fixed reference. The low inductance and construction minimizes voltage overshoot during high current surges. When the voltage on the protected line exceeds the reference voltage the internal steering diodes are forward biased, conducting the transient current away from the sensitive circuitry.


Good circuit board layout is critical for the suppression of ESD induced transients. The following guidelines are recommended:

- Place the TVS near the IO terminals or connectors to restrict transient coupling.
- 2. Fill unused portions of the PCB with ground plane.
- Minimize the path length between the TVS and the protected line.
- 4. Minimize all conductive loops including power and ground loops.
- 5. The ESD transient return path to ground should be kept as short as possible.
- 6. Never run critical signals near board edges.
- 7. Use ground planes whenever possible.
- 8. Avoid running critical signal traces (clocks, resets, etc.) near PCB edges.
- 9. Separate chassis ground traces from components and signal traces by at least 4mm.
- Keep the chassis ground trace length-to-width ratio
   to minimize inductance.
- 11. Protect all external connections with TVS diodes.






**SIM Card Port Connection** 



**IEEE1394 Port Connection** 





10/100 Ethernet Port Connection


Rev. 2.0 February 2009 www.aosmd.com Page 6 of 15




# Package Dimensions, SC70-6L







#### RECOMMENDED LAND PATTERN



#### **Dimensions in millimeters**

Symbols	Min.	Nom.	Max.
Α		_	1.10
A1	0.00	_	0.10
A2	0.7	0.9	1.00
b	0.15	_	0.30
С	0.08	_	0.22
D	1.85	2.10	2.15
Е	1.80	2.30	2.40
е	(	).65 BSC	)
e1	-	1.30 BSC	
E1	1.1	1.30	1.4
L	0.26	0.36	0.46
θ	0°	4°	8°

#### **Dimensions in inches**

_						
Symbols	Min.	Nom.	Max.			
Α		_	0.043			
A1	0.00	_	0.004			
A2	0.028	0.035	0.039			
b	0.006	_	0.012			
С	0.003	_	0.009			
D	0.073	0.083	0.085			
Е	0.071	0.091	0.094			
е	0	.026 BS	С			
e1	0	.051 BS	С			
E1	0.043	0.051	0.055			
L	0.010	0.014	0.018			
θ	0°	4°	8°			


### Notes:

- 1. All dimensions are in millimeters.
- 2. Dimensions are inclusive of plating
- 3. Package body sizes exclude mold flash and gate burrs. Mold flash at the non-lead sides should be less than 3 mils.
- 4. Die is facing up for mold and facing down for trim/form; i.e., reverse trim/form.
- 5. Dimension L is measured in gauge plane.
- 6. Controlling dimension is millimeter, converted inch dimensions are not necessarily exact.

Rev. 2.0 February 2009 www.aosmd.com Page 7 of 15




# Tape and Reel Dimensions, SC70-6L




UNIT: mm

Package	A0	В0	K0	D0	D1	Е	E1	E2	P0	P1	P2	Т
SC-70, 6L	2.40	2.40	1.19	1.00	1.55	8.00	1.75	3.50	4.00	4.00	2.00	0.25
(8mm)	±0.10	±0.10	±0.10	Min.	±0.05	±0.30	±0.10	±0.05	±0.10	±0.10	±0.05	±0.05



Tape Size	Reel Size	М	N	W	W1	Н	K	s	G	R	V
8mm	ø180	ø180.00	ø60.50	9.00	11.40	ø13.00	10.60	2.00	ø9.00	5.00	18.00
		±0.50		±0.30	±1.00	+0.50/-0.20		±0.50			


#### **Leader/Trailer and Orientation**




Rev. 2.0 February 2009 www.aosmd.com Page 8 of 15



# Package Dimensions, SOT23-6L



#### **RECOMMENDED LAND PATTERN**



#### **Dimensions in millimeters**

Symbols	Min.	Nom.	Max.
Α	0.90		1.25
A1	0.00	_	0.15
A2	0.80	1.10	1.20
b	0.30	0.40	0.50
С	0.08	0.13	0.20
D	2.70	2.90	3.10
Е	2.50	2.80	3.10
E1	1.50	1.60	1.70
е	(	).95 BSC	;
e1	-	1.90 BSC	;
L	0.30	_	0.60
θ1	0°	_	8°

#### **Dimensions in inches**

Symbols	Min.	Nom.	Max.
Α	0.035		0.049
A1	0.00	_	0.006
A2	0.031	0.043	0.047
b	0.012	0.016	0.020
С	0.003	0.005	0.008
D	0.106	0.114	0.122
Е	0.098	0.110	0.122
E1	0.059	0.063	0.067
е	0	.037 BS	С
e1	0	.075 BS	C
L	0.012	_	0.024
θ1	0°	_	8°

#### Notes:


- 1. Package body sizes exclude mold flash and gate burrs. Mold flash at the non-lead sides should be less than 5 mils each.
- 2. Dimension "L" is measured in gauge plane.
- 3. Tolerance  $\pm 0.100$ mm (4 mil) unless otherwise specified.
- 4. Followed from JEDEC MO-178C & MO-193C.
- 6. Controlling dimension is millimeter. Converted inch dimensions are not necessarily exact.

Rev. 2.0 February 2009 www.aosmd.com Page 9 of 15




# Tape and Reel Dimensions, SOT23-6L





UNIT: mm


Package	A0	В0	K0	D0	D1	E	E1	E2	P0	P1	P2	Т
SOT-23	3.15	3.20	1.40	1.50	1.00	8.00	1.75	3.50	4.00	4.00	2.00	0.23
5 & 6L LP	±0.10	±0.10	±0.10	±0.05	+0.10/-0.00	±0.30	±0.10	±0.05	±0.10	±0.10	±0.05	±0.03



UNIT: mm

Tape Size	Reel Size	М	N	W1	Н	S	K	R	J
8mm	ø177.8	ø177.8 Max.	55.0 Min.	8.4 +1.50 / -0.0	13.0 +0.5 / -0.2	1.5 Min	10.1 Min.	12.7	4.0 ±0.1


# Leader/Trailer and Orientation




Rev. 2.0 February 2009 www.aosmd.com Page 10 of 15




# Package Dimensions, DFN 2 x 2 (Page 1 of 3)






#### **BOTTOM VIEW**




Rev. 2.0 February 2009 www.aosmd.com Page 11 of 15




# Package Dimensions, DFN 2 x 2 (Page 2 of 3)





#### **RECOMMENDED LAND PATTERN**



Unit: mm

Rev. 2.0 February 2009 www.aosmd.com Page 12 of 15



# Package Dimensions, DFN 2 x 2 (Page 3 of 3)

#### **Dimensions in millimeters**


Symbols	Min.	Max.					
Α	0.80	0.90	1.00				
A1	0.00	0.025	0.05				
A2	0.65	0.70	0.75				
A3	0.15	0.20	0.25				
b	0.18	0.20	0.28				
D		2.0 BSC					
E		2.0 BSC					
е	(	0.65 BSC					
E4	0.56	0.66	0.76				
E2	0.84	0.94	1.04				
D4	0.21	0.31	0.41				
D2	0.52	0.62	0.72				
L	0.20	0.29	0.45				
L1		_					
L2	_   _		0.125				
R	0.075 REF						
R1	0.075 REF						
R2	_						
aaa	0.10						
bbb	0.10						
ccc	0.10						
ddd	0.05						
eee		0.08					
θ	0°	0° 10° 12°					

#### **Dimensions in inches**

Symbols	Min.	Max.				
Α	0.031	0.035	0.039			
A1	0.000	0.001	0.002			
A2	0.026	0.028	0.030			
A3	0.006	0.008	0.010			
b	0.007	0.008	0.011			
D	0	.079 BS	С			
E	0	.079 BS	C			
е	0	.026 BS	С			
E4	0.022	0.026	0.030			
E2	0.033 0.037		0.041			
D4	0.008	0.012	0.016			
D2	0.020	0.024	0.028			
L	0.008 0.011		0.018			
L1						
L2	_	0.005				
R	0.003 REF					
R1	0.003 REF					
R2	_					
aaa	0.004					
bbb	0.004					
ccc	0.004					
ddd	0.002					
eee	0.003					
θ	0° 10° 12					

#### Notes:

1. Dimensioning and tolerances conform to ASME Y14.5M-1994.



3. The terminal #1 identifier and terminal numbering convention shall conform to JESD 95-1 SPP-012. Details of terminal #1 are optional, but must be located within the zone indicated. The terminal #1 identifier may be a molded, marked, or metalized feature.

 $\sqrt{4}$ . Dimension b apply to metallized terminal and is measured between 0.15mm and 0.20mm from terminal tip.

 $\sqrt{5}$ . Coplanarity applies to the exposed heat sink slug as well as the terminal.

6. Profile tolerance (aaa) will be applicable only to the plastic body, and not to the metallized fetures (such as terminal tips and tie bars.)

Metallized features may protrude a maximum of L2 from the plastic body profile.

 $\sqrt{7.}$  Corners will be sharp unless otherwise specified with radius dimensions.

8. This feature applies to both ends of the package.


9. If L1 max. is not called out, the metalized feature will extend to the exposed pad. Thus, the 0.17mm gap does not apply.

Rev. 2.0 February 2009 www.aosmd.com Page 13 of 15



# Tape and Reel Dimensions, DFN 2 x 2






UNIT: mm

Packag	e A0	В0	K0	D0	D1	E	E1	E2	P0	P1	P2	T
DFN 2x	2 2.25	2.25	1.00	1.50	1.00	8.00	1.75	3.50	4.00	4.00	2.00	0.254
	±0.05	±0.05	±0.05	+0.1/-0	±0.25/-0	+0.30/-0.10	±0.10	±0.05	±0.10	±0.10	±0.10	±0.02


#### Reel



UNIT: mm

Tape Size	Reel Size	М	N	W1	Н	s	K	R
8mm	ø180	ø180.00	60.0	8.4	13.0	1.5	13.5	3.0
		±0.50	±0.50	+1.5/-0.0	±0.20	Min.	Min.	±0.50


# Leader / Trailer & Orientation




Rev. 2.0 February 2009 www.aosmd.com Page 14 of 15



# **Part Marking**





This datasheet contains preliminary data; supplementary data may be published at a later date. Alpha & Omega Semiconductor reserves the right to make changes at any time without notice.

#### LIFE SUPPORT POLICY

ALPHA & OMEGA SEMICONDUCTOR PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS.

#### As used herein:

- 1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body or (b) support or sustain life, and (c) whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury of the user.
- 2. A critical component in any component of a life support, device, or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

Rev. 2.0 February 2009 www.aosmd.com Page 15 of 15