
# Chip type Electric Double Layer Capacitor

# CPH3225A / CP3225A



CPH3225A/CP3225A is thinnest and smallest chip-type electric double layer capacitor.

The unique ceramic packaging with superior air-tightness is used. As the result, it offers leakage resistance and humidity resistance. Also, by optimizing its materials, a 1 minute rapid charge stores approximately 90% of full capacity.

Its heat-resistant design allows for Pb-free reflowable SMT board attachment.

### **FEATURES**

- ◆Small and thin size
- ◆ RoHS directive compliant
- ◆Pb free reflowable: 260deg.C peak
- ◆WEEE not applicable
- ◆ Rapid Charge
- **♦**Long Cycle Life

### **APPLICATIONS**

Backup Power for various devices.

Super small size power supply.

Personal computer, IC card,

Game machine, Handy terminal, Video camera, various kinds of small appliance, etc.

### **SPECIFICATIONS**

Туре	Maximum Use Voltage	Nominal Capacity (Voltage Range)	Internal Impedance <nominal></nominal>	$\begin{array}{c} \text{Size} \\ (\text{L} \times \text{W} \times \text{H}) \end{array}$	Weight
CPH3225A	3.3V	4.6μAh (3.3V-1.8V) 0.011F	160Ω	$3.2 \times 2.5 \times 0.9$ mm	0.025g
CP3225A	2.6V	4.5μAh (2.6V-1.4V) 0.014F	80Ω	$3.2 \times 2.5 \times 0.9$ mm	0.025g

## **CHARACTERISTICS**

